GYOXFORD

CASSUMASSEE!

(1)

INDICATORS | SIGNALS | LIGHTING

MAKING LIFE ON TWO WHEELS BETTER









The ultimate trick upgrade. The indicator dynamically sweeps across from the inside to the outside of the indicator strip, when activated. A universal fit makes these a must have for any bike







Universal Fit



Waterproof Design



2 x Resistors Included

NightSlider Front

2-IN-1 SEQUENTIAL INDICATORS, DAYTIME LIGHTS




- Contains 14 LEDs housed in a tough, matt black ABS body

- 7 LEDs for daytime lights
 7 LEDs for indicators
 Voltage 12V Power 2W
 M8 bolt- thread pitch 1.25
- Sold as a pair

ACTUAL SIZE




CODE



NightSlider Rear

3-IN-1 SEQUENTIAL INDICATORS, BRAKE & TAIL LIGHTS




- · Contains 14 LEDs housed in a tough, matt black ABS body
- 7 LEDs for stop & rear position7 LEDs for rear inicators

- Voltage 12V Power 2WM8 bolt- thread pitch 1.25
- · Sold as a pair


ACTUAL SIZE





NightGlider

SEQUENTIAL LED INDICATORS



- · Contains 7 LEDs behind a smoked lens, housed in a tough, matt black case
- · For use on front or rear
- Voltage 12V Power 2WM8 bolt- thread pitch 1.25
- Sold as a pair


ACTUAL SIZE





NightStrider


SEQUENTIAL LED INDICATORS



- · Contains 7 LEDs behind a smoked lens, housed in a tough, matt black case
- · For use on front or rear
- · Voltage 12V Power 2.4W
- · M8 bolt- thread pitch 1.25
- · Sold as a pair

ACTUAL SIZE






CODE EL362

NightRider

SEQUENTIAL LED INDICATORS




- Sleek design with short stem
 Premium quality matt black case
 For use on front or rear
 12 LED bulb (extra bright)
 Voltage 12V Power 1.3W
 M8 bolt- 125

- Sold as a pair

ACTUAL SIZE



CODE







Nano



- Unique Oxford design
- Super bright LED
- Sealed for life

Dimensions

49mm(L) \times 22mm(W) \times 20.4mm(H)

Nano All Black



- Unique Oxford design
- Super bright LED
- Sealed for life

Dimensions

CODE

EL329

49mm(L) x 22mm(W) x 20.4mm(H)

Mercury



- Unique Oxford design
- Super bright LEDs
- Sealed for life

Dimensions

89mm(L) x 23mm(W) x 27mm(H)

CODE EL331

Columbia



- High intensity Light Emitting DiodesHoneycomb' lens technology
- Ultra-reliable
- Vibration tested

Dimensions

103mm(L) x 25mm(W) x 15mm(H)

CODE EL330

Jupiter



- Optimise your visibility
- Much longer life-span than conventional bulb-lit indicators
- Ultra reliable
- Vibration tested
- Sealed for life

Dimensions 109.2mm(L) x 27mm(W) x 17mm(H) CODE EL332

Saturn



- 'Honeycomb' lens technology Longer life-span
- Ultra reliable
- Vibration tested
- Sealed for life

Dimensions 72mm(L) x 33.3mm(W) x 21mm(H) CODE EL333

Atom



- Universal fit
- Mini indicators with smoked lens
- 3 LED's with matt black finish case
- Voltage 12v, Power 2.4W
- M8 Bolt-Thread pitch 1.25

Dimensions 58mm(L) x 13mm(W) x 13mm(H)



Signal 3



- 15 LEDs with matt black finish case
- Highly waterproof
- E-marked
- 2x indicators and 2x resistors included



103mm(L) x 25mm(W) x 15mm(H)



15 LEDs

CODE EL322

Signal 4



- 15 LEDs with matt black finish case
- Highly waterproof
- E-marked
- 2x indicators and 2x resistors included

Dimensions

 $74(L) \times 29(W) \times 18(H) \text{ mm}$



15 LEDs

CODE EL323

Signal 7



- 12 LEDs with matt black finish case
- Short stem
- Highly waterproof
- E-marked
- 2x indicators and 2x resistors included

Dimensions

76(L) x 27(W) x 27(H) mm



12 LEDs

CODE EL324

Signal 14



- 12 LEDs with matt black finish case
- Short stem
- Highly waterproof
- E-marked
- \bullet 2x indicators and 2x resistors included

Dimensions

69(L) x 28(W) x 42(H) mm



12 LEDs

CODE EL325

Signal 15




- 12 LEDs with matt black finish case
- Long stem
- Highly waterproof
- E-marked
- Dimension: 87(L) x 28(W) x 42(H) mm
- 2x indicators and 2x resistors included

Dimensions

87(L) x 28(W) x 42(H) mm



12 LEDS



Rectangular Short



- 9 super bright LEDs
- Sealed-for-life for greater longevity
- 2x indicators and 2x resistors included
- Voltage 12V Power 1W
- M8 bolt- thread pitch 1.25mm

Dimensions

74mm(L) x 38mm(W) x 33mm(H)

CODE EL335

CODE

EL337

Rectangular Long



- 9 super bright LEDs
- Sealed-for-life for greater longevity
- 2x indicators and 2x resistors included
- Voltage 12V Power 1W
- M8 bolt- thread pitch 1.25mm

Dimensions

95mm(L) x 38mm(W) x 33mm(H)

CODE EL336

Arrow Short



- 15 super bright LEDs
- Compact and stylish design
- 2x indicators and 2x resistors included
- Voltage 12V Power 2W
- M8 bolt- thread pitch 1.25mm

Dimensions

69mm(L) x 27mm(W) x 40mm(H)

Arrow Long




- 15 super bright LEDs
- Compact and stylish design
- 2x indicators and 2x resistors included
- Voltage 12V Power 2W
- M8 bolt- thread pitch 1.25mm

Dimensions

86mm(L) x 27mm(W) x 40mm(H)

Indicator Spacers





Covers holes left by standard sized indicators in bodywork



SCAN FOR COMPATIBIBILITY CHART OR VISIT WWW.OXFORDPRODUCTS.COM/INSTRUCTIONS

CODE	DESCRIPTION
OX816	HONDA
OX817	KAWASAKI
OX818	HONDA/SUZUK
OX819	SUZUKI TYPE 1
OX820	SUZUKI TYPE 2
OX821	YAMAHA TYPE
OX822	YAMAHA TYPE
OX823	YAMAHA TYPE

Tail Light - 3-in-1 LED number plate, brake & tail light



- Universal fit
- Waterproof design
- 23 super bright LEDs
- Sealed-for-life for greater longevity
- Rubber mounted to absorb vibrations

Dimensions

120mm(L) x 32mm(W) x 35mm(H)

Halo Light - LED number plate



- Universal fit
- Waterproof design
- 3 super bright LEDs
- Specification: 12V, 0.45W

Dimensions

CODE

EL343

24mm(H) \times 50mm(W) \times 15mm(D)

Indicator Leads



Each bike manufacturer uses different connectors for their indicators. This means that when fitting universal aftermarket indicators you need to cut the original connectors off and replace them with bullet fittings.

Not any more! Simply connect the IndyLeads between the original connector and the universal indicator. Simple.

2 pack for front OR rear.

CODE	DESCRIPTION
OX885	KAWASAKI TYPE 1
OX886	KAWASAKI TYPE 2
OX887	KAWASAKI TYPE 3
OX888	YAMAHA
OX889	YAMAHA MT-07
OX890	YAMAHA 2 WIRE CONNECTOR
OX891	YAMAHA 3 WIRE CONNECTOR W/DAY LIGHT FUNCTION
OX892	HONDA 2 WIRE CONNECTOR
OX893	HONDA 3 WIRE CONNECTOR
OX894	KTM
OX895	SUZUKI
OX896	APRILIA
OX897	BMW
OX898	DUCATI
OX899	TRIUMPH

Halo Bolts





- Super bright LEDs
- Low power consumption
- 12mmø x 14mm(L) bolt size
- Easy to install

CODE EL345

Resistors



If your LED indicators flash too fast then fit the Oxford load balancing resistors.

- Stabilises LED indicator flash rates
- Simple to fit bullet connectors
- Works with low power bulb indicators
- Two models available (18 Watt and 9 Watt)

CODE	DESCRIPTION
EL320	18 WATT / 10 OHM CERAMIC RESISTORS
EL321	9 WATT / 21.5 OHM CERAMIC RESISTORS

Replacement Bulbs



21 Watt replacement bulbs available in clear and orange.

CODE	DESCRIPTION
BULB21W	MINI INDICATOR 21W CLEAR
BULB21WO	MINI INDICATOR 21W ORANGE

