



OFF ON ROAD 2023





road



2023



road

o

# INDEX OFF ROAD

<b>BRAND</b>	<b>PAG</b>
BETAMOTOR	1
CAGIVA	5
COBRA	5
Fantic	6
GAS GAS	8
HONDA	23
HUSABERG	47
HUSQVARNA	51
KAWASAKI	68
KTM	80
SHERCO	99
SUZUKI	101
TM RACING	113
YAMAHA	115

## BETAMOTOR 2T 125cc

PISTONE BETAMOTOR RR 2T 125 '18-'22 D. 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2661</b>	54	29.45	Testa Piana Flat head		58	STANDARD



Peso - Weight: 122gr

Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2661A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.96	PC2661B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.97	PC2661C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

## BETAMOTOR 2T 200cc

PISTONE BETAMOTOR RR 2T 200 '18-'22 D. 62

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2883</b>	62	30	Testa bombata Barrel head	1.5	65	RACING

**New!**

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 61.95	PC2883A	2	N0620010024530KBI	SEGM. G30KB AC 62 X 1 X 2,45
		1	SP160500100KBI	PIN Ø 16 X 50 X 10 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 61.96	PC2883B	2	N0620010024530KBI	SEGM. G30KB AC 62 X 1 X 2,45
		1	SP160500100KBI	PIN Ø 16 X 50 X 10 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
C 61.97	PC2883C	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	N0620010024530KBI	SEGM. G30KB AC 62 X 1 X 2,45
		1	SP160500100KBI	PIN Ø 16 X 50 X 10 BIC

## BETAMOTOR 2T 250cc

### PISTONE BETAMOTOR RR 250 2T '13-'15 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2481</b>	66.4	38	Testa bombata Barrel head	3.7	79.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2481A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2481B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2481C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2481D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

### PISTONE BETAMOTOR RR 2T 250 '18-'22 D. 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2775</b>	66.4	38	Testa bombata Barrel head	3.7	79.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 66.35	PC2775A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.36	PC2775B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.37	PC2775C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## BETAMOTOR 2T 300cc

### PISTONE BETAMOTOR RR 2T 300 '13-'17 D. 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2485</b>	72	38	Testa Piana Flat head		75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2485A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2485B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2485C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2485D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

### PISTONE BETAMOTOR RR 2T 300 '18-'21 D. 72 - FUSO - VERS. OIL DOTS

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2876</b>	72	38	Testa bombata Barrel head	3.5	79	RACING

**New!**

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 71.95	PC2876A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	AN1B1815SET	CLIP D.18 1B FILO 1.5 DIN 73123 IN SERIE
B 71.96	PC2876B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	AN1B1815SET	CLIP D.18 1B FILO 1.5 DIN 73123 IN SERIE
C 71.97	PC2876C	2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN1B1815SET	CLIP D.18 1B FILO 1.5 DIN 73123 IN SERIE

## BETAMOTOR 2T 300cc

### PISTONE BETAMOTOR RR 2T 300 '21-'22 D. 73 VERS. OIL DOTS

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2888</b>	73	38	Testa bombata Barrel head	3.6	79.1	RACING

**New!**

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 72.95	PC2888A	2	N0730010026530KBI	SEGM. G30KB AC 73 x 1 x 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN1B1815SET	CLIP D.18 1B FILO 1.5 DIN 73123 IN SERIE
B 72.96	PC2888B	2	N0730010026530KBI	SEGM. G30KB AC 73 x 1 x 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN1B1815SET	CLIP D.18 1B FILO 1.5 DIN 73123 IN SERIE
C 72.97	PC2888C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		2	N0730010026530KBI	SEGM. G30KB AC 73 x 1 x 2,65
		1	AN1B1815SET	CLIP D.18 1B FILO 1.5 DIN 73123 IN SERIE

### PISTONE GAS GAS TXT300 2002-2022 - BETAMOTOR EVO300 2T 2011-2022 - SHERCO ST-R 300 2011-2022 Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2704</b>	79	28.7	Testa bombata Barrel head	3.8	66.1	STANDARD



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
78.95	PC27047895	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.96	PC27047896	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.97	PC27047897	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.98	PC27047898	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7



## CAGIVA 2T 125cc

PISTONE CAGIVA CROSS 125 CC.1984-1988 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1759</b>	56	30	Testa bombata Barrel head	3	65	STANDARD



Variant	Item	Qty	Component Code	Component Description
56	PC1759000	1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
56.5	PC1759050	1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
57	PC1759100	1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25

## COBRA 2T 50cc

PISTONE COBRA MINI-CROSS Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1774</b>	39	23.45	Testa bombata Barrel head	1.45	45.9	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 38.95	PC1774A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
B 38.96	PC1774B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
C 38.97	PC1774C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
D 38.98	PC1774D	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65

## COBRA 2T 50cc

PISTONE COBRA CX50 VENOM ENGINE TSB 0518 Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2576</b>	39	23.45	Testa bombata Barrel head	1.45	45.9	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 38.95	PC2576A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
B 38.96	PC2576B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
C 38.97	PC2576C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
D 38.98	PC2576D	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65

## Fantic 2T 125cc

PISTONE FANTIC XE-XX 125 '21-'22 - YAMAHA YZ / WR 125 '05 -'21 D. 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1821</b>	54	28.5	Testa Piana Flat head		58.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1821A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1821B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1821C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1821D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## Fantic 2T 125cc

PISTONE FANTIC XE-XX 125 '21-'22 - YAMAHA YZ-WR 125 '05 -'21 D. 54 (VERS. OIL DOTS)

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2899</b>	54	28.5	Testa Piana Flat head		58.5	RACING

**New!**



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2899A	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 53.95	PC2899B	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2899C	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
D 53.97	PC2899D	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

PISTONE FANTIC XE-XX 125 '21-'22 YAMAHA YZ / WR 125 2022 D. 54 (VERS. OIL DOTS - LIGHT - GABBIA)

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2919</b>	54	28.6	Testa Piana Flat head		58.1	RACING EVO

**New!**



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2919A	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
B 53.95	PC2919B	1	GAB150190195I	GABBIA A RULLI 15 x 19 x 19,5
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2919C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	GAB150190195I	GABBIA A RULLI 15 x 19 x 19,5
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
D 53.97	PC2919D	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	GAB150190195I	GABBIA A RULLI 15 x 19 x 19,5

## GAS GAS 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1770</b>	54	29.5	Testa Piana Flat head		58.2	STANDARD

1 SEGM. RETTANGOLARE  
1 RECT. RING



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1770A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1770B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1770C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1770D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC1770E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54  
1 HK RING RACING version

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2367</b>	54	29.5	Testa Piana Flat head		58.2	RACING

1 segmento semitrapezoidale / 1 half-keystone ring



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2367A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2367B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2367C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2367D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2367E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

## GAS GAS 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22  
VERS. 2 SEGM. D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2472</b>	54	29.5	Testa Piana Flat head		58.1	STANDARD

2 Segmenti semitrapezoidali/2 Half  
Keystone rings



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2472A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2472B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2472C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2472D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2472E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE GAS GAS EC/MC/MX 125 2004-2012 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2482</b>	54	28	Testa Piana Flat head		58	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2482A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC2482B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC2482C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC2482D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.99	PC2482E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## GAS GAS 2T 125cc

PISTONE GAS GAS EC/MC/MX 125 2013-2015 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2483</b>	54	28.6			58.5	STANDARD

TESTA/HEAD 12°



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2483A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC2483B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC2483C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC2483D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.99	PC2483E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE GAS GAS TXT 125 2002-2022 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2735</b>	54	29.5	Testa bombata Barrel head	2.7	63.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2735A	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC2735B	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC2735C	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## GAS GAS 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22  
VERS. 2 SEGM.-TESTA 12° D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2762</b>	54	29.5			58.1	RACING

**New!**

2 segmento semitrapezoidali / 2 half-keystone rings  
TESTA/HEAD 12°

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2762A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2762B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2762C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
D 53.97	PC2762D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2762E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54  
vers. segm 0.8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2797</b>	54	29.5	Testa Piana Flat head		58.2	RACING

1 SEGM. RETT./1 RECT. RING h. 0.8 mm.



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2797A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
B 53.95	PC2797B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
C 53.96	PC2797C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
D 53.97	PC2797D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
E 53.98	PC2797E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25

## GAS GAS 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. Testa 12°

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2798</b>	54	29.5			58.2	RACING

1 SEGM. SEMITRAP. / 1 HALF-KEYSTONE RING  
TESTA/HEAD 12°



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2798A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2798B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2798C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2798D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2798E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 SEGM. RETT. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2874</b>	54	29.5	Testa Piana Flat head		58.2	RACING EVO

**New!**

1 SEGM. RETT. / 1 RECTANGULAR RING  
RIPORTO OIL DOTS  
OIL DOTS COATING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2874A	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 53.95	PC2874B	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2874C	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
D 53.97	PC2874D	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
E 53.98	PC2874E	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE



## GAS GAS 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54  
1 SEGM. SEMITRAP. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2875</b>	54	29.5	Testa Piana Flat head		58.2	RACING EVO

**New!**  
1 Segm. semitrapezoidale -Riporto OIL DOTS / 1 half-keystone ring  
OIL DOTS Coating

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2875A	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
B 53.95	PC2875B	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
C 53.96	PC2875C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2875D	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
E 53.98	PC2875E	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 VERS  
2 SEGM-OIL DOTS D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2892</b>	54	29.5	Testa Piana Flat head		58.1	RACING EVO

**New!**  
2 segm. semitrapezoidali  
Riporto OIL DOTS/ 2 half-keystone rings  
OIL DOTS Coating



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2892A	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 53.95	PC2892B	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2892C	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
D 53.97	PC2892D	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
E 53.98	PC2892E	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## GAS GAS 2T 250cc

PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2329</b>	66.4	38.1	Testa bombata Barrel head	3.5	79.1	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2329A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D. 18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
B 66.35	PC2329B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D. 18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
C 66.36	PC2329C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D. 18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
D 66.37	PC2329D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D. 18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4

PISTONE GAS GAS EC 250 2002-2019 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2484</b>	66.4	38.2	Testa bombata Barrel head	3.8	79.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 0	PC2484A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 0	PC2484B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 0	PC2484C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 0	PC2484D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## GAS GAS 2T 250cc

### PISTONE GAS GAS TXT 250 Ø 72,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2736</b>	72.5	28.8	Testa bombata Barrel head	3.9	66.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 72.46	PC2736A	1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 IN SERIE
		2	N0725010026530KBI	SEGM. G30KB AC 72,5 x 1 x 2,65
B 72.47	PC2736B	1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 IN SERIE
		2	N0725010026530KBI	SEGM. G30KB AC 72,5 x 1 x 2,65
C 72.48	PC2736C	1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 IN SERIE
		2	N0725010026530KBI	SEGM. G30KB AC 72,5 x 1 x 2,65

## GAS GAS 2T 280cc

### PISTONE GAS GAS TXT 280 Ø 76

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2737</b>	76	28.7	Testa bombata Barrel head	3.8	66	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 75.94	PC2737A	2	N0760010028530KBI	SEGM. G30KB AC 76 x 1 x 2,85
		1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 IN SERIE
B 75.95	PC2737B	2	N0760010028530KBI	SEGM. G30KB AC 76 x 1 x 2,85
		1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 IN SERIE
C 75.96	PC2737C	2	N0760010028530KBI	SEGM. G30KB AC 76 x 1 x 2,85
		1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 IN SERIE

## GAS GAS 2T 300cc

### PISTONE GAS GAS EC300 2002-2019 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2510</b>	72	38	Testa bombata Barrel head	3.5	79.5	STANDARD

Forgiato  
Forged



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
PC, A 71.93	PC2510A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	ANOB1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
PC, B 71.94	PC2510B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	ANOB1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
PC, C 71.95	PC2510C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	ANOB1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
PC, D 71.96	PC2510D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	ANOB1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

### PISTONE KTM EXC300-TPI 2019-2022- HUSQVARNA TE300i - GAS GAS EC300 2021-2022 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2668</b>	72	38	Testa Piana Flat head		75.5	RACING

Testa Ossidata / Oxidated Head



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 71.93	PC2668A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	ANOB1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.94	PC2668B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	ANOB1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.95	PC2668C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	ANOB1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.96	PC2668D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	ANOB1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

## GAS GAS 2T 300cc

PISTONE GAS GAS TXT300 2002-2022 - BETAMOTOR EVO300 2T 2011-2022 - SHERCO ST-R 300 2011-2022 Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2704</b>	79	28.7	Testa bombata Barrel head	3.8	66.1	STANDARD



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
78.95	PC27047895	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
78.96	PC27047896	2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
78.97	PC27047897	1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.98	PC27047898	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7

## GAS GAS 2T 50cc

PISTONE KTM SX 50 2009 -2022 - HUSQV. TC50 2017-2022 - GAS GAS MC50 2021-2022 Ø 39,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2110</b>	39.5	21.7	Testa bombata Barrel head	2.3	48	STANDARD



Variant	Item	Qty	Component Code	Component Description
AB 39.46	PC2110AB	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
CD 39.47	PC2110CD	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
EF 39.48	PC2110EF	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
GH 39.49	PC2110GH	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65

## GAS GAS 2T 65cc

PISTONE KTM SX 65 2009 -2022 - GAS GAS MC65 2021-2022 - HUSQV. TC 65 2017-2022 Ø 45

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2047</b>	45	21.6	Testa bombata Barrel head	2.4	48	STANDARD



Variant	Item	Qty	Component Code	Component Description
0 44.95	PC20470	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
A 44.96	PC2047A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
B 44.97	PC2047B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
C 44.98	PC2047C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
D 44.99	PC2047D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
E 45	PC2047E	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85

## GAS GAS 2T 85cc

PISTONE KTM SX - EXC 85 '03 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1852</b>	47	24	Testa bombata Barrel head	2	53	STANDARD




Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC1852A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
B 46.95	PC1852B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
C 46.96	PC1852C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC1852D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
E 46.98	PC1852E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85

PISTONE KTM SX - EXC 85 '09 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47 12° HEAD

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2805</b>	47	23.8		0.7	51.5	RACING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC2805A	1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
B 46.95	PC2805B	1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
C 46.96	PC2805C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC2805D	1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
E 46.98	PC2805E	1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5

## GAS GAS 4T 250cc

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,4:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2494</b>	78	19.5			32.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2494A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2494B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2494C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2494D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,7:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2495</b>	78	19.5			33.6	RACING



KTM 250 SX-F 2016-2022 H.C. 14,7:1 HUSQVARNA FC 250 2016-2022 H.C. 14,7:1

Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2495A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2495B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2495C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2495D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)



## GAS GAS 4T 250cc

PISTONE KTM 250 EXC-F 2017-2022 - HUSQVARNA FE250 2017-2022 - GAS GAS EC250F 2021-2022 Compr. 12,8:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2614</b>	78	19.5			30.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2614A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2614B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2614C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2614D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

## GAS GAS 4T 350cc

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2022 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,0:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2496</b>	88	20.5			33.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2496A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2496B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2496C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

## GAS GAS 4T 350cc

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2022 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2497</b>	88	20.5			33.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2497A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2497B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2497C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

## GAS GAS 4T 450cc

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 12,6:1 O.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2498</b>	95	22.8			36.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2498A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2498B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2498C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

## GAS GAS 4T 450cc

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 13,1:1 H.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2499</b>	95	22.8			37.6	RACING



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2499A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	ANOB1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2499B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	ANOB1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2499C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	ANOB1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

## HONDA 2T 125cc

PISTONE HONDA CR 125 1992 - 1999 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1518</b>	54	28	Testa Piana Flat head		58	STANDARD

Fermo segm. laterale/ Shifted ring stopper



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.93	PC1518A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.94	PC1518B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.95	PC1518C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.96	PC1518D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.97	PC1518E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## HONDA 2T 125cc

PISTONE HONDA CR 125 2004 - CRE 125 2004 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1799</b>	54	28	Testa bombata Barrel head	2.6	60.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.92	PC1799A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.93	PC1799B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.94	PC1799C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.95	PC1799D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.96	PC1799E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
F 53.97	PC1799F	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## HONDA 2T 125cc

PISTONE HONDA CR 125 2000 - 2003 Ø 54 with port

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1853</b>	54	28	Testa Piana Flat head		58	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.93	PC1853A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.94	PC1853B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.95	PC1853C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.96	PC1853D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.97	PC1853E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE HONDA CR 125 '05-'07 D. 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2868</b>	54	28	Testa bombata Barrel head	2.6	60.6	STANDARD

**New!**

Fuso in gravità - Gravity cast

AVAILABLE FROM JANUARY 2023

Variant	Item	Qty	Component Code	Component Description
A 53.92	PC2868A	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
B 53.93	PC2868B	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
C 53.94	PC2868C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.95	PC2868D	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
E 53.96	PC2868E	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC

## HONDA 2T 250cc

PISTONE HONDA CR250R 1989-1994 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2380</b>	66.4	38	Testa bombata Barrel head	3.7	79.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2380110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2380160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2380A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2380B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2380C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2380D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## HONDA 2T 250cc

PISTONE HONDA CR250R 1995-1996 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2381</b>	66.4	38	Testa bombata Barrel head	3.7	79.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2381110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2381160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2381A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2381B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2381C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2381D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## HONDA 2T 250cc

PISTONE HONDA CR250R 1997-2001 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2382</b>	66.4	38	Testa Piana Flat head		75.6	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2382110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2382160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2382A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2382B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2382C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2382D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45



## HONDA 2T 250cc

PISTONE HONDA CR250R 2002-2004 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2383</b>	66.4	38	Testa Piana Flat head		75.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2383110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2383160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2383A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2383B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2383C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2383D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## HONDA 2T 250cc

PISTONE HONDA CR250R 2005-2007 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2384</b>	66.4	38.2	Testa bombata Barrel head	3.6	78.8	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2384110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2384160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2384A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2384B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2384C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2384D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## HONDA 2T 80cc

PISTONE HONDA CR 80 '90 -'99 Ø 46

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1569</b>	46	24	Testa bombata Barrel head	2.3	53.3	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 45.95	PC1569A	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
B 45.96	PC1569B	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
C 45.97	PC1569C	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
D 45.98	PC1569D	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85

## HONDA 2T 82cc

PISTONE HONDA CR 80 USA '90 - '02 Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1753</b>	47	24	Testa bombata Barrel head	2.3	53.3	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC1753A	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
B 46.95	PC1753B	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
C 46.96	PC1753C	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC1753D	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85

## HONDA 2T 85cc

PISTONE HONDA CR 85 '03 -'07 Ø 47,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1814</b>	47.5	24	Testa bombata Barrel head	2.3	53.3	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 47.45	PC1814A	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
B 47.46	PC1814B	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
C 47.47	PC1814C	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
D 47.48	PC1814D	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85

## HONDA 4T 250cc

PISTONE HONDA CRF 250R '10 -'13 Compr. 13,2:1 Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2116</b>	76.8	19			32.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2116A	1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
B 76.77	PC2116B	1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
C 76.78	PC2116C	1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
D 76.79	PC2116D	1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9

## HONDA 4T 250cc

PISTONE HONDA CRF 250R '10 -'13 Compr. 14,1:1 Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2163</b>	76.8	19			33	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2163A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2163B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2163C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
D 76.79	PC2163D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF 250R '10-'13 Compr. 14,3:1 HHC Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2209</b>	76.8	19			33.1	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2209A	1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
B 76.77	PC2209B	1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
C 76.78	PC2209C	1	SP160390090KI	PIN Ø 16 X 39 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

## HONDA 4T 250cc

PISTONE HONDA CRF 250R '14-'15 Compr. 13,5:1 O.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2398</b>	76.8	19.1			32.9	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2398A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT768002I	TSMOT768002I SERIE SEGM. MOTO 4T Ø 76.80 MM H. 0,8x2.85/1,5x2.5
B 76.77	PC2398B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT768002I	TSMOT768002I SERIE SEGM. MOTO 4T Ø 76.80 MM H. 0,8x2.85/1,5x2.5
C 76.78	PC2398C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT768002I	TSMOT768002I SERIE SEGM. MOTO 4T Ø 76.80 MM H. 0,8x2.85/1,5x2.5
D 76.79	PC2398D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT768002I	TSMOT768002I SERIE SEGM. MOTO 4T Ø 76.80 MM H. 0,8x2.85/1,5x2.5

PISTONE HONDA CRF 250R '14-'15 Compr. 14,3:1 H.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2399</b>	76.8	19.1			34.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2399A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT768002I	TSMOT768002I SERIE SEGM. MOTO 4T Ø 76.80 MM H. 0,8x2.85/1,5x2.5
B 76.77	PC2399B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT768002I	TSMOT768002I SERIE SEGM. MOTO 4T Ø 76.80 MM H. 0,8x2.85/1,5x2.5
C 76.78	PC2399C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT768002I	TSMOT768002I SERIE SEGM. MOTO 4T Ø 76.80 MM H. 0,8x2.85/1,5x2.5
D 76.79	PC2399D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT768002I	TSMOT768002I SERIE SEGM. MOTO 4T Ø 76.80 MM H. 0,8x2.85/1,5x2.5

## HONDA 4T 250cc

HONDA CRF 250R '14-'15 Compr. 14,3:1 H.C. Ø 76,8 PIN-DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2400</b>	76.8	19.1			34.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2400A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2400B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2400C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
D 76.79	PC2400D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF250R- '16-'17 Compr. 13,8:1 O.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2491</b>	76.8	19.1			33.4	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2491A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2491B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2491C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

## HONDA 4T 250cc

PISTONE HONDA CRF250R- '16-'17 Compr. 14,3:1 H.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2492</b>	76.8	19.1			35	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2492A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2492B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2492C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768005	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF250R- '16-'17 Compr. 14,3:1 H.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2493</b>	76.8	19.1			35	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2493A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2493B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2493C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5



## HONDA 4T 250cc

PISTONE HONDA CRF 250R '06 -'09 Compr. 13,5:1 Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2063</b>	78	19			35.1	SPORT



Variant	Item	Qty	Component Code	Component Description
A 77.95	PC2063A	1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5
B 77.96	PC2063B	1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5
C 77.97	PC2063C	1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5
D 77.98	PC2063D	1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5

PISTONE HONDA CRF 250R '06 -'09 Compr. 13,1:1 Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2086</b>	78	19			32	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.95	PC2086A	1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5
		1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 77.96	PC2086B	1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5
		1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
C 77.97	PC2086C	1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5
		1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
D 77.98	PC2086D	1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5
		1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE

## HONDA 4T 250cc

### PISTONE HONDA CRF250R- '18-'19 Compr.13.9:1 O.C. Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2656</b>	79	18.8			33.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 78.96	PC2656A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
B 78.97	PC2656B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
C 78.98	PC2656C	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5

### PISTONE HONDA CRF250R- '18-'19 Compr.14,5:1 H.C. Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2657</b>	79	18.8			33.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 78.96	PC2657A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
B 78.97	PC2657B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
C 78.98	PC2657C	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5

## HONDA 4T 250cc

PISTONE HONDA CRF250R- '18-'19 Compr. 14,5:1 H.C. Ø 79 Vers. RACING EVO EmmeMotori

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2690</b>	79	18.8			34.7	RACING EVO



Variant	Item	Qty	Component Code	Component Description
A 78.95	PC2690A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
B 78.96	PC2690B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
C 78.97	PC2690C	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
D 78.99	PC2690D	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5

PISTONE HONDA CRF250R-CRF250RX '20-'22 Compr. 13.9:1 O.C. Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2790</b>	79	18.8			34.9	STANDARD



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
A 78.96	PC2790A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
B 78.97	PC2790B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
C 78.98	PC2790C	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC

## HONDA 4T 250cc

PISTONE HONDA CRF250R-CRF250RX '20-'22 Compr. 14.5:1 H.C. Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2791</b>	79	18.8			35.4	RACING



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
A 78.96	PC2791A	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
B 78.97	PC2791B	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
C 78.98	PC2791C	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC

## HONDA 4T 300cc

PISTONE HONDA CRF 300 RX 2019 Compr. 13,5:1 O.C. Ø 86

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2728</b>	86	18.7			31.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 85.91	PC2728A	1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 85.92	PC2728B	1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
C 85.93	PC2728C	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
D 85.94	PC2728D	1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE

## HONDA 4T 300cc

PISTONE HONDA CRF 300 RX 2019 Compr. 14,0:1 H.C. Ø 86

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2729</b>	86	18.7			31.5	RACING EVO



Variant	Item	Qty	Component Code	Component Description
A 85.91	PC2729A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1
B 85.92	PC2729B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1

## HONDA 4T 450cc

PISTONE HONDA CRF450X '02-'17 / CRF450R '04-'08 Compr. 12,1:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2174</b>	96	24.2			34.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2174A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.96	PC2174B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.97	PC2174C	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.98	PC2174D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

## HONDA 4T 450cc

PISTONE HONDA CRF450X '02-'17 / CRF-450R '04-'08 Compr. 12,5:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2175</b>	96	24.2			35.2	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2175A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.95	PC2175B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.95	PC2175C	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.95	PC2175D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE HONDA CRF 450R '09 -'12 Compr. 12,5:1 Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2216</b>	96	20.7			35.7	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2216A	1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
B 95.96	PC2216B	1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
C 95.97	PC2216C	1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
D 95.98	PC2216D	1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE

## HONDA 4T 450cc

PISTONE HONDA CRF 450R '09 -'12 Compr. 13.2:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2317</b>	96	20.7			37	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2317A	1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
B 95.96	PC2317B	1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
C 95.97	PC2317C	1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.98	PC2317D	1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC

PISTONE HONDA CRF 450R '09 -'12 Compr. 13.2:1 H.C. PIN-DLC Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2318</b>	96	20.7			37	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2318A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.96	PC2318B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

## HONDA 4T 450cc

PISTONE HONDA CRF450-R '13 -'16 Compr. 12,5:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2435</b>	96	20.8			35	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2435A	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
B 95.96	PC2435B	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
C 95.97	PC2435C	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
D 95.98	PC2435D	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5

PISTONE HONDA CRF450-R '13 -'16 Compr. 13,2:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2436</b>	96	20.8			36.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2436A	1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
		1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
B 95.96	PC2436B	1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
		1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
C 95.97	PC2436C	1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
		1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9
D 95.98	PC2436D	1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
		1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE



## HONDA 4T 450cc

PISTONE HONDA CRF 450-R '13-'16 Compr. 13,2:1 H.C. PIN-DLC Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2437</b>	96	20.8			36.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2437A	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5
B 95.96	PC2437B	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5
C 95.97	PC2437C	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5
D 95.98	PC2437D	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5

PISTONE HONDA CRF450R - CRF450RX 2017-22 Compr. 13.5:1 O.C. D. 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2599</b>	96	20.5			38.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2599A	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5
B 95.96	PC2599B	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5
C 95.97	PC2599C	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5
D 95.98	PC2599D	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5

## HONDA 4T 450cc

PISTONE HONDA CRF450R - CRF450RX 2017-22 Compr. 13,8:1 H.C. D. 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2600</b>	96	20.5			37.7	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2600A	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5
B 95.96	PC2600B	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5
C 95.97	PC2600C	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5
D 95.98	PC2600D	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5

HONDA CRF450R - CRF450RX '17-'22 Compr. 14,2:1 Racing-Evo Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2878</b>	96	20.6			36.4	RACING EVO



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2878A	1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
B 95.96	PC2878B	1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
C 95.97	PC2878C	1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5
D 95.98	PC2878D	1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	TSMOT960003I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5

## HUSABERG 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22  
VERS. 2 SEGM. D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2472</b>	54	29.5	Testa Piana Flat head		58.1	STANDARD

2 Segmenti semitrapezoidali/2 Half  
Keystone rings



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2472A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2472B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2472C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2472D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2472E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 VERS  
2 SEGM-OIL DOTS D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2892</b>	54	29.5	Testa Piana Flat head		58.1	RACING EVO

**New!**

2 segm. semitrapezoidali  
Riparto OIL DOTS/ 2 half-keystone  
rings  
OIL DOTS Coating



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2892A	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 53.95	PC2892B	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2892C	1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
D 53.97	PC2892D	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
E 53.98	PC2892E	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## HUSABERG 2T 250cc

PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2329</b>	66.4	38.1	Testa bombata Barrel head	3.5	79.1	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2329A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
B 66.35	PC2329B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
C 66.36	PC2329C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
D 66.37	PC2329D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4

## HUSABERG 2T 300cc

PISTONE KTM EXC-300 2004-2018 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2342</b>	72	38	Testa Piana Flat head		75.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2342A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2342B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2342C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2342D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

## HUSABERG 4T 250cc

PISTONE KTM 250 SX-F 2013-2015 Comp. 13.9:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2264</b>	78	19.5			30.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2264A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 77.97	PC2264B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2264C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2264D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

PISTONE KTM 250 SX-F 2013-2015 Comp. 14.3:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2265</b>	78	19.5			30.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2265A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2265B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2265C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2265D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

## HUSABERG 4T 350cc

PISTONE KTM 350 SX-F 2011-2015 Compr. 13,6:1 O.C. / EXCF 350 2012-2016 Compr. 12,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2328</b>	88	20.5			33.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2328A-1	1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
		1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
B 87.97	PC2328B-1	1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
		1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
C 87.98	PC2328C-1	1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
		1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC

PISTONE KTM 350 EXC-F 2012-2016 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2349</b>	88	20.5			33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2349A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2349B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2349C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

## HUSQVARNA 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1770</b>	54	29.5	Testa Piana Flat head		58.2	STANDARD

1 SEGM. RETTANGOLARE  
1 RECT. RING



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1770A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1770B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1770C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1770D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC1770E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE HUSQVARNA CR-WR 125 1997-2013 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2312</b>	54	28	Testa Piana Flat head		58	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2312A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC2312B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC2312C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC2312D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC2312E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## HUSQVARNA 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54  
1 HK RING RACING version

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2367</b>	54	29.5	Testa Piana Flat head		58.2	RACING

1 segmento semitrapezoidale / 1 half-keystone ring



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2367A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2367B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2367C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2367D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2367E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22  
VERS. 2 SEGM. D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2472</b>	54	29.5	Testa Piana Flat head		58.1	STANDARD

2 Segmenti semitrapezoidali/2 Half Keystone rings



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2472A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2472B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2472C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2472D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2472E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20



## HUSQVARNA 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22  
VERS. 2 SEGM.-TESTA 12° D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2762</b>	54	29.5			58.1	RACING

**New!**

2 segmento semitrapezoidali / 2 half-keystone rings  
TESTA/HEAD 12°

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2762A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2762B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2762C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
D 53.97	PC2762D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2762E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54  
vers. segm 0.8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2797</b>	54	29.5	Testa Piana Flat head		58.2	RACING

1 SEGM. RETT./1 RECT. RING h. 0.8 mm.



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2797A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
B 53.95	PC2797B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
C 53.96	PC2797C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
D 53.97	PC2797D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
E 53.98	PC2797E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25

## HUSQVARNA 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. Testa 12°

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2798</b>	54	29.5			58.2	RACING

1 SEGM. SEMITRAP. / 1 HALF-KEYSTONE RING  
TESTA/HEAD 12°



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2798A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2798B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2798C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2798D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2798E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 SEGM. RETT. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2874</b>	54	29.5	Testa Piana Flat head		58.2	RACING EVO

**New!**

1 SEGM. RETT. / 1 RECTANGULAR RING  
RIPORTO OIL DOTS  
OIL DOTS COATING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2874A	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 53.95	PC2874B	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2874C	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
D 53.97	PC2874D	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
E 53.98	PC2874E	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## HUSQVARNA 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54  
1 SEGM. SEMITRAP. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2875</b>	54	29.5	Testa Piana Flat head		58.2	RACING EVO

**New!**  
1 Segm. semitrapezoidale -Ripporto OIL DOTS / 1 half-keystone ring  
OIL DOTS Coating

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2875A	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
B 53.95	PC2875B	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
C 53.96	PC2875C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2875D	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
E 53.98	PC2875E	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 VERS  
2 SEGM-OIL DOTS D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2892</b>	54	29.5	Testa Piana Flat head		58.1	RACING EVO

**New!**  
2 segm. semitrapezoidali  
Ripporto OIL DOTS/ 2 half-keystone rings  
OIL DOTS Coating



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2892A	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 53.95	PC2892B	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2892C	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
D 53.97	PC2892D	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
E 53.98	PC2892E	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## HUSQVARNA 2T 150cc

### PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2773</b>	58	29.5	Testa Piana Flat head		58	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 57.94	PC2773A	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
B 57.95	PC2773B	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
C 57.96	PC2773C	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
D 57.97	PC2773D	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2

### PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58 Vers. RACING 1 segmento

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2774</b>	58	29.5	Testa Piana Flat head		58	RACING

VERSIONE 1 SEGMENTO / 1 RING  
VERSION



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 57.94	PC2774A	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
B 57.95	PC2774B	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
C 57.96	PC2774C	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
D 57.97	PC2774D	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2

## HUSQVARNA 2T 250cc

PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2329</b>	66.4	38.1	Testa bombata Barrel head	3.5	79.1	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2329A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
B 66.35	PC2329B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
C 66.36	PC2329C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
D 66.37	PC2329D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4

## HUSQVARNA 2T 300cc

PISTONE KTM EXC-300 2004-2018 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2342</b>	72	38	Testa Piana Flat head		75.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2342A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2342B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2342C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2342D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

## HUSQVARNA 2T 300cc

PISTONE KTM EXC300-TPI 2019-2022- HUSQVARNA TE300i - GAS GAS EC300 2021-2022 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2668</b>	72	38	Testa Piana Flat head		75.5	RACING

Testa Ossidata / Oxidated Head



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 71.93	PC2668A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.94	PC2668B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.95	PC2668C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.96	PC2668D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

## HUSQVARNA 2T 50cc

PISTONE KTM SX 50 2009 -2022 - HUSQV. TC50 2017-2022 - GAS GAS MC50 2021-2022 Ø 39,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2110</b>	39.5	21.7	Testa bombata Barrel head	2.3	48	STANDARD



Variant	Item	Qty	Component Code	Component Description
AB 39.46	PC2110AB	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
CD 39.47	PC2110CD	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
EF 39.48	PC2110EF	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
GH 39.49	PC2110GH	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65

## HUSQVARNA 2T 65cc

PISTONE KTM SX 65 2009 -2022 - GAS GAS MC65 2021-2022 - HUSQV. TC 65 2017-2022 Ø 45

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2047</b>	45	21.6	Testa bombata Barrel head	2.4	48	STANDARD



Variant	Item	Qty	Component Code	Component Description
0 44.95	PC20470	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
A 44.96	PC2047A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
B 44.97	PC2047B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
C 44.98	PC2047C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
D 44.99	PC2047D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
E 45	PC2047E	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85

## HUSQVARNA 2T 85cc

PISTONE KTM SX - EXC 85 '03 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1852</b>	47	24	Testa bombata Barrel head	2	53	STANDARD




Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC1852A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
B 46.95	PC1852B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
C 46.96	PC1852C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC1852D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
E 46.98	PC1852E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85

PISTONE KTM SX - EXC 85 '09 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47 12° HEAD

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2805</b>	47	23.8		0.7	51.5	RACING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC2805A	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
B 46.95	PC2805B	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
C 46.96	PC2805C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC2805D	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
E 46.98	PC2805E	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5



## HUSQVARNA 4T 250cc

PISTONE KTM 250 SX-F 2013-2015 Comp. 13.9:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2264</b>	78	19.5			30.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2264A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 77.97	PC2264B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2264C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2264D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

PISTONE KTM 250 SX-F 2013-2015 Comp. 14.3:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2265</b>	78	19.5			30.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2265A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2265B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2265C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2265D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

## HUSQVARNA 4T 250cc

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,4:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2494</b>	78	19.5			32.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2494A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2494B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2494C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2494D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,7:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2495</b>	78	19.5			33.6	RACING



KTM 250 SX-F 2016-2022 H.C. 14,7:1 HUSQVARNA FC 250 2016-2022 H.C. 14,7:1

Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2495A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2495B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2495C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2495D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

## HUSQVARNA 4T 250cc

PISTONE KTM 250 EXC-F 2017-2022 - HUSQVARNA FE250 2017-2022 - GAS GAS EC250F 2021-2022 Compr. 12,8:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2614</b>	78	19.5			30.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2614A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2614B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2614C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2614D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

## HUSQVARNA 4T 350cc

PISTONE KTM 350 SX-F 2011-2015 Compr. 13,6:1 O.C. / EXCF 350 2012-2016 Compr. 12,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2328</b>	88	20.5			33.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2328A-1	1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
		1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
B 87.97	PC2328B-1	1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
		1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
C 87.98	PC2328C-1	1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
		1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC

## HUSQVARNA 4T 350cc

PISTONE KTM 350 SX-F 2011-2015 Compr. 14,1:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2348</b>	88	20.5			34.35	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2348A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2348B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2348C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 EXC-F 2012-2016 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2349</b>	88	20.5			33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2349A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2349B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2349C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

## HUSQVARNA 4T 350cc

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2022 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,0:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2496</b>	88	20.5			33.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2496A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2496B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2496C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2022 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2497</b>	88	20.5			33.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2497A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2497B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2497C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

## HUSQVARNA 4T 350cc

PISTONE KTM 350 EXC-F 2017-2019 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2609</b>	88	20.5			33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2609A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2609B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2609C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

PISTONE KTM 350 EXC-F 2017-2019 Compr. 12.8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2610</b>	88	20.5			33.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2610A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2610B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2610C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

## HUSQVARNA 4T 450cc

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 12,6:1 O.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2498</b>	95	22.8			36.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2498A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2498B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2498C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 13,1:1 H.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2499</b>	95	22.8			37.6	RACING



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2499A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2499B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2499C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

## KAWASAKI 2T 100cc

PISTONE KAWASAKI KX 100 '98-'18 Ø 52,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2462</b>	52.5	26	Testa bombata Barrel head	1.7	53.7	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 52.44	PC2462A	1	SP140440100ZN2I	PIN D. 14 X 44 X 10 NIT.
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0525010020530KBI	SEGM. G30KB AC 52,5 X 1 X 2,05
B 52.45	PC2462B	1	SP140440100ZN2I	PIN D. 14 X 44 X 10 NIT.
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0525010020530KBI	SEGM. G30KB AC 52,5 X 1 X 2,05
C 52.46	PC2462C	1	SP140440100ZN2I	PIN D. 14 X 44 X 10 NIT.
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0525010020530KBI	SEGM. G30KB AC 52,5 X 1 X 2,05

## KAWASAKI 2T 125cc

PISTONE KAWASAKI KX - KXE 125 2001 - 2002 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1776</b>	54	29.3	Testa bombata Barrel head	3	60.3	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1776A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1776B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC1776C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1776D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.99	PC1776E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
F 54	PC1776F	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25



## KAWASAKI 2T 125cc

### PISTONE KAWASAKI KX - KXE 125 1999 - 2000 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1790</b>	54	29.5	Testa bombata Barrel head	0.85	60.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1790A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1790B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC1790C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1790D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

### PISTONE KAWASAKI KX - KXE 125 2003 - 2008 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2477</b>	54	29.3	Testa bombata Barrel head	2.5	60.3	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2477A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC2477B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC2477C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC2477D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## KAWASAKI 2T 250cc

PISTONE KAWASAKI KX 250 1992-2001 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2386</b>	66.4	37.2	Testa bombata Barrel head	3.4	76.6	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2386110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2386160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2386A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2386B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2386C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2386D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## KAWASAKI 2T 250cc

### PISTONE KAWASAKI KX 250 2002-2004 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2387</b>	66.4	37.2	Testa bombata Barrel head	3.4	79.6	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2387A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2387B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2387C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2387D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

### PISTONE KAWASAKI KX 250 2005-2008 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2388</b>	66.4	37.2	Testa bombata Barrel head	3.4	77.6	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2388A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2388B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2388C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2388D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## KAWASAKI 2T 60cc

PISTONE KAWASAKI KX 60 '88 -'03 Ø 43

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1573</b>	43	23.5	Testa bombata Barrel head	2	50.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 42.95	PC1573A	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80
B 42.96	PC1573B	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80
C 42.97	PC1573C	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80
D 42.98	PC1573D	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80
E 42.99	PC1573E	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80

## KAWASAKI 2T 65cc

PISTONE KAWASAKI KX 65 '00-'22 - SUZUKI RM65 03-06 Ø 44,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1843</b>	44.5	23.6	Testa bombata Barrel head	1.9	50.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 44.45	PC1843A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85
B 44.46	PC1843B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85
C 44.47	PC1843C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85
D 44.48	PC1843D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85

## KAWASAKI 2T 65cc

PISTONE KAWASAKI KX 65 '00 -'22 Ø 44,5 1 ring version

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1875</b>	44.5	23.6	Testa bombata Barrel head	1.9	50.5	RACING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 44.45	PC1875A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85
B 44.46	PC1875B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85
C 44.47	PC1875C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85
D 44.48	PC1875D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85

## KAWASAKI 2T 85cc

PISTONE KAWASAKI KX 85 2001 - 2013 Ø 48,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1656</b>	48.5	26	Testa bombata Barrel head	2	54	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 48.44	PC1656A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		2	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
B 48.45	PC1656B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		2	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
C 48.46	PC1656C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		2	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
D 48.47	PC1656D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		2	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85

## KAWASAKI 2T 85cc

### PISTONE KAWASAKI KX 85 2014 - 2022 Ø 48,5 1 ring version

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1862</b>	48.5	26	Testa bombata Barrel head	2	54	RACING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 48.44	PC1862A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
B 48.45	PC1862B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
C 48.46	PC1862C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
D 48.47	PC1862D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
E 48.48	PC1862E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85

### PISTONE KAWASAKI KX 85 2001 - 2022 Ø 48,5 Versione 1 segm. RACING

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2431</b>	48.5	26	Testa bombata Barrel head	2	54	RACING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 48.44	PC2431A	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
B 48.45	PC2431B	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
C 48.46	PC2431C	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
D 48.47	PC2431D	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
E 48.48	PC2431E	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85

## KAWASAKI 4T 250cc

PISTONE KAWASAKI KX250F - KXE250F 2010 Compr. 13,2:1 Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2164</b>	77	19.8			31.4	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2164A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2164B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2164C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2164D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE KAWASAKI KX250F - KXE250F 2010 Compr. 13,8:1 Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2165</b>	77	19.8			33.7	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2165A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2165B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2165C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2165D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

## KAWASAKI 4T 250cc

PISTONE KAWASAKI KX250F - KXE250F 2011-2014 Compr. 13,5:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2207</b>	77	18.9			32.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2207A	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
B 76.96	PC2207B	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
C 76.97	PC2207C	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
D 76.98	PC2207D	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2

PISTONE KAWASAKI KX250F - KXE250F 2011-2014 Compr. 14,2:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2208</b>	77	18.9			33.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2208A	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
B 76.96	PC2208B	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
C 76.97	PC2208C	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
D 76.98	PC2208D	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2



## KAWASAKI 4T 250cc

PISTONE KAWASAKI KX250F - KXE250F 2015-2016 Compr. 13,8:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2520</b>	77	19.7			32.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76	PC2520A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
			ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
B 76	PC2520B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
			ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
C 76	PC2520C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
			ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
D 76	PC2520D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
			ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2

PISTONE KAWASAKI KX250F - KXE250F 2015-2016 Compr. 14,3:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2522</b>	77	19.7			33.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2522A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
B 76.96	PC2522B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
C 76.97	PC2522C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
D 76.98	PC2522D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2

## KAWASAKI 4T 250cc

PISTONE KAWASAKI KX250F - KXE250F 2017-2019 Compr. 13,7:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2612</b>	77	19.9		0.6	33.6	STANDARD



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2612A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
B 76.96	PC2612B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
C 76.97	PC2612C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
D 76.98	PC2612D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2

PISTONE KAWASAKI KX250F - KXE250F 2017-2019 Compr. 14,3:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2613</b>	77	19.9		1.8	34.8	RACING



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
A 76	PC2613A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
B 76	PC2613B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
C 76	PC2613C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2
D 76	PC2613D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
			AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
			WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2

## KAWASAKI 4T 450cc

PISTONE KAWASAKI KX450F 2006-2008 - LXE450F 2006-2008 - KLX450R 2008-2011 Compr. 12:1 Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2176</b>	96	23.5			42.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2176A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2176B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2176C	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2176D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2006-2008 - LXE450F 2006-2008 - KLX450R 2008-2011 Compr. 13:1 Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2177</b>	96	23.5			43.4	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2177A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2177B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2177C	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2177D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

## KTM 2T 105cc

PISTONE KTM SX 105 '04 -'13 Ø 52

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2151</b>	52	24.2	Testa bombata Barrel head	2.1	53.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
PC, A 51.95	PC2151A	1	N0520010020530KBI	SEGM. G30KB AC 52 x 1 x 2,05
		1	SP140450090KBI	PIN D. 14 X 45 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
PC, B 51.96	PC2151B	1	N0520010020530KBI	SEGM. G30KB AC 52 x 1 x 2,05
		1	SP140450090KBI	PIN D. 14 X 45 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
PC, C 51.97	PC2151C	1	N0520010020530KBI	SEGM. G30KB AC 52 x 1 x 2,05
		1	SP140450090KBI	PIN D. 14 X 45 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
PC, D 51.98	PC2151D	1	N0520010020530KBI	SEGM. G30KB AC 52 x 1 x 2,05
		1	SP140450090KBI	PIN D. 14 X 45 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE

## KTM 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1770</b>	54	29.5	Testa Piana Flat head		58.2	STANDARD

1 SEGM. RETTANGOLARE  
1 RECT. RING



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1770A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1770B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1770C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1770D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC1770E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## KTM 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54  
1 HK RING RACING version

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2367</b>	54	29.5	Testa Piana Flat head		58.2	RACING

1 segmento semitrapezoidale / 1 half-keystone ring



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2367A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2367B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2367C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2367D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2367E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22  
VERS. 2 SEGM. D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2472</b>	54	29.5	Testa Piana Flat head		58.1	STANDARD

2 Segmenti semitrapezoidali/2 Half Keystone rings



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2472A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2472B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2472C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2472D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2472E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

## KTM 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22  
VERS. 2 SEGM.-TESTA 12° D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2762</b>	54	29.5			58.1	RACING

**New!**

2 segmento semitrapezoidali / 2 half-keystone rings  
TESTA/HEAD 12°

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2762A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2762B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2762C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
D 53.97	PC2762D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2762E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54  
vers. segm 0.8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2797</b>	54	29.5	Testa Piana Flat head		58.2	RACING

1 SEGM. RETT./1 RECT. RING h. 0.8 mm.



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2797A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
B 53.95	PC2797B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
C 53.96	PC2797C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
D 53.97	PC2797D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
E 53.98	PC2797E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25

## KTM 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. Testa 12°

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2798</b>	54	29.5			58.2	RACING

1 SEGM. SEMITRAP./ 1 HALF-KEYSTONE RING  
TESTA/HEAD 12°



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2798A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2798B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2798C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2798D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2798E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 SEGM. RETT. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2874</b>	54	29.5	Testa Piana Flat head		58.2	RACING EVO

**New!**

1 SEGM. RETT. / 1 RECTANGULAR RING  
RIPORTO OIL DOTS  
OIL DOTS COATING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2874A	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 53.95	PC2874B	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2874C	1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
D 53.97	PC2874D	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
E 53.98	PC2874E	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## KTM 2T 125cc

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54  
1 SEGM. SEMITRAP. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2875</b>	54	29.5	Testa Piana Flat head		58.2	RACING EVO

**New!**

1 Segm. semitrapezoidale -Riporto OIL DOTS / 1 half-keystone ring  
OIL DOTS Coating

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2875A	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
B 53.95	PC2875B	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
C 53.96	PC2875C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2875D	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
E 53.98	PC2875E	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 VERS  
2 SEGM-OIL DOTS D.54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2892</b>	54	29.5	Testa Piana Flat head		58.1	RACING EVO

**New!**

2 segm. semitrapezoidali  
Riporto OIL DOTS/ 2 half-keystone rings  
OIL DOTS Coating



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2892A	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 53.95	PC2892B	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2892C	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
D 53.97	PC2892D	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
E 53.98	PC2892E	2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE



## KTM 2T 150cc

### PISTONE KTM SX 144 '07- SX 150 '07 -'15 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2155</b>	56	29.5	Testa Piana Flat head		59.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 55.95	PC2155A	1	SP150470100KI	PIN Ø 15 X 47 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
B 55.96	PC2155B	1	SP150470100KI	PIN Ø 15 X 47 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
C 55.97	PC2155C	1	SP150470100KI	PIN Ø 15 X 47 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25

### PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2773</b>	58	29.5	Testa Piana Flat head		58	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 57.94	PC2773A	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
B 57.95	PC2773B	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
C 57.96	PC2773C	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
D 57.97	PC2773D	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2

## KTM 2T 150cc

PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58 Vers. RACING 1 segmento

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2774</b>	58	29.5	Testa Piana Flat head		58	RACING

VERSIONE 1 SEGMENTO / 1 RING  
VERSION



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 57.94	PC2774A	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
B 57.95	PC2774B	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
C 57.96	PC2774C	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
D 57.97	PC2774D	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2

## KTM 2T 250cc

PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2329</b>	66.4	38.1	Testa bombata Barrel head	3.5	79.1	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2329A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
B 66.35	PC2329B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
C 66.36	PC2329C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
D 66.37	PC2329D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4

## KTM 2T 300cc

PISTONE KTM EXC-300 2004-2018 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2342</b>	72	38	Testa Piana Flat head		75.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2342A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2342B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2342C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2342D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE KTM EXC300-TPI 2019-2022- HUSQVARNA TE300i - GAS GAS EC300 2021-2022 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2668</b>	72	38	Testa Piana Flat head		75.5	RACING

Testa Ossidata / Oxidated Head



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 71.93	PC2668A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.94	PC2668B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.95	PC2668C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.96	PC2668D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

## KTM 2T 50cc

PISTONE KTM SX 50 2009 -2022 - HUSQV. TC50 2017-2022 - GAS GAS MC50 2021-2022 Ø 39,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2110</b>	39.5	21.7	Testa bombata Barrel head	2.3	48	STANDARD



Variant	Item	Qty	Component Code	Component Description
AB 39.46	PC2110AB	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
CD 39.47	PC2110CD	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
EF 39.48	PC2110EF	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
GH 39.49	PC2110GH	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65

PISTONE KTM SX 50 '01 -'08 Ø 39,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2154</b>	39.5	21.6	Testa bombata Barrel head	2.4	48	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 39.46	PC2154A	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
B 39.47	PC2154B	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
C 39.48	PC2154C	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
D 39.49	PC2154D	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65

## KTM 2T 65cc

PISTONE KTM SX 65 1997 -2008 Ø 45

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1842</b>	45	21.5	Testa bombata Barrel head	2.5	48	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 44.95	PC1842A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
B 44.96	PC1842B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
C 44.97	PC1842C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
D 44.98	PC1842D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85

PISTONE KTM SX 65 2009 -2022 - GAS GAS MC65 2021-2022 - HUSQV. TC 65 2017-2022 Ø 45

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2047</b>	45	21.6	Testa bombata Barrel head	2.4	48	STANDARD



Variant	Item	Qty	Component Code	Component Description
0 44.95	PC20470	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
A 44.96	PC2047A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
B 44.97	PC2047B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
C 44.98	PC2047C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
D 44.99	PC2047D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
E 45	PC2047E	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85

## KTM 2T 85cc

PISTONE KTM SX - EXC 85 '03 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1852</b>	47	24	Testa bombata Barrel head	2	53	STANDARD




Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC1852A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
B 46.95	PC1852B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
C 46.96	PC1852C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC1852D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
E 46.98	PC1852E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85

PISTONE KTM SX - EXC 85 '09 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47 12° HEAD

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2805</b>	47	23.8		0.7	51.5	RACING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC2805A	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
B 46.95	PC2805B	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
C 46.96	PC2805C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC2805D	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
E 46.98	PC2805E	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5

## KTM 4T 250cc

PISTONE KTM 250 SX-F 2006 -2012 - 250 EXC-F 2007-2013 Compr. 12,8:1 O.C. Ø 76

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2160</b>	76	19			34.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 75.96	PC2160A	1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2
		1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 75.97	PC2160B	1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2
		1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
C 75.98	PC2160C	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2
		1	SP160400090K2I	PIN Ø 16 X 40 X 9
D 75.99	PC2160D	1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2
		1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE

PISTONE KTM 250 SX-F 2006 -2012 - 250 EXC-F 2007-2013 Compr. 13,3:1 H.C. Ø 76

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2161</b>	76	19			35	SPORT



Variant	Item	Qty	Component Code	Component Description
A 75.96	PC2161A	1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2
		1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 75.97	PC2161B	1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2
		1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
C 75.98	PC2161C	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2
		1	SP160400090K2I	PIN Ø 16 X 40 X 9
D 75.99	PC2161D	1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2
		1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE

## KTM 4T 250cc

PISTONE KTM 250 SX-F 2013-2015 Comp. 13.9:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2264</b>	78	19.5			30.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2264A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 77.97	PC2264B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2264C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2264D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

PISTONE KTM 250 SX-F 2013-2015 Comp. 14.3:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2265</b>	78	19.5			30.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2265A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2265B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2265C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2265D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)



## KTM 4T 250cc

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,4:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2494</b>	78	19.5			32.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2494A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2494B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2494C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2494D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,7:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2495</b>	78	19.5			33.6	RACING



KTM 250 SX-F 2016-2022 H.C. 14,7:1 HUSQVARNA FC 250 2016-2022 H.C. 14,7:1

Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2495A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2495B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2495C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2495D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

## KTM 4T 250cc

PISTONE KTM 250 EXC-F 2017-2022 - HUSQVARNA FE250 2017-2022 - GAS GAS EC250F 2021-2022 Compr. 12,8:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2614</b>	78	19.5			30.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2614A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
B 77.97	PC2614B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
C 77.98	PC2614C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)
D 77.99	PC2614D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82)

## KTM 4T 350cc

PISTONE KTM 350 SX-F 2011-2015 Compr. 13,6:1 O.C. / EXCF 350 2012-2016 Compr. 12,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2328</b>	88	20.5			33.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2328A-1	1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
		1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
B 87.97	PC2328B-1	1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
		1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
C 87.98	PC2328C-1	1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
		1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC

## KTM 4T 350cc

PISTONE KTM 350 SX-F 2011-2015 Compr. 14,1:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2348</b>	88	20.5			34.35	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2348A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2348B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2348C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 EXC-F 2012-2016 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2349</b>	88	20.5			33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2349A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2349B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2349C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

## KTM 4T 350cc

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2022 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,0:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2496</b>	88	20.5			33.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2496A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2496B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2496C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2022 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2497</b>	88	20.5			33.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2497A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2497B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2497C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

## KTM 4T 350cc

PISTONE KTM 350 EXC-F 2017-2019 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2609</b>	88	20.5			33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2609A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2609B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2609C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

PISTONE KTM 350 EXC-F 2017-2019 Compr. 12.8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2610</b>	88	20.5			33.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2610A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
B 87.97	PC2610B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)
C 87.98	PC2610C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		1	TSMOT880006I	TSMOT880006I SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.85/1.5x2.55 (R82)

## KTM 4T 450cc

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 12,6:1 O.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2498</b>	95	22.8			36.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2498A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2498B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2498C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 13,1:1 H.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2499</b>	95	22.8			37.6	RACING



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2499A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2499B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2499C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

## SHERCO 2T 125cc

PISTONE SHERCO SE-R 125 '18-'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2776</b>	54	29	Testa bombata Barrel head	0.5	61	STANDARD

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2776A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
B 53.95	PC2776B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
C 53.96	PC2776C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25

## SHERCO 2T 300cc

PISTONE SHERCO SE300R 2014-2015 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2511</b>	72	38	Testa bombata Barrel head	3.5	79.5	STANDARD

Forgiato  
Forged



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2511A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	ANOB1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2511B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	ANOB1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2511C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	ANOB1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2511D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	ANOB1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

## SHERCO 2T 300cc

### PISTONE SHERCO SE300R 2016-2022 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2780</b>	72	37.5	Testa tronco conica Cut taper head	0.7	75.7	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 71.95	PC2780A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.96	PC2780B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.97	PC2780C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.98	PC2780D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

### PISTONE GAS GAS TXT300 2002-2022 - BETAMOTOR EVO300 2T 2011-2022 - SHERCO ST-R 300 2011-2022 Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2704</b>	79	28.7	Testa bombata Barrel head	3.8	66.1	STANDARD



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
78.95	PC27047895	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.96	PC27047896	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.97	PC27047897	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.98	PC27047898	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7



## SUZUKI 2T 125cc

### PISTONE SUZUKI RM 125 '00 - '03 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1578</b>	54	29.5	Testa bombata Barrel head	2.5	59.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1578A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1578B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC1578C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1578D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

### PISTONE SUZUKI RM 125 '89 - '99 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1791</b>	54	29.5	Testa bombata Barrel head	2.5	59.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1791A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1791B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC1791C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1791D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## SUZUKI 2T 125cc

PISTONE SUZUKI RM 125 '04 -'12 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1927</b>	54	29.5	Testa Piana Flat head		58	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1927A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1927B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC1927C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1927D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## SUZUKI 2T 250cc

PISTONE SUZUKI 2T RM250 1996-1997 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2390</b>	66.4	38.1	Testa bombata Barrel head	3.7	79.3	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2390110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2390160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2390A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2390B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2390C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2390D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## SUZUKI 2T 250cc

### PISTONE SUZUKI 2T RM250 1998 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2391</b>	66.4	38	Testa Piana Flat head		75.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2391A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2391B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2391C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2391D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

### PISTONE SUZUKI 2T RM250 1999 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2392</b>	66.4	38	Testa bombata Barrel head	3.7	79.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2392110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2392160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2392A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2392B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2392C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2392D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## SUZUKI 2T 250cc

PISTONE SUZUKI 2T RM250 2000-2002 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2393</b>	66.4	38	Testa Piana Flat head		75.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2393110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2393160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2393A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2393B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2393C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2393D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## SUZUKI 2T 250cc

PISTONE SUZUKI 2T RM250 2003-2012 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2394</b>	66.4	38.3	Testa bombata Barrel head	3.4	79.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
67.5	PC2394110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2394160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2394A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2394B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2394C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2394D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## SUZUKI 2T 65cc

PISTONE KAWASAKI KX 65 '00-'22 - SUZUKI RM65 03-06 Ø 44,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1843</b>	44.5	23.6	Testa bombata Barrel head	1.9	50.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 44.45	PC1843A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85
		1	SP120370080KI	PIN D. 12 X 37 X 8
B 44.46	PC1843B	1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85
C 44.47	PC1843C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85
		1	SP120370080KI	PIN D. 12 X 37 X 8
D 44.48	PC1843D	1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85

## SUZUKI 2T 80cc

PISTONE SUZUKI RM 80 '91 - '01 Ø 46,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1752</b>	46.5	27	Testa bombata Barrel head	2	53	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 46.45	PC1752A	1	SP140390095KI	PIN D. 14 X 39 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0465010018530KBI	SEGM. G30KB AC 46,5 x 1 x 1,85
		1	SP140390095KI	PIN D. 14 X 39 X 9.5
B 46.46	PC1752B	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0465010018530KBI	SEGM. G30KB AC 46,5 x 1 x 1,85
C 46.47	PC1752C	1	SP140390095KI	PIN D. 14 X 39 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0465010018530KBI	SEGM. G30KB AC 46,5 x 1 x 1,85
		1	SP140390095KI	PIN D. 14 X 39 X 9.5
D 46.48	PC1752D	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0465010018530KBI	SEGM. G30KB AC 46,5 x 1 x 1,85

## SUZUKI 2T 85cc

PISTONE SUZUKI RM 85 '02 -'18 Ø 48

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1819</b>	48	27	Testa bombata Barrel head	2	53	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
0 47	PC18190	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85
A 47.95	PC1819A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85
B 47.96	PC1819B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85
C 47.97	PC1819C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85
D 47.98	PC1819D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85

## SUZUKI 4T 250cc

PISTONE SUZUKI RMZ 250 2010-2012 Compr. 13,4:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2166</b>	77	19.7			36.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2166A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2166B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2166C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2166D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

## SUZUKI 4T 250cc

PISTONE SUZUKI RMZ 250 2010-2012 Compr. 13,8:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2167</b>	77	19.7			37.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2167A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2167B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2167C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2167D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE SUZUKI RMZ 250 2013-2015 Compr. 13,5:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2249</b>	77	19.6			36	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2249A	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2249B	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2249C	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2249D	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5



## SUZUKI 4T 250cc

PISTONE SUZUKI RMZ 250 '13-'15 Compr. 13,5:1 O.C. Ø 77 - Spin. in DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2403</b>	77	19.6			36	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2403A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2403B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2403C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2403D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE SUZUKI RMZ 250 2016-2020 Compr. 13,75:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2500</b>	77	19.6			36	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2500A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
		2	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 76.96	PC2500B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
		2	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
C 76.97	PC2500C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
		2	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
D 76.98	PC2500D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
		2	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE

## SUZUKI 4T 450cc

PISTONE SUZUKI LT-R 450 '06-'09 QUADRACER '08 -'12 Compr. 11,7:1 Ø 95,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2172</b>	95.5	24.5			43.8	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 95.45	PC2172A	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
B 95.46	PC2172B	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
C 95.47	PC2172C	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
D 95.48	PC2172D	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2

PISTONE SUZUKI LT-R 450 '06-'09 QUADRACER '08 -'12 Compr. 13,0:1 Ø 95,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2173</b>	95.5	24.5			43.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.45	PC2173A	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
B 95.46	PC2173B	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
C 95.47	PC2173C	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
D 95.48	PC2173D	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2

## SUZUKI 4T 450cc

PISTONE SUZUKI RMZ 450 2008 -2012 Compr. 12,2:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2180</b>	96	23.1		0.3	40.9	STANDARD



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2180A	1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2180B	1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2180C	1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE SUZUKI RMZ 450 2008 -2012 Compr. 13:1 H.C. Ø 96 PIN-DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2181</b>	96	23.1			41.2	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2181A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2181B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2181C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

## SUZUKI 4T 450cc

PISTONE SUZUKI RMZ 450 2013 -2017 Compr. 12,2:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2282</b>	96	22.9			40.4	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2282A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2282B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2282C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2282D	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE SUZUKI RMZ 450 2013 -2017 Compr. 13:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2283</b>	96	22.9			40.9	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2283A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2283B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2283C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2283D	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

## SUZUKI 4T 450cc

PISTONE SUZUKI RMZ 450 2018 -2022 HHC Compr. 13,4:1 Ø 96 RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2675</b>	96	22.9			40.2	RACING EVO



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2675A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2675B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2675C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

## TM RACING 2T 125cc

PISTONE TM RACING MX-END 125 2010-2022 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2640</b>	54	29	Testa bombata Barrel head	2	62.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2640A	1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
B 53.95	PC2640B	1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
C 53.96	PC2640C	1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
D 53.97	PC2640D	1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20

## TM RACING 2T 300cc

PISTONE TM RACING EN300Fi '19-'22 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2789</b>	72	38		3.7	79.3	STANDARD

Forgiato  
Forged

Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
A 71.93	PC2789A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.94	PC2789B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.95	PC2789C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.96	PC2789D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

## TM RACING 2T 85cc

PISTONE TM RACING MX85 '15-'22 Ø 47,95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2712</b>	47.95	24	Testa bombata Barrel head	2	51	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 47.87	PC2712A	1	S0479520020031KB2968I	SEGM. LKBP GH. SF. 47,95 x 2 x 2
		1	SP130390080KB2I	PIN D. 13 X 39 X 8 BIC
		1	AN0B1310SET	CLIP D. 13 SB FILO 1.0 IN SERIE
B 47.88	PC2712B	1	S0479520020031KB2968I	SEGM. LKBP GH. SF. 47,95 x 2 x 2
		1	SP130390080KB2I	PIN D. 13 X 39 X 8 BIC
		1	AN0B1310SET	CLIP D. 13 SB FILO 1.0 IN SERIE
C 47.89	PC2712C	1	S0479520020031KB2968I	SEGM. LKBP GH. SF. 47,95 x 2 x 2
		1	SP130390080KB2I	PIN D. 13 X 39 X 8 BIC
		1	AN0B1310SET	CLIP D. 13 SB FILO 1.0 IN SERIE

## TM RACING 4T 250cc

PISTONE TM RACING MX250Fi 18-'20 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2713</b>	77	19.4			31.4	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2713A	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 76.96	PC2713B	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
C 76.97	PC2713C	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
D 76.98	PC2713D	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE

## YAMAHA 4T

PISTONE YAMAHA YZ450-F '18-'19 H.C. (Compr. 13,6:1) Ø 97

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2653</b>						



Variant	Item	Qty	Component Code	Component Description
A 96.94	PC2653A	0	TBD	TBD
B 96.95	PC2653B	0	TBD	TBD
C 96.96	PC2653C	0	TBD	TBD
D 96.97	PC2653D	0	TBD	TBD

## YAMAHA 2T 125cc

### PISTONE YAMAHA YZ - WR 125 1998 - 2001 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1779</b>	54	28	Testa bombata Barrel head	2.2	60.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.93	PC1779A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.94	PC1779B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.95	PC1779C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.96	PC1779D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.97	PC1779E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

### PISTONE YAMAHA YZ - WR 125 2002 - 2004 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1798</b>	54	28	Testa bombata Barrel head	2.2	60.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.93	PC1798A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.94	PC1798B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.95	PC1798C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.96	PC1798D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.97	PC1798E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25



## YAMAHA 2T 125cc

PISTONE FANTIC XE-XX 125 '21-'22 - YAMAHA YZ / WR 125 '05 -'21 D. 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1821</b>	54	28.5	Testa Piana Flat head		58.5	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1821A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1821B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1821C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1821D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE FANTIC XE-XX 125 '21-'22 - YAMAHA YZ-WR 125 '05 -'21 D. 54 (VERS. OIL DOTS)

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2899</b>	54	28.5	Testa Piana Flat head		58.5	RACING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2899A	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 53.95	PC2899B	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2899C	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
D 53.97	PC2899D	1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## YAMAHA 2T 125cc

PISTONE FANTIC XE-XX 125 '21-'22 YAMAHA YZ / WR 125 2022 D. 54 (VERS. OIL DOTS - LIGHT - GABBIA)

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2919</b>	54	28.6	Testa Piana Flat head		58.1	RACING EVO



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2919A	1	AN081510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
B 53.95	PC2919B	1	GAB150190195I	GABBIA A RULLI 15 x 19 x 19,5
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
		1	AN081510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 53.96	PC2919C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	GAB150190195I	GABBIA A RULLI 15 x 19 x 19,5
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
D 53.97	PC2919D	1	AN081510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	GAB150190195I	GABBIA A RULLI 15 x 19 x 19,5

## YAMAHA 2T 250cc

PISTONE YAMAHA YZ250 '99-'22 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2395</b>	66.4	38			79	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2395110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2395160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2395A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2395B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2395C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## YAMAHA 2T 250cc

PISTONE YAMAHA YZ250 '99-'22 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2395</b>	66.4	38			79	STANDARD



Variant	Item	Qty	Component Code	Component Description
D 66.37	PC2395D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

## YAMAHA 2T 60cc

PISTONE YAMAHA 60 ATV ATV YT60L 1984 /TRI-ZINGER - YT60N 1985 / 4-ZINGER - YF60S 1986 D.44

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2864</b>	44	25.5	Testa bombata Barrel head	3.1	51.1	RACING



Variant	Item	Qty	Component Code	Component Description
		1	AN1B1008SET	CLIP D.10 1B FILO 0.8 IN SERIE
		2	S0440015617518KP3122I	SEGM. G18KP GH. SF. 44 x 1,563 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6

Fuso in gravità - Gravity cast

## YAMAHA 2T 65cc

PISTONE YAMAHA YZ65 '18-'22 Ø 43,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2707</b>	43.5	24	Testa bombata Barrel head	1.9	49.9	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 43.44	PC2707A	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
B 43.45	PC2707B	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
C 43.46	PC2707C	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
D 43.47	PC2707D	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
E 43.48	PC2707E	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE

## YAMAHA 2T 80cc

PISTONE YAMAHA YZ 80 '93 -'01 Ø 46

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1568</b>	46	26	Testa bombata Barrel head	3.2	55.2	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 45.95	PC1568A	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
B 45.96	PC1568B	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
C 45.97	PC1568C	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
D 45.98	PC1568D	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85

## YAMAHA 2T 85cc

### PISTONE YAMAHA YZ 85 '02 -'18 Ø 47,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1812</b>	47.5	26	Testa bombata Barrel head	2.3	54.3	STANDARD



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 47.44	PC1812A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
B 47.45	PC1812B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
C 47.46	PC1812C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
D 47.47	PC1812D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
E 47.48	PC1812E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85

### PISTONE YAMAHA YZ 85 '19-'22 Ø 47,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2724</b>	47.5	26	Testa bombata Barrel head	2.3	54.3	RACING



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 47.44	PC2724A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2
B 47.45	PC2724B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2
C 47.46	PC2724C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2
D 47.47	PC2724D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2
E 47.48	PC2724E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2

## YAMAHA 4T 250cc

PISTONE YAMAHA YZ250F '14-'15 Compr. 13.5:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2350</b>	77	20.3			38.7	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2350A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2350B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2350C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2350D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE YAMAHA YZ250F '14-'15 Compr. 13.9:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2351</b>	77	20.3			37.5	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2351A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2351B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2351C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2351D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

## YAMAHA 4T 250cc

PISTONE YAMAHA YZ250F '14-'15 Compr. 13.9:1 H.C. Ø 77 PIN-DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2352</b>	77	20.3			37.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2352A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2352B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE YAMAHA YZ250F 2016-2018 / WR250F 2018-2019 Compr. 13.5:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2501</b>	77	20.3			33.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2501A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2501B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2501C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2501D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

## YAMAHA 4T 250cc

PISTONE YAMAHA YZ250F 2016-2018 / WR250F 2018-2019 Compr. 14.2:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2503</b>	77	20.3			35.1	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2503A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2503B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2503C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2503D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE YAMAHA YZ250F 2019-2022 Compr.13.8:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2708</b>	77	20.2			33.4	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2708A	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 76.96	PC2708B	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
C 76.97	PC2708C	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
D 76.98	PC2708D	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE



## YAMAHA 4T 250cc

PISTONE YAMAHA YZ250F 2019-2022 Compr.14.2:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2709</b>	77	20.2			36.1	RACING



Peso - Weight: 145gr

Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2709A	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
B 76.96	PC2709B	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
C 76.97	PC2709C	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
D 76.98	PC2709D	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE

## YAMAHA 4T 450cc

PISTONE YAMAHA YZ450F 2003-2009 / WR 450F 2003-2015 Compr. 12,5:1 O.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2170</b>	95	23.5			40.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 94.93	PC2170A	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
B 94.94	PC2170B	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
C 94.95	PC2170C	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
D 94.96	PC2170D	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2

## YAMAHA 4T 450cc

PISTONE YAMAHA YZ450F 2003-2009 / WR 450F 2003-2015 Compr. 13,1:1 H.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2171</b>	95	23.4			39.7	SPORT



Variant	Item	Qty	Component Code	Component Description
A 94.93	PC2171A	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
B 94.94	PC2171B	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
C 94.95	PC2171C	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
D 94.96	PC2171D	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2

PISTONE YAMAHA YZ450F '14 -'17 / WR450F '16-'19 Compr. 12,5:1 O.C. Ø 97

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2353</b>	97	24.2			39	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 96.93	PC2353A	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 ZF2
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5
B 96.94	PC2353B	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 ZF2
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5
C 96.95	PC2353C	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 ZF2
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5
D 96.96	PC2353D	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 ZF2
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5

## YAMAHA 4T 450cc

PISTONE YAMAHA YZ450F '14 -'17 / WR450F '16-'19 Compr. 13,5:1 H.C. Ø 97

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2355</b>	97	24.2			42	SPORT



Variant	Item	Qty	Component Code	Component Description
A 96.93	PC2355A	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 ZF2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5
B 96.94	PC2355B	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 ZF2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5
C 96.95	PC2355C	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 ZF2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5
D 96.96	PC2355D	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 ZF2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5

PISTONE YAMAHA YZ450F '14 -'17 / WR450F '16-'19 Compr. 13,5:1 H.C. Ø 97 PIN-DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2356</b>	97	24.2			42	RACING



Variant	Item	Qty	Component Code	Component Description
A 96.93	PC2356A	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5
B 96.94	PC2356B	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5
C 96.95	PC2356C	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5
D 96.96	PC2356D	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5

## YAMAHA 4T 450cc

PISTONE YAMAHA YZ450F '18-'19 Compr. 12,8:1 O.C. Ø 97

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2652</b>	97	24.1			40.7	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 96.94	PC2652A	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
B 96.95	PC2652B	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
C 96.96	PC2652C	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
D 96.97	PC2652D	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE

PISTONE YAMAHA YZ450F '20-'22 Compr. 13:1 O.C. Ø 97

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2768</b>	97	24.1			40.3	STANDARD



Forgiato - Forged

Variant	Item	Qty	Component Code	Component Description
A 96.94	PC2768A	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5
B 96.95	PC2768B	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5
C 96.96	PC2768C	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5
D 96.97	PC2768D	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
			AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
			TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5

## YAMAHA 4T 450cc

PISTONE YAMAHA YZ450F '20-'22 Compr. 13,8:1 H.C. D. 97

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2806</b>	97	24.1			40.3	RACING

**New!**



Forgiato - Forged


Variant	Item	Qty	Component Code	Component Description
A 96.94	PC2806A	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	TSMOT970004I	TSMOT960003I SERIE SEGM. MOTO 4T in PVD D. 96 MM (2 Segm.) H. 1/1,5
B 96.95	PC2806B	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	TSMOT970004I	TSMOT960003I SERIE SEGM. MOTO 4T in PVD D. 96 MM (2 Segm.) H. 1/1,5
C 96.96	PC2806C	1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
D 96.97	PC2806D	1	TSMOT970004I	TSMOT960003I SERIE SEGM. MOTO 4T in PVD D. 96 MM (2 Segm.) H. 1/1,5
		1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 ZG2
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 IN SERIE
		1	TSMOT970004I	TSMOT960003I SERIE SEGM. MOTO 4T in PVD D. 96 MM (2 Segm.) H. 1/1,5

road



2023

road



# INDEX ON ROAD

<b>BRAND</b>	<b>PAG</b>
APRILIA	130
ATALA-RIZZATO	140
ATHENA	142
CAGIVA	143
CPI	144
DERBI	146
DR MOTORPARTS	149
GARELLI	152
GILERA	154
HONDA	157
IAME	169
KREIDLER	173
KYMCO	175
LAMBRETTA	182
LML	186
MALOSSI	187
MBK	192
MINARELLI (MOTORI)	195
PEUGEOT	200
PIAGGIO	203
POLINI	239
PUCH	248
ROTAX	250
SACHS	251
SUZUKI	257
SYM	265
TOMOS	268
TOP PERFORMANCES	277
YAMAHA	280
ZUNDAPP	292



## APRILIA 2T

### PISTONE APRILIA AF1-TUAREG-RED ROSE Ø 38,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1245</b>	38.8	27.5	Testa bombata Barrel head	1.5	50.5	



Fuso in gravità - Gravity cast

MOQ 150 PZ

Variant	Item	Qty	Component Code	Component Description
A 38.74	PC1245A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0388012016030HPI	SEGM. G30HP GH. SF. 38,8 x 1,2 x 1,6
B 38.75	PC1245B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0388012016030HPI	SEGM. G30HP GH. SF. 38,8 x 1,2 x 1,6
C 38.76	PC1245C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0388012016030HPI	SEGM. G30HP GH. SF. 38,8 x 1,2 x 1,6
D 38.77	PC1245D	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0388012016030HPI	SEGM. G30HP GH. SF. 38,8 x 1,2 x 1,6
E 38.78	PC1245E	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0388012016030HPI	SEGM. G30HP GH. SF. 38,8 x 1,2 x 1,6
F 38.79	PC1245F	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0388012016030HPI	SEGM. G30HP GH. SF. 38,8 x 1,2 x 1,6
G 38.8	PC1245G	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0388012016030HPI	SEGM. G30HP GH. SF. 38,8 x 1,2 x 1,6

## APRILIA 2T

### PISTONE APRILIA/YAMAHA SC.50 CC. Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1278</b>	40	25.5		2.5	50.5	

Segmenti NON CROMATI rings NOT CHROMED



Fuso in gravità - Gravity cast

APRILIA Amico SR 50 - Scarabeo 50 - Rally 50 - Gulliver 50  
 ATALA-RIZZATO Carosello BENELLI Scooter 491 - K2 - Pepe -  
 Naked50 BETAMOTOR Scooter Tempo - Quadra - Nemo -  
 Ark - Chrono - 502 - Eikon ITALJET Dragster - Pista -  
 Bazooka - Yankee - Ascott - Reporter MALAGUTI F10 - F12 -  
 F15 - Centro - Yesterday - Ciak MBK Booster-Evolis-Target-  
 Fizz-Sorriso-Forte-Nitro-Flipper MBK Ovetto-Stunt-Equalis-  
 MachG MINARELLI (MOTORI) MY - CY - CW MOTRON Sting  
 - Thunder - Spike - Sinkro SYM Pure 50 YAMAHA Aerox  
 (ring not chromed) 2007-2013 YAMAHA Axis (ring not  
 chromed) 1995-1998 YAMAHA BWS (ring not chromed)  
 2000-2011 YAMAHA CRZ (ring not chromed) 1992-1995  
 YAMAHA CT (ring not chromed) 1990-1996 YAMAHA Jog -  
 Ng Bws - Spy - Bump - Slider - Why - Breeze YAMAHA  
 Neo's (ring not chromed) 2009-2013 YAMAHA Zest (ring not  
 chromed)

Variant	Item	Qty	Component Code	Component Description
40	PC1278000	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,25	PC1278025	2	F0402515016515H0I	SEGM. G15H 40,25 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,5	PC1278050	2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,75	PC1278075	2	F0407515016515H0I	SEGM. G15H 40,75 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41	PC1278100	2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,25	PC1278125	2	F0412515017015H0I	SEGM. G15H 41,25 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,5	PC1278150	2	F0415015017015H0I	SEGM. G15H 41,5 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,75	PC1278175	2	F0417515017015H0I	SEGM. G15H 41,75 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42	PC1278200	2	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,25	PC1278225	2	F0422515017515H0I	SEGM. G15H 42,25 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,5	PC1278250	2	F0425015017515H0I	SEGM. G15H 42,5 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,75	PC1278275	2	F0427515017515H0I	SEGM. G15H 42,75 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43	PC1278300	2	F0430015018015H03167I	SEGM. G15H 43 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43,25	PC1278325	2	F0432515018015H0I	SEGM. G15H 43,25 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43,5	PC1278350	2	F0435015018015H0I	SEGM. G15H 43,5 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE

## APRILIA 2T

### PISTONE APRILIA/YAMAHA AMICO SR50-SCOOTER Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2278</b>	40	25.5	Testa bombata Barrel head	2.5	50.5	



Variant	Item	Qty	Component Code	Component Description
40	PC2278000	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
40,25	PC2278025	2	F0402515016515K0I	SEGM. G15K 40,25 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,5	PC2278050	2	F0405015016515K0I	SEGM. G15K 40,5 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,75	PC2278075	2	F0407515016515K0I	SEGM. G15K 40,75 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41	PC2278100	2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,25	PC2278125	2	F0412515017015K0I	SEGM. G15K 41,25 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,5	PC2278150	2	F0415015017015K0I	SEGM. G15K 41,5 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,75	PC2278175	2	F0417515017015K0I	SEGM. G15K 41,75 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42	PC2278200	2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,25	PC2278225	2	F0422515017515K0I	SEGM. G15K 42,25 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,5	PC2278250	2	F0425015017515K0I	SEGM. G15K 42,5 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43	PC2278300	2	F0430015018015K0I	SEGM. G15K 43 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43,5	PC2278350	2	F0435015018015K0I	SEGM. G15K 43,5 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE

## APRILIA 2T

### PISTONE MINARELLI/APRILIA AM 345 Ø 40,3

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1324</b>	40.3	28	Testa bombata Barrel head	2	53	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 40.25	PC1324A	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
B 40.26	PC1324B	1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
C 40.27	PC1324C	1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
		1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
		1	SP120330080HI	PIN D. 12 X 33 X 8
D 40.28	PC1324D	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
		1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
E 40.29	PC1324E	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
F 40.3	PC1324F	1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
G 40.31	PC1324G	1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
		1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
		1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6

## APRILIA 2T

### PISTONE APRILIA 50 DITECH INIEZIONE Ø 41

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1767</b>	41	27	Testa bombata Barrel head	2.5	50.5	



Variant	Item	Qty	Component Code	Component Description
41	PC1767000	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0410012016030KB2304I	SEGM. G30KBP GH. SF. 41 x 1,2 x 1,6
41,25	PC1767025	1	S0412512016030KB2304I	SEGM. G30KBP GH. SF. 41,25 x 1,2 x 1,6
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41,5	PC1767050	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0415012016030KB2304I	SEGM. G30KBP GH. SF. 41,5 x 1,2 x 1,6
41,75	PC1767075	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0417512016030KB2304I	SEGM. G30KBP GH. SF. 41,75 x 1,2 x 1,6
42	PC1767100	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0420012017530KB2304I	SEGM. G30KBP GH.SF. 42 x 1,2 x 1,75
42,25	PC1767125	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0422512017530KB2304I	SEGM. G30KBP GH.SF. 42,25 x 1,2 x 1,75
42,5	PC1767150	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	S0425012017530KB2304I	SEGM. G30KBP GH.SF. 42,5 x 1,2 x 1,75

## APRILIA 2T

### PISTONE MBK / YAMAHA 100 CC. D. 52

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2008</b>	52	33.5	Testa bombata Barrel head	3.2	63.5	



Variant	Item	Qty	Component Code	Component Description
52	PC2008000	2	S0520012021530KPI	SEGM. G30KP GH. SF. 52 x 1,2 x 2,15
		1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
52.5	PC2008050	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0525012021530KPI	SEGM. G30KP GH. SF. 52,5 x 1,2 x 2,15
53	PC2008100	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0530012022030KPI	SEGM. G30KP GH. SF. 53 x 1,2 x 2,2
53.5	PC2008150	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0535012022030KPI	SEGM. G30KP GH. SF. 53,5 x 1,2 x 2,2

### PISTONE ROTAX - APRILIA ALUM.CYL.125 CC. Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1688</b>	54	29	Testa bombata Barrel head	3.3	63.3	



Variant	Item	Qty	Component Code	Component Description
A 53.96	PC1688A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
B 53.97	PC1688B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
C 53.98	PC1688C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
D 53.99	PC1688D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
E 54	PC1688E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25

## APRILIA 2T

### PISTONE APRILIA-RS-GP125-RX-MX-TUONO 125CC Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2347</b>	54	29.1	Testa bombata Barrel head	3.1	63.2	



Variant	Item	Qty	Component Code	Component Description
53.93	PC23475393	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
53.94	PC23475394	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
53.95	PC23475395	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
53.96	PC23475396	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
53.97	PC23475397	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
53.98	PC23475398	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

## APRILIA 2T RACING

### PISTONE APRILIA RS125/GP125 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2639</b>	54	24	Testa bombata Barrel head	1	59.7	



Variant	Item	Qty	Component Code	Component Description
53.95	PC26395395	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
53.96	PC26395396	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
53.97	PC26395397	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
53.98	PC26395398	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
53.99	PC26395399	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20

### PISTONE APRILIA RS250,SUZUKI RGV250 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2585</b>	56	28.6	Testa Piana Flat head		59.1	RACING



Peso - Weight: 135gr

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 56	PC2585A	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
B 56	PC2585B	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
C 56	PC2585C	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
D 56	PC2585D	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
E 56	PC2585E	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25



## APRILIA 2T RACING

PISTONE APRILIA RS250,SUZUKI RGV250 MONOFASCIA Ø 56 A SEL.

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2634</b>	56	28.6	Testa Piana Flat head		59.1	RACING



Variant	Item	Qty	Component Code	Component Description
A 56	PC2634A	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
B 56	PC2634B	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
C 56	PC2634C	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
D 56	PC2634D	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
E 56	PC2634E	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25

## APRILIA 4T

PISTONE APRILIA LEONARDO 4T 150 CC Ø 62

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1893</b>	62	21	Testa piana con fresatura valvole Flat head with valves seat milling		37	



Variant	Item	Qty	Component Code	Component Description
62	PC1893000	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-
62.4	PC1893040	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT624001	RSMOT624001 SERIE SEGM. MOTO 4T D. 62,4 H. 1/1/2,5
62.6	PC1893060	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT626001	RSMOT626001 SERIE SEGM. MOTO 4T D. 62,6 H. 1/1/2,5
62.8	PC1893080	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT628001	RSMOT628001 SERIE SEGM. MOTO 4T D. 62,8 H. 1/1/2,5
63	PC1893100	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT630001	RSMOT630001 SERIE SEGM. MOTO 4T D. 63 H. 1/1/2,5

## APRILIA 4T

### PISTONE APRILIA LEONARDO 150 CC 4T Ø 62

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2024</b>	62	21	Testa piana con fresatura valvole Flat head with valves seat milling		37	



Variant	Item	Qty	Component Code	Component Description
A 61.96	PC2024A	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-
B 61.97	PC2024B	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-
C 61.98	PC2024C	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-
D 61.99	PC2024D	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-
E 62	PC2024E	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-
F 62.01	PC2024F	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-
G 62.02	PC2024G	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-
H 62.03	PC2024H	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-
I 62.04	PC2024I	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620001	RSMOT620001 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2,5-

## ATALA-RIZZATO 2T

PISTONE PUCH SUPERMAXI CAT. Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1613</b>	38	24	Testa bombata Barrel head	2.5	55.5	



Variant	Item	Qty	Component Code	Component Description
38	PC1613000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016015H0I	SEGM. G15H 38 x 1,5 x 1,6
38.5	PC1613050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0385015016015H0I	SEGM. G15H 38,5 x 1,5 x 1,6
1 37	PC16131	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016015H0I	SEGM. G15H 38 x 1,5 x 1,6
39	PC1613100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
39.5	PC1613150	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0395015016515H0I	SEGM. G15H 39,5 x 1,5 x 1,65
2 37	PC16132	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016015H0I	SEGM. G15H 38 x 1,5 x 1,6
3 37	PC16133	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016015H0I	SEGM. G15H 38 x 1,5 x 1,6
4 37	PC16134	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016015H0I	SEGM. G15H 38 x 1,5 x 1,6

## ATALA-RIZZATO 2T

### PISTONE ATALA-RIZZATO CALIFFONE VM 50 Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0989</b>	39	25		3.7	52.7	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
39	PC0989000	2	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.2	PC0989020	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0392020016515H0I	SEGM. G15H 39,2 x 2 x 1,65
39.4	PC0989040	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0394020016515H0I	SEGM. G15H 39,4 x 2 x 1,65
39.6	PC0989060	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0396020016515H0I	SEGM. G15H 39,6 x 2 x 1,65
39.8	PC0989080	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0398020016515H0I	SEGM. G15H 39,8 x 2 x 1,65
40	PC0989100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400020016515H0I	SEGM. G15H 40 x 2 x 1,65
40.2	PC0989120	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402020016515H0I	SEGM. G15H 40,2 x 2 x 1,65
40.4	PC0989140	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0404020016515H0I	SEGM. G15H 40,4 x 2 x 1,65
40.6	PC0989160	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0406020016515H0I	SEGM. G15H 40,6 x 2 x 1,65
40.8	PC0989180	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0408020016515H0I	SEGM. G15H 40,8 x 2 x 1,65
41	PC0989200	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410020017015H0I	SEGM. G15H 41 x 2 x 1,7

## ATHENA 2T

### PISTONE ATHENA TRASF. SCOOTER SP:12 Ø 47,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1619</b>	47.6	24.7	Testa bombata Barrel head	2.8	49.5	



MOQ 150 PZ

Variant	Item	Qty	Component Code	Component Description
A 47.54	PC1619A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
B 47.55	PC1619B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
C 47.56	PC1619C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
D 47.57	PC1619D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95

### PISTONE TRASF. SCOOTER SP:10 Ø 47,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1648</b>	47.6	24.7	Testa bombata Barrel head	2.8	49.5	



AD ESAURIMENTO E POI MOQ 150

Variant	Item	Qty	Component Code	Component Description
A 47.54	PC1648A	1	SP100360050KI	PIN D. 10 X 36 X 5
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
B 47.55	PC1648B	1	SP100360050KI	PIN D. 10 X 36 X 5
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
C 47.56	PC1648C	1	SP100360050KI	PIN D. 10 X 36 X 5
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
D 47.57	PC1648D	1	SP100360050KI	PIN D. 10 X 36 X 5
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
E 47.58	PC1648E	1	SP100360050KI	PIN D. 10 X 36 X 5
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
F 47.59	PC1648F	1	SP100360050KI	PIN D. 10 X 36 X 5
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95

## CAGIVA 2T

### PISTONE CAGIVA MITO SPORT 125CC 1990-2007 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1497</b>	56	25	Testa Piana Flat head		57	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
56	PC1497000	1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
56.5	PC1497050	1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	S0565010023530KB2350I	SEGM. G30KBP GH. SF. 56,5 x 1 x 2,35
A 55.95	PC1497A	1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
B 55.96	PC1497B	1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
C 55.97	PC1497C	1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
D 55.98	PC1497D	1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC

## CPI 2T 2T

### PISTONE CPI-KEEWAY CON FINESTRE Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1901</b>	40	25.5	Testa bombata Barrel head	2.5	50.5	



Variant	Item	Qty	Component Code	Component Description
PC, 40	PC1901000	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
PC, 40,25	PC1901025	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402515016515H0I	SEGM. G15H 40,25 x 1,5 x 1,65
PC, 40,5	PC1901050	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
PC, 40,75	PC1901075	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0407515016515H0I	SEGM. G15H 40,75 x 1,5 x 1,65
PC, 41	PC1901100	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
PC, 41,5	PC1901150	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0415015017015H0I	SEGM. G15H 41,5 x 1,5 x 1,7

## CPI 2T 2T

### PISTONE CPI-KEEWAY SENZA FINESTRE Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1902</b>	40	26	Testa bombata Barrel head	2.5	49.5	



Variant	Item	Qty	Component Code	Component Description
40	PC1902000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
40,25	PC1902025	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402515016515H0I	SEGM. G15H 40,25 x 1,5 x 1,65
40,5	PC1902050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
40,75	PC1902075	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0407515016515H0I	SEGM. G15H 40,75 x 1,5 x 1,65
41	PC1902100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
41,25	PC1902125	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412515017015H0I	SEGM. G15H 41,25 x 1,5 x 1,7
41,5	PC1902150	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0415015017015H0I	SEGM. G15H 41,5 x 1,5 x 1,7



### PISTONE DERBI SENDA Ø 39,9

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1626</b>	39.9	24	Testa bombata Barrel head	2	49	



Variant	Item	Qty	Component Code	Component Description
A 39.86	PC1626A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
B 39.87	PC1626B	2	S0399012016530KB2551I	SEGM. G30KBP GH. SF. 39,9 x 1,2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
C 39.88	PC1626C	2	S0399012016530KB2551I	SEGM. G30KBP GH. SF. 39,9 x 1,2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
D 39.89	PC1626D	2	S0399012016530KB2551I	SEGM. G30KBP GH. SF. 39,9 x 1,2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
E 39.9	PC1626E	2	S0399012016530KB2551I	SEGM. G30KBP GH. SF. 39,9 x 1,2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
F 39.91	PC1626F	2	S0399012016530KB2551I	SEGM. G30KBP GH. SF. 39,9 x 1,2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	S0399012016530KB2551I	SEGM. G30KBP GH. SF. 39,9 x 1,2 x 1,65

## DERBI 2T

### PISTONE DERBI SENDA RACING VERSION Ø 39,9

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2248</b>	39.9	24.1	Testa bombata Barrel head	2	49.1	RACING



Variant	Item	Qty	Component Code	Component Description
A 39.82	PC2248A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0399010016530KBI	SEGM. G30KB AC 39,9 x 1 x 1,65
B 39.83	PC2248B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0399010016530KBI	SEGM. G30KB AC 39,9 x 1 x 1,65
C 39.84	PC2248C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0399010016530KBI	SEGM. G30KB AC 39,9 x 1 x 1,65

### PISTONE DERBI VARIANT Ø 39,9

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2267</b>	39.9	24	Testa bombata Barrel head	2	49	



Variant	Item	Qty	Component Code	Component Description
A 39	PC2267A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	S0399012016530KB2551I	SEGM. G30KBP GH. SF. 39,9 x 1,2 x 1,65
B 39	PC2267B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	S0399012016530KB2551I	SEGM. G30KBP GH. SF. 39,9 x 1,2 x 1,65

## DERBI 2T

### PISTONE DERBI SENDA SM cil.ghisa Ø 40,08

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1777</b>	40.08	24	Testa bombata Barrel head	2	49	



Variant	Item	Qty	Component Code	Component Description
40.08	PC1777000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	S0401012016530KB2551I	SEGM. G30KBP GH. SF. 40,1 x 1,2 x 1,65
40.28	PC1777020	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
40.48	PC1777040	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		2	S0405012016030KB2304I	SEGM. G30KBP GH. SF. 40,5 x 1,2 x 1,6

### PISTONE DERBI 74 CC. TRASF.VAMOS Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1380</b>	47	20.2		2.5	45	



Fuso in gravità - Gravity cast

AD ESAURIMENTO STOCK

Variant	Item	Qty	Component Code	Component Description
47	PC1380000	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0470015019530HPI	SEGM. G30HP 47 x 1,5 x 1,95
47.2	PC1380020	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0472015019530HPI	SEGM. G30HP 47,2 x 1,5 x 1,95
47.4	PC1380040	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0474015019530HPI	SEGM. G30HP 47,4 x 1,5 x 1,95
47.6	PC1380060	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0476015019530HPI	SEGM. G30HP 47,6 x 1,5 x 1,95
47.8	PC1380080	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0478015019530HPI	SEGM. G30HP 47,8 x 1,5 x 1,95
48	PC1380100	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0480015020030HPI	SEGM. G30HP 48 x 1,5 x 2

## DR MOTORPARTS 2T

### PISTONE DR TRASF.VESPA 3T Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1052</b>	47	26	Testa bombata Barrel head	4	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
PC, 47	PC1052000	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0470015018515HP2861I	SEGM. G15HP 47 x 1,5 x 1,85
PC, 47.4	PC1052040	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0474015018515HP2861I	SEGM. G15HP 47,4 x 1,5 x 1,85
PC, 47.8	PC1052080	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0478015018515HP2861I	SEGM. G15HP 47,8 x 1,5 x 1,85
PC, 48	PC1052100	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0480015020015HPI	SEGM. G15HP 48 x 1,5 x 2
PC, 48.4	PC1052140	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0484015020015HPI	SEGM. G15HP 48,4 x 1,5 x 2

### PISTONE DR.TRASF.VESPA 6T Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1186</b>	47	26.2	Testa bombata Barrel head	3.8	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
47	PC1186000	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0470015018515HP2861I	SEGM. G15HP 47 x 1,5 x 1,85
47.2	PC1186020	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0472015019515HPI	SEGM. G15HP 47,2 x 1,5 x 1,95
47.4	PC1186040	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0474015018515HP2861I	SEGM. G15HP 47,4 x 1,5 x 1,85
47.6	PC1186060	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0476015019515HPI	SEGM. G15HP 47,6 x 1,5 x 1,95
47.8	PC1186080	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0478015018515HP2861I	SEGM. G15HP 47,8 x 1,5 x 1,85
48	PC1186100	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0480015020015HPI	SEGM. G15HP 48 x 1,5 x 2
48.2	PC1186120	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0482015020015HPI	SEGM. G15HP 48,2 x 1,5 x 2

## DR MOTORPARTS 2T

### PISTONE DR.TRASF.VESPA 6T Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1186</b>	47	26.2	Testa bombata Barrel head	3.8	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
48.4	PC1186140	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0484015020015HPI	SEGM. G15HP 48,4 x 1,5 x 2

### PISTONE DR Motorparts/Olympia Trf. Piaggio VESPA 50 3T Ø 50

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2583</b>	50	26.5	Testa Piana Flat head		48.5	



Variant	Item	Qty	Component Code	Component Description
50	PC2583000	1	SP120420080HI	PIN D. 12 X 42 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0500015020030HP2743I	SEGM. G30HP 50 x 1,5 x 2
50.4	PC2583040	1	SP120420080HI	PIN D. 12 X 42 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0504015021030HPI	SEGM. G30HP 50,4 x 1,5 x 2,1
50.8	PC2583080	1	SP120420080HI	PIN D. 12 X 42 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0508015021030HPI	SEGM. G30HP 50,8 x 1,5 x 2,1

## DR MOTORPARTS 2T

### PISTONE DR TRASF.VESPA 6T Ø 55

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1127</b>	55	26.5	Testa Piana Flat head		48.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
55	PC1127000	1	SP120450080KS2I	PIN D. 12 X 45 X 8 RAM.
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0550015022030HP2850I	SEGM. G30HP 55 x 1,5 x 2,2
55.4	PC1127040	1	SP120450080KS2I	PIN D. 12 X 45 X 8 RAM.
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0554015022030HP2850I	SEGM. G30HP 55,4 x 1,5 x 2,2
55.6	PC1127060	1	SP120450080KS2I	PIN D. 12 X 45 X 8 RAM.
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0556015022030HP2850I	SEGM. G30HP 55,6 x 1,5 x 2,2
55.8	PC1127080	1	SP120450080KS2I	PIN D. 12 X 45 X 8 RAM.
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0558015022030HP2850I	SEGM. G30HP 55,8 x 1,5 x 2,2
56	PC1127100	1	SP120450080KS2I	PIN D. 12 X 45 X 8 RAM.
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0560015023530HPI	SEGM. G30HP 56 x 1,5 x 2,35
56.2	PC1127120	1	SP120450080KS2I	PIN D. 12 X 45 X 8 RAM.
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0562015023530HPI	SEGM. G30HP 56,2 x 1,5 x 2,35
56.4	PC1127140	1	SP120450080KS2I	PIN D. 12 X 45 X 8 RAM.
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0564015023530HPI	SEGM. G30HP 56,4 x 1,5 x 2,35
56.8	PC1127180	1	SP120450080KS2I	PIN D. 12 X 45 X 8 RAM.
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0568015023530HPI	SEGM. G30HP 56,8 x 1,5 x 2,35

## DR MOTORPARTS 2T

### PISTONE DR - MOTORPARTS TRASF. VESPA PX 125/150 Ø 63

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2669</b>	63	35	Testa bombata Barrel head	2	67	



Variant	Item	Qty	Component Code	Component Description
63	PC2669000	1	SP150540100HI	PIN Ø 15 X 54 X 10
		1	AN1B1512SET	CLIP D.15 1B FILO 1.2 IN SERIE
		2	F0630020025030HP2756I	SEGM. G30HP 63 x 2 x 2,5
63.4	PC2669040	1	SP150540100HI	PIN Ø 15 X 54 X 10
		1	AN1B1512SET	CLIP D.15 1B FILO 1.2 IN SERIE
		2	F0634020025030HP2756I	SEGM. G30HP 63,4 x 2 x 2,5
63.8	PC2669080	1	SP150540100HI	PIN Ø 15 X 54 X 10
		1	AN1B1512SET	CLIP D.15 1B FILO 1.2 IN SERIE
		2	F0638020025030HP2756I	SEGM. G30HP 63,8 x 2 x 2,5

## GARELLI 2T

### PISTONE GARELLI 50 CC. GULP Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0798</b>	40	24	Testa bombata Barrel head	3.3	49.3	



Fuso in gravità - Gravity cast

MOQ 300

Variant	Item	Qty	Component Code	Component Description
40	PC0798000	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400020016515H0I	SEGM. G15H 40 x 2 x 1,65
40,25	PC0798025	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402520016515H0I	SEGM. G15H 40,25 x 2 x 1,65
40.4	PC0798040	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0404020016515H0I	SEGM. G15H 40,4 x 2 x 1,65
40,5	PC0798050	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405020016515H0I	SEGM. G15H 40,5 x 2 x 1,65
40.6	PC0798060	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0406020016515H0I	SEGM. G15H 40,6 x 2 x 1,65
40.8	PC0798080	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0408020016515H0I	SEGM. G15H 40,8 x 2 x 1,65
41	PC0798100	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410020017015H0I	SEGM. G15H 41 x 2 x 1,7

## GARELLI 2T

### PISTONE GARELLI 50 CC. GULP Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0798</b>	40	24	Testa bombata Barrel head	3.3	49.3	



Fuso in gravità - Gravity cast

MOQ 300

Variant	Item	Qty	Component Code	Component Description
41.2	PC0798120	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412020017015H0I	SEGM. G15H 41,2 x 2 x 1,7
41.5	PC0798150	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0415020017015H0I	SEGM. G15H 41,5 x 2 x 1,7
41.6	PC0798160	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0416020017015H0I	SEGM. G15H 41,6 x 2 x 1,7
41.8	PC0798180	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0418020017015H0I	SEGM. G15H 41,8 x 2 x 1,7
42.4	PC0798240	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0424020017515H0I	SEGM. G15H 42,4 x 2 x 1,75
42.6	PC0798260	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0426020017515H0I	SEGM. G15H 42,6 x 2 x 1,75



## GILERA 2T

### PISTONE GILERA RUNNER / PIAGGIO SFERA-ZIP-FREE D.40

MP Ref:	Nom STD $\varnothing$ mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1306</b>	40	26	Testa bombata Barrel head	2	54	

Segmenti NON CROMATI rings NOT CHROMED



Fuso in gravità - Gravity cast

DERBI Atlantis25 (air) - Atlantis50 (air) - GP1 50 GILERA NRG (ring not chromed) GILERA Runner (ring not chromed) GILERA Stalker (ring not chromed) 1996-2012 GILERA Storm (ring not chromed) GILERA Typhoon - Storm - Runner - Stalker - Easy - Moving - DNA GILERA Typhoon (ring not chromed) PIAGGIO Energy (ring not chromed) PIAGGIO Free (ring not chromed) 1992-1998 PIAGGIO Liberty - Diesel - Fly - LX2t PIAGGIO NTT (ring not chromed) 1995-1998 PIAGGIO Quarz (ring not chromed) 1992-1997 PIAGGIO Sfera (ring not chromed) 1991-1998 PIAGGIO Vespa ET2 (ring not chromed) 1998-2004 PIAGGIO Zip (ring not chromed)

Variant	Item	Qty	Component Code	Component Description
40	PC1306000	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.2	PC1306020	2	F0402015016515H0I	SEGM. G15H 40,2 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.4	PC1306040	2	F0404015016515H0I	SEGM. G15H 40,4 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.6	PC1306060	2	F0406015016515H0I	SEGM. G15H 40,6 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.8	PC1306080	2	F0408015016515H0I	SEGM. G15H 40,8 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41	PC1306100	2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.2	PC1306120	2	F0412015017015H0I	SEGM. G15H 41,2 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.4	PC1306140	2	F0414015017015H0I	SEGM. G15H 41,4 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.6	PC1306160	2	F0416015017015H0I	SEGM. G15H 41,6 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.8	PC1306180	2	F0418015017015H0I	SEGM. G15H 41,8 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42	PC1306200	2	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42,5	PC1306250	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0425015017515H0I	SEGM. G15H 42,5 x 1,5 x 1,75
43	PC1306300	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0430015018015H03167I	SEGM. G15H 43 x 1,5 x 1,8

## GILERA 2T

### PISTONE GILERA RUNNER / PIAGGIO SFERA-ZIP-FREE D.40

MP Ref:	Nom STD $\varnothing$ mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2306</b>	40	26	Testa bombata Barrel head	2	54	



Variant	Item	Qty	Component Code	Component Description
40	PC2306000	2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.2	PC2306020	2	F0402015016515K0I	SEGM. G15K 40,2 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.4	PC2306040	2	F0404015016515K0I	SEGM. G15K 40,4 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.6	PC2306060	2	F0406015016515K0I	SEGM. G15K 40,6 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.8	PC2306080	2	F0408015016515K0I	SEGM. G15K 40,8 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41	PC2306100	2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.2	PC2306120	2	F0412015017015K0I	SEGM. G15K 41,2 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.4	PC2306140	2	F0414015017015K0I	SEGM. G15K 41,4 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.6	PC2306160	2	F0416015017015K0I	SEGM. G15K 41,6 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.8	PC2306180	2	F0418015017515K0I	SEGM. G15K 41,8 x 1,5 x 1,75
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42	PC2306200	2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42,5	PC2306250	2	F0425015017515K0I	SEGM. G15K 42,5 x 1,5 x 1,75
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

## GILERA 2T

### PISTONE GILERA - PIAGGIO RUNNER 180 CC. Ø 65,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1645</b>	65.6	30	Testa bombata Barrel head	2.5	64.5	



Variant	Item	Qty	Component Code	Component Description
M 65.55	PC1645M	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0656015027033KB1839I	SEGM. G33KBP GH. SF. 65,6 x 1,5 x 2,7
N 65.56	PC1645N	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0656015027033KB1839I	SEGM. G33KBP GH. SF. 65,6 x 1,5 x 2,7
O 65.57	PC1645O	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0656015027033KB1839I	SEGM. G33KBP GH. SF. 65,6 x 1,5 x 2,7
P 65.58	PC1645P	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0656015027033KB1839I	SEGM. G33KBP GH. SF. 65,6 x 1,5 x 2,7

## GILERA 4T

### PISTONE PIAGGIO Vespa ET4/ GILERA Typhoon Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2468</b>	57	19.7	Testa Piana Flat head		42.7	



Variant	Item	Qty	Component Code	Component Description
57	PC2468000	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1412SET	CLIP D.14 1B FILO 1.2 IN SERIE
		1	RSMOT570005	RSMOT570002 SERIE SEGM. MOTO 4T D. 57 H. 1/1/2
57.5	PC2468050	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1412SET	CLIP D.14 1B FILO 1.2 IN SERIE
		1	RSMOT575005	RSMOT575002 SERIE SEGM. MOTO 4T D. 57.5 H. 1/1/2
58	PC2468100	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1412SET	CLIP D.14 1B FILO 1.2 IN SERIE
		1	RSMOT580005	RSMOT580003 SERIE SEGM. MOTO 4T D. 58 H. 1/1/2

## HONDA 2T

### PISTONE HONDA DIO-SC50-BALI Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1359</b>	39	28	Testa bombata Barrel head	2.5	53.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
39	PC1359000	2	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39,25	PC1359025	2	F0392515016515H0I	SEGM. G15H 39,25 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39,5	PC1359050	2	F0395015016515H0I	SEGM. G15H 39,5 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39,75	PC1359075	2	F0397515016515H0I	SEGM. G15H 39,75 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40	PC1359100	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40,25	PC1359125	2	F0402515016515H0I	SEGM. G15H 40,25 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40,5	PC1359150	2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40,75	PC1359175	2	F0407515016515H0I	SEGM. G15H 40,75 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41	PC1359200	2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41,25	PC1359225	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412515017015H0I	SEGM. G15H 41,25 x 1,5 x 1,7
41,5	PC1359250	2	F0415015017015H0I	SEGM. G15H 41,5 x 1,5 x 1,7
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42	PC1359300	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75

## HONDA 2T

### PISTONE HONDA MBX 50CC D. 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2137</b>	39	25	Testa bombata Barrel head	2.5	50.5	



MOQ 200 PZ

Variant	Item	Qty	Component Code	Component Description
A 38.94	PC2137A	1	F0390015016530K0I	SEGM. G30K 39 x 1,5 x 1,65
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
B 38.95	PC2137B	1	F0390015016530K0I	SEGM. G30K 39 x 1,5 x 1,65
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
C 38.96	PC2137C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
		1	F0390015016530K0I	SEGM. G30K 39 x 1,5 x 1,65
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
D 38.97	PC2137D	1	F0390015016530K0I	SEGM. G30K 39 x 1,5 x 1,65
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65

### PISTONE HONDA DIO-SC50 BALI Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2359</b>	39	28	Testa bombata Barrel head	2.5	53.5	



Variant	Item	Qty	Component Code	Component Description
39	PC2359000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0390015016515K0I	SEGM. G15K 39 x 1,5 x 1,65
39.25	PC2359025	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0392515016515K0I	SEGM. G15K 39,25 x 1,5 x 1,65
39.5	PC2359050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0395015016515K0I	SEGM. G15K 39,5 x 1,5 x 1,65
39.75	PC2359075	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0397515016515K0I	SEGM. G15K 39,75 x 1,5 x 1,65
40	PC2359100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
40,25	PC2359125	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402515016515K0I	SEGM. G15K 40,25 x 1,5 x 1,65

## HONDA 2T

### PISTONE HONDA DIO-SC50 BALI Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2359</b>	39	28	Testa bombata Barrel head	2.5	53.5	



Variant	Item	Qty	Component Code	Component Description
40,5	PC2359150	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405015016515K0I	SEGM. G15K 40,5 x 1,5 x 1,65
40,75	PC2359175	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0407515016515K0I	SEGM. G15K 40,75 x 1,5 x 1,65
41	PC2359200	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
41,25	PC2359225	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412515017015K0I	SEGM. G15K 41,25 x 1,5 x 1,7
41,5	PC2359250	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0415015017015K0I	SEGM. G15K 41,5 x 1,5 x 1,7
42	PC2359300	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75

## HONDA 2T

### PISTONE HONDA LEAD-SH-CAMINO Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1246</b>	40	25.5	Testa bombata Barrel head	2	50.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
40	PC1246000	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
40,25	PC1246025	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0402515016515H0I	SEGM. G15H 40,25 x 1,5 x 1,65
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
40,5	PC1246050	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
40,75	PC1246075	1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0407515016515H0I	SEGM. G15H 40,75 x 1,5 x 1,65
41	PC1246100	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
41,25	PC1246125	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0412515017015H0I	SEGM. G15H 41,25 x 1,5 x 1,7
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
41,5	PC1246150	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0415015017015H0I	SEGM. G15H 41,5 x 1,5 x 1,7
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
42	PC1246200	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE

## HONDA 2T

### PISTONE HONDA LEAD-SH-CAMINO-STING Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2246</b>	40	25.5	Testa bombata Barrel head	2	50.5	



MOQ 200

Variant	Item	Qty	Component Code	Component Description
40	PC2246000	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
40,25	PC2246025	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0402515016515K0I	SEGM. G15K 40,25 x 1,5 x 1,65
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
40,5	PC2246050	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0405015016515K0I	SEGM. G15K 40,5 x 1,5 x 1,65
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
40,75	PC2246075	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0407515016515K0I	SEGM. G15K 40,75 x 1,5 x 1,65
41	PC2246100	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
41,25	PC2246125	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0412515017015K0I	SEGM. G15K 41,25 x 1,5 x 1,7
42	PC2246200	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE



## HONDA 2T

### PISTONE HONDA VISION Ø 41

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1272</b>	41	20.2	Testa bombata Barrel head	2.5	47.7	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
41	PC1272000	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0410015017030H0I	SEGM. G30H 41 x 1,5 x 1,7
41,25	PC1272025	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0412515017030H0I	SEGM. G30H 41,25 x 1,5 x 1,7
41,75	PC1272075	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0417515017030H0I	SEGM. G30H 41,75 x 1,5 x 1,7
42,25	PC1272125	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0422515017530H0I	SEGM. G30H 42,25 x 1,5 x 1,75
42,5	PC1272150	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0425015017530H0I	SEGM. G30H 42,5 x 1,5 x 1,75

### PISTONE HONDA 125 CC. NSR-KY4 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1395</b>	54	30	Testa bombata Barrel head	2.3	64.3	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
54	PC1395000	1	SP160450110HI	PIN Ø 16 X 45 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBP GH. SF. 54 x 1,2 x 2,25
54,25	PC1395025	1	SP160450110HI	PIN Ø 16 X 45 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0542512022030KB2291I	SEGM. G30KBP GH. SF. 54,25 x 1,2 x 2,2
54,5	PC1395050	1	SP160450110HI	PIN Ø 16 X 45 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0545012022030KB2291I	SEGM. G30KBP GH. SF. 54,5 x 1,2 x 2,2
54,75	PC1395075	1	SP160450110HI	PIN Ø 16 X 45 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0547512022030KB2291I	SEGM. G30KBP GH. SF. 54,75 x 1,2 x 2,2
55	PC1395100	1	SP160450110HI	PIN Ø 16 X 45 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0550012023030KB2291I	SEGM. G30KBP GH. SF. 55 x 1,2 x 2,3
55,5	PC1395150	1	SP160450110HI	PIN Ø 16 X 45 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0555012023030KB2291I	SEGM. G30KBP GH. SF. 55,5 x 1,2 x 2,3
A 53.95	PC1395A	1	SP160450110HI	PIN Ø 16 X 45 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBP GH. SF. 54 x 1,2 x 2,25

## HONDA 2T

### PISTONE HONDA 125 CC. NSR-KY4 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1395</b>	54	30	Testa bombata Barrel head	2.3	64.3	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
B 53.96	PC1395B	1	SP160450110HI	PIN Ø 16 X 45 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
		1	SP160450110HI	PIN Ø 16 X 45 X 11
C 53.97	PC1395C	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
D 53.98	PC1395D	1	SP160450110HI	PIN Ø 16 X 45 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
		E 53.99	PC1395E	1
	1	AN0B1612SET		CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25

### PISTONE HONDA RS125 GP '95-'10 FLAT HEAD Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2745</b>	54	29	Testa Piana Flat head		60	RACING

SEGMENTO 0.7 mm RING 0.7 mm.



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
53.94	PC27455394	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	N0540007022030KBI	SEGM. G30KB AC 54 x 0,7 x 2,2
		53.95	PC27455395	1
	1	AN0B1512SET		CLIP D.15 SB FILO 1.2 IN SERIE
		1	N0540007022030KBI	SEGM. G30KB AC 54 x 0,7 x 2,2
		53.96	PC27455396	1
	1	AN0B1512SET		CLIP D.15 SB FILO 1.2 IN SERIE
		1	N0540007022030KBI	SEGM. G30KB AC 54 x 0,7 x 2,2
		53.97	PC27455397	1
	1	AN0B1512SET		CLIP D.15 SB FILO 1.2 IN SERIE
		1	N0540007022030KBI	SEGM. G30KB AC 54 x 0,7 x 2,2

## HONDA 2T

### PISTONE HONDA RS125 GP'95-'10 Flat Head Racing EVO Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2793</b>	54	29	Testa Piana Flat head		60.5	RACING EVO



Variant	Item	Qty	Component Code	Component Description
53.94	PC27935394	1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
		1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
53.95	PC27935395	1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
		1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
53.96	PC27935396	1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
		1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
53.97	PC27935397	1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
		1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

### PISTONE HONDA PANTHEON Ø 59

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1907</b>	59	34			75.2	



Variant	Item	Qty	Component Code	Component Description
59	PC1907000	1	SP160520110HI	PIN Ø 16 X 52 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0590015024530HOI	SEGM. G30H 59 x 1,5 x 2,45
59.5	PC1907050	1	SP160520110HI	PIN Ø 16 X 52 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0595015024530HOI	SEGM. G30H 59,5 x 1,5 x 2,45
60	PC1907100	1	SP160520110HI	PIN Ø 16 X 52 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0600015025030HOI	SEGM. G30H 60 x 1,5 x 2,5

## HONDA 4T

### PISTONE HONDA SH 125 4T Ø 52,4 (Rof acciaio)

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2260</b>	52.4	18.6	Testa bombata Barrel head	2	37.1	

#### PROMO PRICE



Variant	Item	Qty	Component Code	Component Description
52.4	PC2260000	1	SP140350090HI	PIN D. 14 X 35 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	RSMOT524005	RSMOT524005 SERIE SEGM. MOTO 4T D. 52,4 H. 1/1/1,5-
52.75	PC2260035	1	SP140350090HI	PIN D. 14 X 35 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	RSMOT527505	RSMOT527505 SERIE SEGM. MOTO 4T D. 52,75 H. 1/1/1,5-
53	PC2260060	1	SP140350090HI	PIN D. 14 X 35 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	RSMOT530005	RSMOT530005 SERIE SEGM. MOTO 4T D. 53 H. 1/1/1,5-
52.95	PC2260095	1	SP140350090HI	PIN D. 14 X 35 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	RSMOT530005	RSMOT530005 SERIE SEGM. MOTO 4T D. 53 H. 1/1/1,5-
53.5	PC2260110	1	SP140350090HI	PIN D. 14 X 35 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	RSMOT535005	RSMOT535005 SERIE SEGM. MOTO 4T D. 53,5 H. 1/1/1,5-

### PISTONE HONDA PCX 125cc 4T Ø 52,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2606</b>	52.4	19.6	Testa Piana Flat head		36.1	



Variant	Item	Qty	Component Code	Component Description
52.4	PC2606000	1	SP130330080H2I	PIN D. 13 X 33 X 8
		1	AN0B1310SET	CLIP D. 13 SB FILO 1.0 IN SERIE
		1	RSMOT524005	RSMOT524005 SERIE SEGM. MOTO 4T D. 52,4 H. 1/1/1,5-
52.75	PC2606035	1	SP130330080H2I	PIN D. 13 X 33 X 8
		1	AN0B1310SET	CLIP D. 13 SB FILO 1.0 IN SERIE
		1	RSMOT527505	RSMOT527505 SERIE SEGM. MOTO 4T D. 52,75 H. 1/1/1,5-
53	PC2606060	1	SP130330080H2I	PIN D. 13 X 33 X 8
		1	AN0B1310SET	CLIP D. 13 SB FILO 1.0 IN SERIE
		1	RSMOT530005	RSMOT530005 SERIE SEGM. MOTO 4T D. 53 H. 1/1/1,5-
53.5	PC2606110	1	SP130330080H2I	PIN D. 13 X 33 X 8
		1	AN0B1310SET	CLIP D. 13 SB FILO 1.0 IN SERIE
		1	RSMOT535005	RSMOT535005 SERIE SEGM. MOTO 4T D. 53,5 H. 1/1/1,5-

## HONDA 4T

### PISTONE HONDA SH 125 D. 52,4 (Segm. Acciaio PVD)

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2818</b>	52.4	18.6	Testa bombata Barrel head	2	37.1	



Variant	Item	Qty	Component Code	Component Description
52.40	PC2818000	1	SP140350090HI	PIN D. 14 X 35 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	TSMOT524001I	TSMOT524001I SERIE SEGM. MOTO 4T in PVD Ø 52.40 MM H. 0,8x1.8/0.8x1.9/1,5x1.95-
52.65	PC2818025	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	TSMOT526501I	TSMOT526501I SERIE SEGM. MOTO 4T in PVD Ø 52.65 MM H. 0,8x1.8/0.8x1.9/1,5x1.95-
		1	SP140350090HI	PIN D. 14 X 35 X 9
52.90	PC2818050	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	TSMOT529001I	TSMOT529001I SERIE SEGM. MOTO 4T in PVD Ø 52.90 MM H. 0,8x1.8/0.8x1.9/1,5x1.95-
		1	SP140350090HI	PIN D. 14 X 35 X 9

### PISTONE HONDA SH Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1956</b>	54	18.6	Testa bombata Barrel head	2	36.8	



Variant	Item	Qty	Component Code	Component Description
54	PC1956000	1	RSMOT540001	RSMOT540001 SERIE SEGM. MOTO 4T D. 54 H. 1/1/2
		1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
54.5	PC1956050	1	RSMOT545001	RSMOT545001 SERIE SEGM. MOTO 4T D. 54,5 H. 1/1/2
		1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
55	PC1956100	1	RSMOT550001	RSMOT550001 SERIE SEGM. MOTO 4T D. 55 H. 1/1/2
		1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE

## HONDA 4T

### PISTONE HONDA SH 150 vers. segmenti acciaio Ø 58

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2236</b>	58	18.6			37.6	



REPLACED BY P2819 (WITH PVD RINGS)

Variant	Item	Qty	Component Code	Component Description
58	PC2236000	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	WSMOT580001I	P0914 PISTONE STIHL 070 Ø 58
58.25	PC2236025	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	WSMOT582501I	WSMOT582501I SERIE SEGM. MOTO 4T D. 58.25 H. 0.8/0.8/1.5
58.45	PC2236045	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	WSMOT585001I	WSMOT585001I SERIE SEGM. MOTO 4T D. 58.50 H. 0.8/0.8/1.5
58.5	PC2236050	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	WSMOT585001I	WSMOT585001I SERIE SEGM. MOTO 4T D. 58.50 H. 0.8/0.8/1.5
58.75	PC2236075	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	WSMOT587501I	WSMOT587501I SERIE SEGM. MOTO 4T D. 58.75 H. 0.8/0.8/1.5
59	PC2236100	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	WSMOT590001I	WSMOT590001I SERIE SEGM. MOTO 4T D. 59 H. 0.8/0.8/1.5

## HONDA 4T

### PISTONE HONDA SH 150 D. 58 (Segm. Acciaio PVD)

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2819</b>	58	18.6	Testa bombata Barrel head	2.5	37.6	

**New!**

PVD RINGS!



REPLACES P2236

Variant	Item	Qty	Component Code	Component Description
58	PC2819000	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	TSMOT580002I	TSMOT580002I SERIE SEGM. MOTO 4T in PVD Ø 58 MM H. 0,8x2/0.8x2.1/1,5x1.95-
		1	SP140400090HI	PIN D. 14 X 40 X 9
58.25	PC2819025	1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	TSMOT582502I	TSMOT582502I SERIE SEGM. MOTO 4T in PVD Ø 58.25 MM H. 0,8x2/0.8x2.1/1,5x1.95-
		1	SP140400090HI	PIN D. 14 X 40 X 9
58.50	PC2819050	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	TSMOT585002I	TSMOT585002I SERIE SEGM. MOTO 4T in PVD Ø 58.50 MM H. 0,8x2/0.8x2.1/1,5x1.95-

### PISTONE HONDA SH 300 vers. segmenti acciaio Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2475</b>	72	22	Testa Piana Flat head		43.85	



Variant	Item	Qty	Component Code	Component Description
72	PC2475000	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT720001I	WSMOT720001I SERIE SEGM. MOTO 4T Ø 72 MM H. 0.8x2.8/0.8X2.9/1,5x2.2
72.5	PC2475050	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT725001I	WSMOT725001I SERIE SEGM. MOTO 4T Ø 72.5 MM H. 0,8x2.8/0.8X2.9/1,5x2.2
72.95	PC2475095	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT730001I	WSMOT730001I SERIE SEGM. MOTO 4T Ø 73 MM H. 0,8x2.8/0.8X2.9/1,5x2.2
73	PC2475100	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT730001I	WSMOT730001I SERIE SEGM. MOTO 4T Ø 73 MM H. 0,8x2.8/0.8X2.9/1,5x2.2
73.5	PC2475150	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT735001I	WSMOT735001I SERIE SEGM. MOTO 4T Ø 73.5 MM H. 0,8x2.8/0.8X2.9/1,5x2.2
74	PC2475200	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT740001I	WSMOT740001I SERIE SEGM. MOTO 4T Ø 74 MM H. 0,8x2.8/0.8X2.9/1,5x2.2

## HONDA 4T

### PISTONE HONDA SH 300 - KIT TRASF. Ø 75

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2674</b>	75	21		0.8	37.8	



Variant	Item	Qty	Component Code	Component Description
		1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	N0750010027006NB	SEGM. C6NB AC 75 X 1 X 2,7
		1	E0750010031502LP2931	SEGM. C2LP GH. F 75 x 1 x 3,15
		1	N07500200250RANO	SEGM. RAN 75 X 2 X 2,5

## IAME 2T

### PISTONE IAME MINIMOTO 40cc Ø 35,9

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2402</b>	35.9	20	Testa bombata Barrel head	1.5	44	RACING



Variant	Item	Qty	Component Code	Component Description
35.75	PC24023575	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0358010015030KB2016I	SEGM. G30KBP GH. SF. 35,8 x 1 x 1,5
35.76	PC24023576	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0358010015030KB2016I	SEGM. G30KBP GH. SF. 35,8 x 1 x 1,5
35.77	PC24023577	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0358010015030KB2016I	SEGM. G30KBP GH. SF. 35,8 x 1 x 1,5
35.78	PC24023578	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0358010015030KB2016I	SEGM. G30KBP GH. SF. 35,8 x 1 x 1,5
35.79	PC24023579	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0358010015030KB2016I	SEGM. G30KBP GH. SF. 35,8 x 1 x 1,5
35.8	PC24023580	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0358010015030KB2016I	SEGM. G30KBP GH. SF. 35,8 x 1 x 1,5
35.81	PC24023581	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0358010015030KB2016I	SEGM. G30KBP GH. SF. 35,8 x 1 x 1,5
35.82	PC24023582	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0358010015030KB2016I	SEGM. G30KBP GH. SF. 35,8 x 1 x 1,5
35.83	PC24023583	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0358010015030KB2016I	SEGM. G30KBP GH. SF. 35,8 x 1 x 1,5



## IAME 2T

### PISTONE IAME MINIMOTO 40cc Ø 35,9

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2402</b>	35.9	20	Testa bombata Barrel head	1.5	44	RACING



Variant	Item	Qty	Component Code	Component Description
35.84	PC24023584	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.85	PC24023585	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.86	PC24023586	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.87	PC24023587	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.88	PC24023588	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.89	PC24023589	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.9	PC24023590	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.91	PC24023591	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.92	PC24023592	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.93	PC24023593	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.94	PC24023594	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0360010015030KB2016I	SEGM. G30KBP GH. SF. 36 x 1 x 1,5
35.95	PC24023595	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0359010015030KB2016I	SEGM. G30KBP GH. SF. 35,9 x 1 x 1,5
35.96	PC24023596	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0360010015030KB2016I	SEGM. G30KBP GH. SF. 36 x 1 x 1,5
35.97	PC24023597	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0360010015030KB2016I	SEGM. G30KBP GH. SF. 36 x 1 x 1,5
35.98	PC24023598	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0360010015030KB2016I	SEGM. G30KBP GH. SF. 36 x 1 x 1,5

## IAME 2T

### PISTONE IAME MINIMOTO 40cc Ø 35,9

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2402</b>	35.9	20	Testa bombata Barrel head	1.5	44	RACING



Variant	Item	Qty	Component Code	Component Description
36	PC24023600	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0360010015030KB2016I	SEGM. G30KBP GH. SF. 36 x 1 x 1,5
36.02	PC24023602	1	SP100290060HI	PIN D. 10 X 29 X 6
		1	AN0B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0360010015030KB2016I	SEGM. G30KBP GH. SF. 36 x 1 x 1,5

### PISTONE IAME MINIMOTO M-50RL Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2378</b>	40	20	Testa bombata Barrel head	1.6	43.6	RACING



Variant	Item	Qty	Component Code	Component Description
39.93	PC23783993	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
39.94	PC23783994	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
39.95	PC23783995	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
39.96	PC23783996	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
39.97	PC23783997	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
39.98	PC23783998	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
39.99	PC23783999	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
40	PC23784000	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
40.01	PC23784001	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
40.02	PC23784002	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6

## IAME 2T

### PISTONE IAME MINIMOTO M-50RL Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2378</b>	40	20	Testa bombata Barrel head	1.6	43.6	RACING



Variant	Item	Qty	Component Code	Component Description
40.03	PC23784003	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
40.04	PC23784004	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
40.06	PC23784006	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
40.08	PC23784008	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0400010016030KB1961I	SEGM. G30KBP GH. SF. 40 x 1 x 1,6
40.1	PC23784010	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0401010016030KP2341I	SEGM. G30KP GH. SF. 40,1 x 1 x 1,6
40.12	PC23784012	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0401010016030KP2341I	SEGM. G30KP GH. SF. 40,1 x 1 x 1,6
40.15	PC23784015	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0401010016030KP2341I	SEGM. G30KP GH. SF. 40,1 x 1 x 1,6
40.18	PC23784018	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0401010016030KP2341I	SEGM. G30KP GH. SF. 40,1 x 1 x 1,6
40.21	PC23784021	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0403010016030KP1962I	SEGM. G30KP GH. SF. 40,3 x 1 x 1,6
40.24	PC23784024	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0403010016030KP1962I	SEGM. G30KP GH. SF. 40,3 x 1 x 1,6
40.27	PC23784027	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0403010016030KP1962I	SEGM. G30KP GH. SF. 40,3 x 1 x 1,6
40.3	PC23784030	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	S0403010016030KP1962I	SEGM. G30KP GH. SF. 40,3 x 1 x 1,6

## KREIDLER 2T

PISTONE KREIDLER 50 CC. 2T R.S. Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0842</b>	40	24.5	Testa bombata Barrel head	3	51	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
40.5	PC0842050	1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0405015016530H0I	SEGM. G30H 40,5 x 1,5 x 1,65
41	PC0842100	1	F0405020018531H0I	SEGM. LH 40,5 x 2 x 1,85
		1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
41.5	PC0842150	1	F0410015017030H0I	SEGM. G30H 41 x 1,5 x 1,7
		1	F0410020018531H0I	SEGM. LH 41 x 2 x 1,85
		1	SP140325090HI	PIN D. 14 X 32.5 X 9
A 39.95	PC0842A	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
B 39.955	PC0842B	1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
C 39.96	PC0842C	1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
		1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
D 39.965	PC0842D	1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
		1	SP140325090HI	PIN D. 14 X 32.5 X 9
E 39.97	PC0842E	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
F 39.975	PC0842F	1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
G 39.98	PC0842G	1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
		1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
H 39.985	PC0842H	1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
		1	SP140325090HI	PIN D. 14 X 32.5 X 9

## KREIDLER 2T

PISTONE KREIDLER 50 CC. 2T R.S. Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0842</b>	40	24.5	Testa bombata Barrel head	3	51	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
I 39.99	PC0842I	1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
K 39.995	PC0842K	1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
L 40	PC0842L	1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
M 40.005	PC0842M	1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
N 40.01	PC0842N	1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
O 40	PC0842O	1	SP140325090HI	PIN D. 14 X 32.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85

### PISTONE HONDA DIO-SC50-BALI Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1359</b>	39	28	Testa bombata Barrel head	2.5	53.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
39	PC1359000	2	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39,25	PC1359025	2	F0392515016515H0I	SEGM. G15H 39,25 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39,5	PC1359050	2	F0395015016515H0I	SEGM. G15H 39,5 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39,75	PC1359075	2	F0397515016515H0I	SEGM. G15H 39,75 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40	PC1359100	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40,25	PC1359125	2	F0402515016515H0I	SEGM. G15H 40,25 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40,5	PC1359150	2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40,75	PC1359175	2	F0407515016515H0I	SEGM. G15H 40,75 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41	PC1359200	2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41,25	PC1359225	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412515017015H0I	SEGM. G15H 41,25 x 1,5 x 1,7
41,5	PC1359250	2	F0415015017015H0I	SEGM. G15H 41,5 x 1,5 x 1,7
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42	PC1359300	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75

## KYMCO 2T

### PISTONE KYMCO GAK-SNYPER-SPACER Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2358</b>	39	27.5	Testa bombata Barrel head	2.5	53.5	



MOQ 200

Variant	Item	Qty	Component Code	Component Description
39	PC2358000	2	F0390015016515K0I	SEGM. G15K 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.25	PC2358025	2	F0392515016515K0I	SEGM. G15K 39,25 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.5	PC2358050	2	F0395015016515K0I	SEGM. G15K 39,5 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.75	PC2358075	2	F0397515016515K0I	SEGM. G15K 39,75 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40	PC2358100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
40,25	PC2358125	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402515016515K0I	SEGM. G15K 40,25 x 1,5 x 1,65
40,5	PC2358150	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405015016515K0I	SEGM. G15K 40,5 x 1,5 x 1,65
41	PC2358200	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7

### PISTONE HONDA DIO-SC50 BALI Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2359</b>	39	28	Testa bombata Barrel head	2.5	53.5	



Variant	Item	Qty	Component Code	Component Description
39	PC2359000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0390015016515K0I	SEGM. G15K 39 x 1,5 x 1,65
39,25	PC2359025	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0392515016515K0I	SEGM. G15K 39,25 x 1,5 x 1,65
39,5	PC2359050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0395015016515K0I	SEGM. G15K 39,5 x 1,5 x 1,65
39,75	PC2359075	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0397515016515K0I	SEGM. G15K 39,75 x 1,5 x 1,65
40	PC2359100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
40,25	PC2359125	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402515016515K0I	SEGM. G15K 40,25 x 1,5 x 1,65
40,5	PC2359150	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405015016515K0I	SEGM. G15K 40,5 x 1,5 x 1,65
40,75	PC2359175	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0407515016515K0I	SEGM. G15K 40,75 x 1,5 x 1,65
41	PC2359200	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
41,25	PC2359225	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412515017015K0I	SEGM. G15K 41,25 x 1,5 x 1,7
41,5	PC2359250	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0415015017015K0I	SEGM. G15K 41,5 x 1,5 x 1,7
42	PC2359300	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75



## KYMCO 2T

### PISTONE KYMCO SCOOTER 2T 100 CC. Ø 50,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2007</b>	50.6	29	Testa bombata Barrel head	3	63	



Variant	Item	Qty	Component Code	Component Description
50.6	PC2007000	1	SP130420090HI	PIN D. 13 X 42 X 9
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		2	S0506012021030HPI	SEGM. G30HP GH. SF. 50,6 x 1,2 x 2,1
51	PC2007040	1	SP130420090HI	PIN D. 13 X 42 X 9
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		2	S0510012021530HPI	SEGM. G30HP GH. SF. 51 x 1,2 x 2,15
51.5	PC2007090	1	SP130420090HI	PIN D. 13 X 42 X 9
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		2	S0515012021530HPI	SEGM. G30HP GH. SF. 51,5 x 1,2 x 2,15
52	PC2007140	1	SP130420090HI	PIN D. 13 X 42 X 9
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		2	S0520012021530HPI	SEGM. G30HP GH. SF. 52 x 1,2 x 2,15

## KYMCO 4T

### PISTONE KYMCO 50 CC. 4T Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1871</b>	39	17.2	Testa bombata Barrel head	2	33.7	



Variant	Item	Qty	Component Code	Component Description
39	PC1871000	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-
39.4	PC1871040	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT394001	RSMOT394001 SERIE SEGM. MOTO 4T D. 39,4 H. 1/1/2-
39.8	PC1871080	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT398001	RSMOT398001 SERIE SEGM. MOTO 4T D. 39,8 H. 1/1/2
40	PC1871100	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT400001	RSMOT400001 SERIE SEGM. MOTO 4T D. 40 H. 1/1/2-
40.4	PC1871140	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT404001	RSMOT404001 SERIE SEGM. MOTO 4T D. 40,4 H. 1/1/2
A 38.96	PC1871A	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-

## KYMCO 4T

### PISTONE KYMCO 50 CC. 4T Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1871</b>	39	17.2	Testa bombata Barrel head	2	33.7	



Variant	Item	Qty	Component Code	Component Description
B 38.97	PC1871B	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-
C 38.98	PC1871C	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-
D 38.99	PC1871D	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-

### PISTONE KYMCO 125 CC 4T Ø 52,4 (Rof acciaio)

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2276</b>	52.4	20	Testa bombata Barrel head	1.5	37.5	



Variant	Item	Qty	Component Code	Component Description
52.4	PC2276000	1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	RSMOT524005	RSMOT524005 SERIE SEGM. MOTO 4T D. 52,4 H. 1/1/1,5-
52.75	PC2276035	1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	RSMOT527505	RSMOT527505 SERIE SEGM. MOTO 4T D. 52,75 H. 1/1/1,5-
53	PC2276060	1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	RSMOT530005	RSMOT530005 SERIE SEGM. MOTO 4T D. 53 H. 1/1/1,5-
52.95	PC2276095	1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	RSMOT530005	RSMOT530005 SERIE SEGM. MOTO 4T D. 53 H. 1/1/1,5-
53.5	PC2276110	1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	RSMOT535005	RSMOT535005 SERIE SEGM. MOTO 4T D. 53,5 H. 1/1/1,5-

## KYMCO 4T

### PISTONE KYMCO 4T 150cc Agility (vers.segm Ac) Ø 57,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2438</b>	57.4	20	Testa Piana Flat head		38	



Variant	Item	Qty	Component Code	Component Description
57.4	PC2438000	1	RSMOT574005	RSMOT574005 SERIE SEGM. MOTO 4T D. 57.4 H. 1/1/2
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	SP150420100HI	PIN D. 15 X 42 X 10
58	PC2438060	1	RSMOT580005	RSMOT580003 SERIE SEGM. MOTO 4T D. 58 H. 1/1/2
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	SP150420100HI	PIN D. 15 X 42 X 10
58.25	PC2438085	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	RSMOT582505	RSMOT582505 SERIE SEGM. MOTO 4T D. 58.25 H. 1/1/2
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
57.95	PC2438095	1	RSMOT580005	RSMOT580003 SERIE SEGM. MOTO 4T D. 58 H. 1/1/2
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	SP150420100HI	PIN D. 15 X 42 X 10
58.5	PC2438110	1	RSMOT585005	RSMOT585005 SERIE SEGM. MOTO 4T D. 58.5 H. 1/1/2
		1	AN0B1512SET	CLIP D.15 SB FILO 1.2 IN SERIE
		1	SP150420100HI	PIN D. 15 X 42 X 10

### PISTONE KYMCO 200 Ø 60

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2103</b>	60	20	Testa Piana Flat head		38	



Variant	Item	Qty	Component Code	Component Description
60	PC2103000	1	WSMOT600001	WSMOT600001 SERIE SEGM. MOTO 4T D. 60 H. 1/2.5 1/2.5 2/2.2
		1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
60.4	PC2103040	1	WSMOT604001I	WSMOT604001I SERIE SEGM. MOTO 4T D. 60.40 H.1/2.5 1/2.5 2/2.2
		1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
60.8	PC2103080	1	RSMOT608001	RSMOT608001 SERIE SEGM. MOTO 4T D. 60.8 H. 1/1/2
		1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## KYMCO 4T

### PISTONE KYMCO - DINK 200 Ø 62

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2509</b>	62	20	Testa Piana Flat head		38	



Variant	Item	Qty	Component Code	Component Description
62	PC2509000	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT620005	RSMOT620005 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2
62.5	PC2509050	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT625005	RSMOT625005 SERIE SEGM. MOTO 4T D. 62,5 H. 1/1/2
63	PC2509100	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT630005	RSMOT630005 SERIE SEGM. MOTO 4T D. 63 H. 1/1/2

### PISTONE KYMCO PEOPLE-GRAND DINK 250 CC Ø 72,7

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2530</b>	72.7	22.6	Testa bombata Barrel head	3.5	49.1	



Variant	Item	Qty	Component Code	Component Description
72.7	PC2530000	1	SP170570120KRI	PIN Ø 17 X 57 X 12 BIC RAM
		1	AN0B1710SET	CLIP D.17 SB FILO 1.0 IN SERIE
		1	WSMOT727002I	WSMOT727002I SERIE SEGM. MOTO 4T D. 72.70 H. 1x2,8 / 1x2,85 / 2x2,3
73	PC2530030	1	SP170570120KRI	PIN Ø 17 X 57 X 12 BIC RAM
		1	AN0B1710SET	CLIP D.17 SB FILO 1.0 IN SERIE
		1	WSMOT730002I	WSMOT730002I SERIE SEGM. MOTO 4T D. 73 H. 1x2,8 / 1x2,85 / 2x2,3
73.5	PC2530080	1	SP170570120KRI	PIN Ø 17 X 57 X 12 BIC RAM
		1	AN0B1710SET	CLIP D.17 SB FILO 1.0 IN SERIE
		1	WSMOT735002I	WSMOT735002I SERIE SEGM. MOTO 4T D. 73.50 H. 1x2,8 / 1x2,85 / 2x2,3

## KYMCO 4T

### PISTONE KYMCO 250 CC TESTA PIANA Ø 72,7

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2531</b>	72.7	22.3	Testa Piana Flat head		42	



Variant	Item	Qty	Component Code	Component Description
72.7	PC2531000	1	AN0B1710SET	CLIP D.17 SB FILO 1.0 IN SERIE
		1	SP170570120KRI	PIN Ø 17 X 57 X 12 BIC RAM
		1	WSMOT727002I	WSMOT727002I SERIE SEGM. MOTO 4T D. 72.70 H. 1x2,8 / 1x2,85 / 2x2,3
73	PC2531030	1	AN0B1710SET	CLIP D.17 SB FILO 1.0 IN SERIE
		1	SP170570120KRI	PIN Ø 17 X 57 X 12 BIC RAM
		1	WSMOT730002I	WSMOT730002I SERIE SEGM. MOTO 4T D. 73 H. 1x2,8 / 1x2,85 / 2x2,3
73.5	PC2531080	1	AN0B1710SET	CLIP D.17 SB FILO 1.0 IN SERIE
		1	SP170570120KRI	PIN Ø 17 X 57 X 12 BIC RAM
		1	WSMOT735002I	WSMOT735002I SERIE SEGM. MOTO 4T D. 73.50 H. 1x2,8 / 1x2,85 / 2x2,3

## LAMBRETTA 2T

### PISTONE LAMBRETTA 125 CC 2a-3a serie Ø 52

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0326</b>	52	39		6	75	



Fuso in gravità - Gravity cast

MOQ 150 pcs

Variant	Item	Qty	Component Code	Component Description
52	PC0326000	1	SP160450110HI	PIN Ø 16 X 45 X 11
		2	SG16	SEEGER D.16 DIN 472
		2	F0520020021515H0I	SEGM. G15H 52 x 2 x 2,15
52.4	PC0326040	1	SP160450110HI	PIN Ø 16 X 45 X 11
		2	SG16	SEEGER D.16 DIN 472
		2	F0524020021515H0I	SEGM. G15H 52,4 x 2 x 2,15
52.8	PC0326080	1	SP160450110HI	PIN Ø 16 X 45 X 11
		2	SG16	SEEGER D.16 DIN 472
		2	F0528020021515H0I	SEGM. G15H 52,8 x 2 x 2,15
53.2	PC0326120	1	SP160450110HI	PIN Ø 16 X 45 X 11
		2	SG16	SEEGER D.16 DIN 472
		2	F0532020022015H0I	SEGM. G15H 53,2 x 2 x 2,2
53.6	PC0326160	1	SP160450110HI	PIN Ø 16 X 45 X 11
		2	SG16	SEEGER D.16 DIN 472
		2	F0536020022015H0I	SEGM. G15H 53,6 x 2 x 2,2

## LAMBRETTA 2T

### PISTONE INNOCENTI 150 CC. LAMBRETTA SX Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0688</b>	57	39		6.5	76	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
57	PC0688000	2	F0570020024015H0I	SEGM. G15H 57 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
57.2	PC0688020	2	F0572020024015H0I	SEGM. G15H 57,2 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		2	SG16	SEEGER D.16 DIN 472
57.4	PC0688040	2	F0574020024015H0I	SEGM. G15H 57,4 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
57.6	PC0688060	2	F0576020024015H0I	SEGM. G15H 57,6 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		2	SG16	SEEGER D.16 DIN 472
57.8	PC0688080	2	F0578020024015H0I	SEGM. G15H 57,8 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
58	PC0688100	2	F0580020024015H0I	SEGM. G15H 58 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		2	SG16	SEEGER D.16 DIN 472
58.2	PC0688120	2	F0582020024015H0I	SEGM. G15H 58,2 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
58.4	PC0688140	2	F0584020024015H0I	SEGM. G15H 58,4 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		2	SG16	SEEGER D.16 DIN 472
58.6	PC0688160	2	F0586020024015H0I	SEGM. G15H 58,6 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
58.8	PC0688180	2	F0588020024015H0I	SEGM. G15H 58,8 x 2 x 2,4
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
59	PC0688200	2	F0590020024515H0I	SEGM. G15H 59 x 2 x 2,45
		1	SP160500110HI	PIN Ø 16 X 50 X 11
		2	SG16	SEEGER D.16 DIN 472

## LAMBRETTA 2T

### PISTONE INNOCENTI LAMBRETTA 150 2T Ø 62

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0582</b>	62	39		7	76	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
62	PC0582000	2	F0620025026015H0I	SEGM. G15H 62 x 2,5 x 2,6
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
62.2	PC0582020	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0622025026015H0I	SEGM. G15H 62,2 x 2,5 x 2,6
62.4	PC0582040	2	F0624025026015H0I	SEGM. G15H 62,4 x 2,5 x 2,6
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
62.6	PC0582060	2	F0626025026015H0I	SEGM. G15H 62,6 x 2,5 x 2,6
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
62.8	PC0582080	2	F0628025026015H0I	SEGM. G15H 62,8 x 2,5 x 2,6
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
63	PC0582100	2	F0630025026515H0I	SEGM. G15H 63 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE

## LAMBRETTA 2T

### PISTONE LAMBRETTA TRASF. 175 CC VERS. RACING Ø 62

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2711</b>	62	39	Testa bombata Barrel head	7	76	RACING



Variant	Item	Qty	Component Code	Component Description
62	PC2711000	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	N0620010024530KBI	SEGM. G30KB AC 62 X 1 X 2,45
62.5	PC2711050	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	N0625010024530KBI	SEGM. G30KB AC 62,5 X 1 X 2,45
63	PC2711100	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0630010026530KB1900I	SEGM. G30KBP GH. SF. 63 x 1 x 2,65

### PISTONE INNOCENTI 200 CC. 2T LAMBRETTA Ø 66

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0766</b>	66	39		7	78	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
66	PC0766000	3	F0660020027515H0I	SEGM. G15H 66 x 2 x 2,75
		1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
66.2	PC0766020	3	F0662020027515H0I	SEGM. G15H 66,2 x 2 x 2,75
		1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
66.4	PC0766040	3	F0664020027515H0I	SEGM. G15H 66,4 x 2 x 2,75
		1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
66.6	PC0766060	3	F0666020027515H0I	SEGM. G15H 66,6 x 2 x 2,75
		1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
66.8	PC0766080	3	F0668020027515H0I	SEGM. G15H 66,8 x 2 x 2,75
		1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
67	PC0766100	3	F0670020028015H0I	SEGM. G15H 67 x 2 x 2,8
		1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
67.2	PC0766120	3	F0672020028015H0I	SEGM. G15H 67,2 x 2 x 2,8
		1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
67.4	PC0766140	3	F067402002801500I	SEGM. G15 67,4 x 2 x 2,8
		1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
67.8	PC0766180	3	F0678020028015H0I	SEGM. G15H 67,8 x 2 x 2,8
		1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472



## LAMBRETTA 2T

### PISTONE LAMBRETTA TRASF 200 CC VERS. RACING Ø 66

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2718</b>	66	39	Testa bombata Barrel head	7	78	RACING



MOQ 150 PZ

Variant	Item	Qty	Component Code	Component Description
66	PC2718000	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0660010027530KB2361I	SEGM. G30KBP GH. SF. 66 x 1 x 2,75
66.4	PC2718040	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
66.8	PC2718080	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0668010027530KB2361I	SEGM. G30KBP GH. SF. 66,8 x 1 x 2,75

## LML 4T

### PISTONE LML STAR 125 cc. Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2625</b>	57	19.7	Testa Piana Flat head		38.8	



Variant	Item	Qty	Component Code	Component Description
57	PC2625000	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	RSMOT570005	RSMOT570002 SERIE SEGM. MOTO 4T D. 57 H. 1/1/2
57.5	PC2625050	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	RSMOT575005	RSMOT575002 SERIE SEGM. MOTO 4T D. 57,5 H. 1/1/2
58	PC2625100	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	RSMOT580005	RSMOT580003 SERIE SEGM. MOTO 4T D. 58 H. 1/1/2
58.5	PC2625150	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	ANOB1410SET	CLIP D.14 SB FILO 1.0 IN SERIE
		1	RSMOT585005	RSMOT585005 SERIE SEGM. MOTO 4T D. 58.5 H. 1/1/2

## MALOSSI 2T

### PISTONE MALOSSI MINIMOTO Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2536</b>	40	20.1	Testa bombata Barrel head	1.4	44.5	



Variant	Item	Qty	Component Code	Component Description
A 39.94	PC2536A-1	1	E0400010016530HP2783I	SEGM. G30HP GH. F 40 x 1 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
B 39.95	PC2536B-1	1	E0400010016530HP2783I	SEGM. G30HP GH. F 40 x 1 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
C 39.96	PC2536C-1	1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		1	E0400010016530HP2783I	SEGM. G30HP GH. F 40 x 1 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
D 39.97	PC2536D-1	1	E0400010016530HP2783I	SEGM. G30HP GH. F 40 x 1 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
E 39.98	PC2536E-1	1	E0400010016530HP2783I	SEGM. G30HP GH. F 40 x 1 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	ANOB1008SET	CLIP D.10 2B FILO 0.8 IN SERIE

### PISTONE MALOSSI TR./MINARELLI/YAMAHA Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1426</b>	47	25	Testa bombata Barrel head	3	50.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
47	PC1426000	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	I0470015018030HP2695I	SEGM. G30HP GH. I. 47 x 1,5 x 1,8
47.2	PC1426020	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	I0472015018030HP2695I	SEGM. G30HP GH. I. 47,2 x 1,5 x 1,8
47.4	PC1426040	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	I0474015018030HP2695I	SEGM. G30HP GH. I. 47,4 x 1,5 x 1,8
47.6	PC1426060	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	I0476015018030HP2695I	SEGM. G30HP GH. I. 47,6 x 1,5 x 1,8
47.8	PC1426080	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	I0478015018030HP2695I	SEGM. G30HP GH. I. 47,8 x 1,5 x 1,8
48	PC1426100	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	I0480015018030HP2695I	SEGM. G30HP GH. I. 48 x 1,5 x 1,8
48.2	PC1426120	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	I0482015018030HP2695I	SEGM. G30HP GH. I. 48,2 x 1,5 x 1,8

## MALOSSI 2T

### PISTONE MALOSSI TR./MINARELLI/YAMAHA Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1426</b>	47	25	Testa bombata Barrel head	3	50.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
48.4	PC1426140	1	SP120360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	I0484015018030HP2695I	SEGM. G30HP GH. I. 48,4 x 1,5 x 1,8

### PISTONE MALOSSI TR.SCOOTER PIAGGIO Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1427</b>	47	25	Testa bombata Barrel head	3	50.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
47	PC1427000	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	I0470015018030HP2695I	SEGM. G30HP GH. I. 47 x 1,5 x 1,8
47.2	PC1427020	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	I0472015018030HP2695I	SEGM. G30HP GH. I. 47,2 x 1,5 x 1,8
47.4	PC1427040	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	I0474015018030HP2695I	SEGM. G30HP GH. I. 47,4 x 1,5 x 1,8
47.6	PC1427060	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	I0476015018030HP2695I	SEGM. G30HP GH. I. 47,6 x 1,5 x 1,8
47.8	PC1427080	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	I0478015018030HP2695I	SEGM. G30HP GH. I. 47,8 x 1,5 x 1,8
48	PC1427100	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	I0480015018030HP2695I	SEGM. G30HP GH. I. 48 x 1,5 x 1,8
48.2	PC1427120	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	I0482015018030HP2695I	SEGM. G30HP GH. I. 48,2 x 1,5 x 1,8
48.4	PC1427140	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	I0484015018030HP2695I	SEGM. G30HP GH. I. 48,4 x 1,5 x 1,8

## MALOSSI 2T

### PISTONE MALOSSI TR.SCOOTER YAMAHA Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1491</b>	47	25	Testa bombata Barrel head	3	50.5	



Fuso in gravità - Gravity cast

AD ESAURIMENTO STOCK

Variant	Item	Qty	Component Code	Component Description
47	PC1491000	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0470012019530KB2671I	SEGM. G30KBP GH. SF. 47 x 1,2 x 1,95
47.2	PC1491020	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0472012019530KB2671I	SEGM. G30KBP GH. SF. 47,2 x 1,2 x 1,95
47.4	PC1491040	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0474012019530KB2671I	SEGM. G30KBP GH. SF. 47,4 x 1,2 x 1,95
47.6	PC1491060	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476012019530KB2671I	SEGM. G30KBP GH. SF. 47,6 x 1,2 x 1,95
47.8	PC1491080	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0478012020030KB2671I	SEGM. G30KBP GH. SF. 47,8 x 1,2 x 2
48	PC1491100	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0480012020030KB2671I	SEGM. G30KBP GH. SF. 48 x 1,2 x 2
48.2	PC1491120	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0482012020030KB2671I	SEGM. G30KBP GH. SF. 48,2 x 1,2 x 2
48.4	PC1491140	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0484012020030KB2671I	SEGM. G30KBP GH. SF. 48,4 x 1,2 x 2
48.6	PC1491160	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0486012020030KB2671I	SEGM. G30KBP GH. SF. 48,6 x 1,2 x 2

## MALOSSI 2T

### PISTONE MALOSSI TR/YAMAHA/MALAGUTI Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1496</b>	47	25	Testa bombata Barrel head	3	50.5	



Fuso in gravità - Gravity cast

AD ESAURIMENTO STOCK

Variant	Item	Qty	Component Code	Component Description
47	PC1496000	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0470012019530KB2671I	SEGM. G30KBP GH. SF. 47 x 1,2 x 1,95
47.2	PC1496020	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0472012019530KB2671I	SEGM. G30KBP GH. SF. 47,2 x 1,2 x 1,95
47.4	PC1496040	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0474012019530KB2671I	SEGM. G30KBP GH. SF. 47,4 x 1,2 x 1,95
47.6	PC1496060	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0476012019530KB2671I	SEGM. G30KBP GH. SF. 47,6 x 1,2 x 1,95
47.8	PC1496080	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0478012020030KB2671I	SEGM. G30KBP GH. SF. 47,8 x 1,2 x 2
48	PC1496100	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0480012020030KB2671I	SEGM. G30KBP GH. SF. 48 x 1,2 x 2
48.2	PC1496120	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0482012020030KB2671I	SEGM. G30KBP GH. SF. 48,2 x 1,2 x 2
48.4	PC1496140	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0484012020030KB2671I	SEGM. G30KBP GH. SF. 48,4 x 1,2 x 2

## MALOSSI 2T

### PISTONE MALOSSI TRASF. Ø 47,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1765</b>	47.6	25	Testa bombata Barrel head	2	49.5	



Variant	Item	Qty	Component Code	Component Description
A 47.55	PC1765A	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
B 47.56	PC1765B	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
C 47.57	PC1765C	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
D 47.58	PC1765D	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
E 47.59	PC1765E	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95

### PISTONE MALOSSI TR.PIAGGIO Ø 47,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1766</b>	47.6	25	Testa bombata Barrel head	3	50.5	



Variant	Item	Qty	Component Code	Component Description
A 47.55	PC1766A	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
B 47.56	PC1766B	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
C 47.57	PC1766C	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
D 47.58	PC1766D	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
E 47.59	PC1766E	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95

## MALOSSI 2T

PISTONE MALOSSI TR. SCOOTER KITS - H20MHR Ø 47,6 - Spin. 12mm

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2262</b>	47.6	24.8	Testa bombata Barrel head	3	50.3	



Variant	Item	Qty	Component Code	Component Description
A 47.54	PC2262A	1	SP120380080KI	PIN D. 12 X 38 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0476010018530KBI	SEGM. G30KB AC 47,6 x 1 x 1,85
B 47.55	PC2262B	1	SP120380080KI	PIN D. 12 X 38 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0476010018530KBI	SEGM. G30KB AC 47,6 x 1 x 1,85
C 47.56	PC2262C	1	SP120380080KI	PIN D. 12 X 38 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0476010018530KBI	SEGM. G30KB AC 47,6 x 1 x 1,85
D 47.57	PC2262D	1	SP120380080KI	PIN D. 12 X 38 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0476010018530KBI	SEGM. G30KB AC 47,6 x 1 x 1,85
E 47.58	PC2262E	1	SP120380080KI	PIN D. 12 X 38 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0476010018530KBI	SEGM. G30KB AC 47,6 x 1 x 1,85

## MBK 2T

PISTONE APRILIA/YAMAHA SC.50 CC. Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1278</b>	40	25.5		2.5	50.5	

Segmenti NON CROMATI rings NOT CHROMED



Fuso in gravità - Gravity cast

APRILIA Amico SR 50 - Scarabeo 50 - Rally 50 - Gulliver 50  
 ATALA-RIZZATO Carosello BENELLI Scooter 491 - K2 - Pepe -  
 Naked50 BETAMOTOR Scooter Tempo - Quadra - Nemo -  
 Ark - Chrono - 502 - Eikon ITALJET Dragster - Pista -  
 Bazooka - Yankee - Ascott - Reporter MALAGUTI F10 - F12 -  
 F15 - Centro - Yesterday - Ciak MBK Booster-Evolis-Target-  
 Fizz-Sorriso-Forte-Nitro-Flipper MBK Ovetto-Stunt-Equalis-  
 MachG MINARELLI (MOTOR) MY - CY - CW MOTRON Sting  
 - Thunder - Spike - Sinkro SYM Pure 50 YAMAHA Aerox  
 (ring not chromed) 2007-2013 YAMAHA Axis (ring not  
 chromed) 1995-1998 YAMAHA BWS (ring not chromed)  
 2000-2011 YAMAHA CRZ (ring not chromed) 1992-1995  
 YAMAHA CT (ring not chromed) 1990-1996 YAMAHA Jog -  
 Ng Bws - Spy - Bump - Slider - Why - Breeze YAMAHA  
 Neo's (ring not chromed) 2009-2013 YAMAHA Zest (ring not  
 chromed)

Variant	Item	Qty	Component Code	Component Description
40	PC1278000	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,25	PC1278025	2	F0402515016515H0I	SEGM. G15H 40,25 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,5	PC1278050	2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,75	PC1278075	2	F0407515016515H0I	SEGM. G15H 40,75 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41	PC1278100	2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE

## MBK 2T

### PISTONE APRILIA/YAMAHA SC.50 CC. Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1278</b>	40	25.5		2.5	50.5	

Segmenti NON CROMATI rings NOT CHROMED



Fuso in gravità - Gravity cast

APRILIA Amico SR 50 - Scarabeo 50 - Rally 50 - Gulliver 50  
 ATALA-RIZZATO Carosello BENELLI Scooter 491 - K2 - Pepe -  
 Naked50 BETAMOTOR Scooter Tempo - Quadra - Nemo -  
 Ark - Chrono - 502 - Eikon ITALJET Dragster - Pista -  
 Bazooka - Yankee - Ascott - Reporter MALAGUTI F10 - F12 -  
 F15 - Centro - Yesterday - Ciak MBK Booster-Evolis-Target-  
 Fizz-Sorriso-Forte-Nitro-Flipper MBK Ovetto-Stunt-Equalis-  
 MachG MINARELLI (MOTORI) MY - CY - CW MOTRON Sting  
 - Thunder - Spike - Sinkro SYM Pure 50 YAMAHA Aerox  
 (ring not chromed) 2007-2013 YAMAHA Axis (ring not  
 chromed) 1995-1998 YAMAHA BWS (ring not chromed)  
 2000-2011 YAMAHA CRZ (ring not chromed) 1992-1995  
 YAMAHA CT (ring not chromed) 1990-1996 YAMAHA Jog -  
 Ng Bws - Spy - Bump - Slider - Why - Breeze YAMAHA  
 Neo's (ring not chromed) 2009-2013 YAMAHA Zest (ring not  
 chromed)

Variant	Item	Qty	Component Code	Component Description
41,25	PC1278125	2	F0412515017015H0I	SEGM. G15H 41,25 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,5	PC1278150	2	F0415015017015H0I	SEGM. G15H 41,5 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,75	PC1278175	2	F0417515017015H0I	SEGM. G15H 41,75 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42	PC1278200	2	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,25	PC1278225	2	F0422515017515H0I	SEGM. G15H 42,25 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,5	PC1278250	2	F0425015017515H0I	SEGM. G15H 42,5 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,75	PC1278275	2	F0427515017515H0I	SEGM. G15H 42,75 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43	PC1278300	2	F0430015018015H03167I	SEGM. G15H 43 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43,25	PC1278325	2	F0432515018015H0I	SEGM. G15H 43,25 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43,5	PC1278350	2	F0435015018015H0I	SEGM. G15H 43,5 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE



## MBK 2T

PISTONE APRILIA/YAMAHA AMICO SR50-SCOOTER Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2278</b>	40	25.5	Testa bombata Barrel head	2.5	50.5	



Variant	Item	Qty	Component Code	Component Description
40	PC2278000	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
40,25	PC2278025	2	F0402515016515K0I	SEGM. G15K 40,25 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,5	PC2278050	2	F0405015016515K0I	SEGM. G15K 40,5 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,75	PC2278075	2	F0407515016515K0I	SEGM. G15K 40,75 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41	PC2278100	2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,25	PC2278125	2	F0412515017015K0I	SEGM. G15K 41,25 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,5	PC2278150	2	F0415015017015K0I	SEGM. G15K 41,5 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,75	PC2278175	2	F0417515017015K0I	SEGM. G15K 41,75 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42	PC2278200	2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,25	PC2278225	2	F0422515017515K0I	SEGM. G15K 42,25 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,5	PC2278250	2	F0425015017515K0I	SEGM. G15K 42,5 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43	PC2278300	2	F0430015018015K0I	SEGM. G15K 43 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43,5	PC2278350	2	F0435015018015K0I	SEGM. G15K 43,5 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE

## MBK 2T

### PISTONE MBK / YAMAHA 100 CC. D. 52

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2008</b>	52	33.5	Testa bombata Barrel head	3.2	63.5	



Variant	Item	Qty	Component Code	Component Description
52	PC2008000	2	S0520012021530KPI	SEGM. G30KP GH. SF. 52 x 1,2 x 2,15
		1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
52.5	PC2008050	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0525012021530KPI	SEGM. G30KP GH. SF. 52,5 x 1,2 x 2,15
53	PC2008100	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0530012022030KPI	SEGM. G30KP GH. SF. 53 x 1,2 x 2,2
53.5	PC2008150	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0535012022030KPI	SEGM. G30KP GH. SF. 53,5 x 1,2 x 2,2

## MINARELLI (MOTORI) 2T

### PISTONE MINARELLI 50 CC. SUPER Ø 38,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0628</b>	38.8	28	Testa bombata Barrel head	4.5	53.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38.8	PC0628000	2	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39	PC0628020	2	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.2	PC0628040	2	F0392015016515H0I	SEGM. G15H 39,2 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.4	PC0628060	2	F0394015016515H0I	SEGM. G15H 39,4 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.6	PC0628080	2	F0396015016515H0I	SEGM. G15H 39,6 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.8	PC0628100	2	F0398015016515H0I	SEGM. G15H 39,8 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

## MINARELLI (MOTORI) 2T

### PISTONE MINARELLI 50 CC. SUPER Ø 38,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0628</b>	38.8	28	Testa bombata Barrel head	4.5	53.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
40	PC0628120	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.2	PC0628140	2	F0402015016515H0I	SEGM. G15H 40,2 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.4	PC0628160	2	F0404015016515H0I	SEGM. G15H 40,4 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.6	PC0628180	2	F0406015016515H0I	SEGM. G15H 40,6 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.8	PC0628200	2	F0408015016515H0I	SEGM. G15H 40,8 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

### PISTONE MINARELLI 48 CC. 2T 6 V Ø 38,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2771</b>	38.8	28	Testa Piana Flat head		49	

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38.8	PC2771000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
39	PC2771020	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
39.2	PC2771040	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0392015016515H0I	SEGM. G15H 39,2 x 1,5 x 1,65
39.4	PC2771060	2	F0394015016515H0I	SEGM. G15H 39,4 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.6	PC2771080	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0396015016515H0I	SEGM. G15H 39,6 x 1,5 x 1,65
39.8	PC2771100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0398015016515H0I	SEGM. G15H 39,8 x 1,5 x 1,65
40	PC2771120	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

## MINARELLI (MOTORI) 2T

PISTONE MINARELLI 48 CC. 2T 6 V Ø 38,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2771</b>	38.8	28	Testa Piana Flat head		49	

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
40.5	PC2771170	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
A 38.75	PC2771A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
B 38.76	PC2771B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
C 38.77	PC2771C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
D 38.78	PC2771D	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
E 38.79	PC2771E	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
F 38.8	PC2771F	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
G 38.81	PC2771G	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6

## MINARELLI (MOTORI) 2T

PISTONE MINARELLI/APRILIA AM 345 Ø 40,3

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1324</b>	40.3	28	Testa bombata Barrel head	2	53	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 40.25	PC1324A	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
B 40.26	PC1324B	1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
C 40.27	PC1324C	1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
		1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
		1	SP120330080HI	PIN D. 12 X 33 X 8
D 40.28	PC1324D	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
		1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
E 40.29	PC1324E	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
F 40.3	PC1324F	1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
G 40.31	PC1324G	1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
		1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
		1	SP120330080HI	PIN D. 12 X 33 X 8

## MINARELLI (MOTORI) 2T

### PISTONE MINARELLI AM 345 Ø 40,3

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1538</b>	40.3	28	Testa bombata Barrel head	2	53	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
40.3	PC1538000	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0403012016030KB2304I	SEGM. G30KBP GH. SF. 40,3 x 1,2 x 1,6
		1	S0403012016030RP2303I	SEGM. G30RP GH. SF. 40,3 x 1,2 x 1,6
40,5	PC1538020	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0405012016030KB2304I	SEGM. G30KBP GH. SF. 40,5 x 1,2 x 1,6
		1	S0405012016030RP2303I	SEGM. G30RP GH. SF. 40,5 x 1,2 x 1,6
40.8	PC1538050	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0408012016030RP2303I	SEGM. G30RP GH. SF. 40,8 x 1,2 x 1,6
		1	S0408012016030KB2304I	SEGM. G30KBP GH. SF. 40,8 x 1,2 x 1,6
41	PC1538070	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0410012016030RP2303I	SEGM. G30RP GH. SF. 41 x 1,2 x 1,6
		1	S0410012016030KB2304I	SEGM. G30KBP GH. SF. 41 x 1,2 x 1,6
41.3	PC1538100	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0413012016030RP2303I	SEGM. G30RP GH. SF. 41,3 x 1,2 x 1,6
		1	S0413012016030KB2304I	SEGM. G30KBP GH. SF. 41,3 x 1,2 x 1,6
41,5	PC1538120	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0415012016030RP2303I	SEGM. G30RP GH. SF. 41,5 x 1,2 x 1,6
		1	S0415012016030KB2304I	SEGM. G30KBP GH. SF. 41,5 x 1,2 x 1,6
41.8	PC1538150	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0418012016030RP2303I	SEGM. G30RP GH. SF. 41,8 x 1,2 x 1,6
		1	S0418012016030KB2304I	SEGM. G30KBP GH. SF. 41,8 x 1,2 x 1,6

## MINARELLI (MOTORI) 2T

### PISTONE MINARELLI AM 345 Ø 49

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1933</b>	49	28	Testa bombata Barrel head	2	53.5	



Variant	Item	Qty	Component Code	Component Description
49	PC1933000	1	SP120420080HI	PIN D. 12 X 42 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0490015020030HP2743I	SEGM. G30HP 49 x 1,5 x 2
49.5	PC1933050	1	SP120420080HI	PIN D. 12 X 42 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0495015020030HP2743I	SEGM. G30HP 49,5 x 1,5 x 2
50	PC1933100	1	SP120420080HI	PIN D. 12 X 42 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0500015020030HP2743I	SEGM. G30HP 50 x 1,5 x 2
50.5	PC1933150	1	SP120420080HI	PIN D. 12 X 42 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0505015020030HP2743I	SEGM. G30HP 50,5 x 1,5 x 2
51	PC1933200	1	SP120420080HI	PIN D. 12 X 42 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0510015020030HP2743I	SEGM. G30HP 51 x 1,5 x 2,0

## PEUGEOT 2T

### PISTONE PEUGEOT BUXY-ZENITH Ø 39,95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1449</b>	39.95	21.5	Testa bombata Barrel head	2.3	48.3	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
40.2	PC1449020	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402015016530H0I	SEGM. G30H 40,2 x 1,5 x 1,65
40.4	PC1449040	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0404015016530H0I	SEGM. G30H 40,4 x 1,5 x 1,65
40.5	PC1449050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405015016530H0I	SEGM. G30H 40,5 x 1,5 x 1,65
40.6	PC1449060	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0406015016530H0I	SEGM. G30H 40,6 x 1,5 x 1,65
40.8	PC1449080	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0408015016530H0I	SEGM. G30H 40,8 x 1,5 x 1,65

## PEUGEOT 2T

### PISTONE PEUGEOT BUXY-ZENITH Ø 39,95

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1449</b>	39.95	21.5	Testa bombata Barrel head	2.3	48.3	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
41	PC1449100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017030H0I	SEGM. G30H 41 x 1,5 x 1,7
41.2	PC1449120	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412015017030H0I	SEGM. G30HP 41,2 x 1,5 x 1,7
AB 39.88	PC1449AB	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0399515016530H0I	SEGM. G30H 39,95 x 1,5 x 1,65
BC 39.89	PC1449BC	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0399515016530H0I	SEGM. G30H 39,95 x 1,5 x 1,65
CD 39.9	PC1449CD	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0399515016530H0I	SEGM. G30H 39,95 x 1,5 x 1,65
DE 39.92	PC1449DE	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0399515016530H0I	SEGM. G30H 39,95 x 1,5 x 1,65
E 39.98	PC1449E	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0399515016530H0I	SEGM. G30H 39,95 x 1,5 x 1,65
EF 39.94	PC1449EF	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0399515016530H0I	SEGM. G30H 39,95 x 1,5 x 1,65
FG 39.95	PC1449FG	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0399515016530H0I	SEGM. G30H 39,95 x 1,5 x 1,65
GH 39.96	PC1449GH	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0399515016530H0I	SEGM. G30H 39,95 x 1,5 x 1,65



## PEUGEOT 2T

### PISTONE PEUGEOT SCOOTER 2T 100 CC. Ø 50,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2009</b>	50.6	29	Testa bombata Barrel head	3	63	



Variant	Item	Qty	Component Code	Component Description
50.6	PC2009000	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0506012021030HPI	SEGM. G30HP GH. SF. 50,6 x 1,2 x 2,1
51	PC2009040	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0510012021530HPI	SEGM. G30HP GH. SF. 51 x 1,2 x 2,15
51.5	PC2009090	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0515012021530HPI	SEGM. G30HP GH. SF. 51,5 x 1,2 x 2,15
52	PC2009140	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0520012021530HPI	SEGM. G30HP GH. SF. 52 x 1,2 x 2,15

## PEUGEOT 4T

### PISTONE PEUGEOT SATELIS GEOPOLIS CITYSTAR 4T 125cc 4 v. Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2605</b>	57	21		4.3	40.8	



Variant	Item	Qty	Component Code	Component Description
57	PC2605000	1	RSMOT570005	RSMOT570002 SERIE SEGM. MOTO 4T D. 57 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
57.25	PC2605025	1	RSMOT572505	RSMOT572505 SERIE SEGM. MOTO 4T D. 57,25 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
57.5	PC2605050	1	RSMOT575005	RSMOT575002 SERIE SEGM. MOTO 4T D. 57,5 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
57.75	PC2605075	1	RSMOT577505	RSMOT577505 SERIE SEGM. MOTO 4T D. 57,75 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
58	PC2605100	1	RSMOT580005	RSMOT580003 SERIE SEGM. MOTO 4T D. 58 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## PEUGEOT 4T

### PISTONE PEUGEOT ELYSEO JETFORCE 4T 125cc 2v Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2618</b>	57	21	Testa bombata Barrel head	3.25	39.75	



Variant	Item	Qty	Component Code	Component Description
57	PC2618000	1	RSMOT570005	RSMOT570002 SERIE SEGM. MOTO 4T D. 57 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
57.25	PC2618025	1	RSMOT572505	RSMOT572505 SERIE SEGM. MOTO 4T D. 57,25 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
57.5	PC2618050	1	RSMOT575005	RSMOT575002 SERIE SEGM. MOTO 4T D. 57,5 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
57.75	PC2618075	1	RSMOT577505	RSMOT577505 SERIE SEGM. MOTO 4T D. 57,75 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
58	PC2618100	1	RSMOT580005	RSMOT580003 SERIE SEGM. MOTO 4T D. 58 H. 1/1/2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## PIAGGIO 2T

### PISTONE PIAGGIO BRAVO-SI BOXER Ø 38,2

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1102</b>	38.2	26.54	Testa bombata Barrel head	3.5	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38.2	PC1102000	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0382020017531HOI	SEGM. LH 38,2 x 2 x 1,75
38.4	PC1102020	1	F0382015016015HOI	SEGM. G15H 38,2 x 1,5 x 1,6
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
38.6	PC1102040	1	F0384020017531HOI	SEGM. LH 38,4 x 2 x 1,75
		1	F0384015016015HOI	SEGM. G15H 38,4 x 1,5 x 1,6
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
38.8	PC1102060	1	F0386020017531HOI	SEGM. LH 38,6 x 2 x 1,75
		1	F0386015016015HOI	SEGM. G15H 38,6 x 1,5 x 1,6
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0388020017531HOI	SEGM. LH 38,8 x 2 x 1,75
		1	F0388015016015HOI	SEGM. G15H 38,8 x 1,5 x 1,6

## PIAGGIO 2T

### PISTONE PIAGGIO BRAVO-SI BOXER Ø 38,2

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1102</b>	38.2	26.54	Testa bombata Barrel head	3.5	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
39	PC1102080	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0390020017531H0I	SEGM. LH 39 x 2 x 1,75
39.2	PC1102100	1	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
39.4	PC1102120	1	F0392020017531H0I	SEGM. LH 39,2 x 2 x 1,75
		1	F0392015016515H0I	SEGM. G15H 39,2 x 1,5 x 1,65
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
39.6	PC1102140	1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0396020017531H0I	SEGM. LH 39,6 x 2 x 1,75
		1	F0396015016515H0I	SEGM. G15H 39,6 x 1,5 x 1,65
39.8	PC1102160	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0398020017531H0I	SEGM. LH 39,8 x 2 x 1,75
40	PC1102180	1	F0398015016515H0I	SEGM. G15H 39,8 x 1,5 x 1,65
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
40.2	PC1102200	1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
		1	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0402020018531H0I	SEGM. LH 40,2 x 2 x 1,85
		1	F0402015016515H0I	SEGM. G15H 40,2 x 1,5 x 1,65

### PISTONE PIAGGIO SI ECOLOGICO Ø 38,2

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1243</b>	38.2	26	Testa bombata Barrel head	1.5	49.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38.2	PC1243000	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0382020017531H0I	SEGM. LH 38,2 x 2 x 1,75
38.4	PC1243020	1	F0382015016015H0I	SEGM. G15H 38,2 x 1,5 x 1,6
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
38.6	PC1243040	1	F0384020017531H0I	SEGM. LH 38,4 x 2 x 1,75
		1	F0384015016015H0I	SEGM. G15H 38,4 x 1,5 x 1,6
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
38.8	PC1243060	1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0388020017531H0I	SEGM. LH 38,8 x 2 x 1,75
		1	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
39	PC1243080	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0390020017531H0I	SEGM. LH 39 x 2 x 1,75
39.2	PC1243100	1	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
39.4	PC1243120	1	F0392020017531H0I	SEGM. LH 39,2 x 2 x 1,75
		1	F0392015016515H0I	SEGM. G15H 39,2 x 1,5 x 1,65
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
39.6	PC1243140	1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0394020017531H0I	SEGM. LH 39,4 x 2 x 1,75
		1	F0394015016515H0I	SEGM. G15H 39,4 x 1,5 x 1,65
39.8	PC1243160	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0398020017531H0I	SEGM. LH 39,8 x 2 x 1,75
40	PC1243180	1	F0398015016515H0I	SEGM. G15H 39,8 x 1,5 x 1,65
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
40.2	PC1243200	1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
		1	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	SG10SET	SEEGER D.10 DIN 472 IN SERIE
		1	F0402020018531H0I	SEGM. LH 40,2 x 2 x 1,85
		1	F0402015016515H0I	SEGM. G15H 40,2 x 1,5 x 1,65

## PIAGGIO 2T

### PISTONE PIAGGIO BRAVO BOXER CIAO Ø 38,2

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2679</b>	38.2	26.5	Testa bombata Barrel head	4	52.5	



Variant	Item	Qty	Component Code	Component Description
38.2	PC2679000	1	F0382020017531H0I	SEGM. LH 38,2 x 2 x 1,75
		1	F0382015016015H0I	SEGM. G15H 38,2 x 1,5 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.4	PC2679020	1	F0384020017531H0I	SEGM. LH 38,4 x 2 x 1,75
		1	F0384015016015H0I	SEGM. G15H 38,4 x 1,5 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.6	PC2679040	1	F0386020017531H0I	SEGM. LH 38,6 x 2 x 1,75
		1	F0386015016015H0I	SEGM. G15H 38,6 x 1,5 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.8	PC2679060	1	F0388020017531H0I	SEGM. LH 38,8 x 2 x 1,75
		1	F0388015016015H0I	SEGM. G15H 38,8 x 1,5 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39	PC2679080	1	F0390020017531H0I	SEGM. LH 39 x 2 x 1,75
		1	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.2	PC2679100	1	F0392020017531H0I	SEGM. LH 39,2 x 2 x 1,75
		1	F0392015016515H0I	SEGM. G15H 39,2 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.4	PC2679120	1	F0394020017531H0I	SEGM. LH 39,4 x 2 x 1,75
		1	F0394015016515H0I	SEGM. G15H 39,4 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.6	PC2679140	1	F0396020017531H0I	SEGM. LH 39,6 x 2 x 1,75
		1	F0396015016515H0I	SEGM. G15H 39,6 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.8	PC2679160	1	F0398020017531H0I	SEGM. LH 39,8 x 2 x 1,75
		1	F0398015016515H0I	SEGM. G15H 39,8 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40	PC2679180	1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
		1	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.2	PC2679200	1	F0402020018531H0I	SEGM. LH 40,2 x 2 x 1,85
		1	F0402015016515H0I	SEGM. G15H 40,2 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

### PISTONE PIAGGIO VESPA 50 CC. Ø 38,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0539</b>	38.4	26	Testa bombata Barrel head	4	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38.4	PC0539000	2	F0384020016015H0I	SEGM. G15H 38,4 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.8	PC0539040	2	F0388020016015H0I	SEGM. G15H 38,8 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.2	PC0539080	2	F0392020016515H0I	SEGM. G15H 39,2 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.4	PC0539100	2	F0394020016515H0I	SEGM. G15H 39,4 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.8	PC0539140	2	F0398020016515H0I	SEGM. G15H 39,8 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.2	PC0539180	2	F0402020016515H0I	SEGM. G15H 40,2 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.4	PC0539200	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0404020016515H0I	SEGM. G15H 40,4 x 2 x 1,65

## PIAGGIO 2T

### PISTONE PIAGGIO CIAO Ø 38,2

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0679</b>	38.4	26	Testa bombata Barrel head	4	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38.2	PC0679000	2	F0382020016015H0I	SEGM. G15H 38,2 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.4	PC0679020	2	F0384020016015H0I	SEGM. G15H 38,4 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.6	PC0679040	2	F0386020016015H0I	SEGM. G15H 38,6 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.8	PC0679060	2	F0388020016015H0I	SEGM. G15H 38,8 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39	PC0679080	2	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.2	PC0679100	2	F0392020016515H0I	SEGM. G15H 39,2 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.4	PC0679120	2	F0394020016515H0I	SEGM. G15H 39,4 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.6	PC0679140	2	F0396020016515H0I	SEGM. G15H 39,6 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.8	PC0679160	2	F0398020016515H0I	SEGM. G15H 39,8 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40	PC0679180	2	F0400020016515H0I	SEGM. G15H 40 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.2	PC0679200	2	F0402020016515H0I	SEGM. G15H 40,2 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.4	PC0679220	2	F0404020016515H0I	SEGM. G15H 40,4 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

## PIAGGIO 2T

### PISTONE PIAGGIO VESPINO 50/PK/APE TM P50 Ø 38,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1154</b>	38.4	26	Testa bombata Barrel head	4	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38.4	PC1154000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0384020016015H0I	SEGM. G15H 38,4 x 2 x 1,6
38.6	PC1154020	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0386020016015H0I	SEGM. G15H 38,6 x 2 x 1,6
38.8	PC1154040	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0388020016015H0I	SEGM. G15H 38,8 x 2 x 1,6
39	PC1154060	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
39.2	PC1154080	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0392020016515H0I	SEGM. G15H 39,2 x 2 x 1,65
39.4	PC1154100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0394020016515H0I	SEGM. G15H 39,4 x 2 x 1,65
39.6	PC1154120	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0396020016515H0I	SEGM. G15H 39,6 x 2 x 1,65
39.8	PC1154140	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0398020016515H0I	SEGM. G15H 39,8 x 2 x 1,65
40	PC1154160	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400020016515H0I	SEGM. G15H 40 x 2 x 1,65
40.2	PC1154180	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402020016515H0I	SEGM. G15H 40,2 x 2 x 1,65
40.4	PC1154200	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0404020016515H0I	SEGM. G15H 40,4 x 2 x 1,65



## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 50 PK Ø 38,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1157</b>	38.4	26.5	Testa bombata Barrel head	3.5	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38.6	PC1157020	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	SG12SET	SEEGER D.12 DIN 472 IN SERIE
		2	F0386020017531HOI	SEGM. LH 38,6 x 2 x 1,75
38.8	PC1157040	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	SG12SET	SEEGER D.12 DIN 472 IN SERIE
		2	F0388020017531HOI	SEGM. LH 38,8 x 2 x 1,75
A 38.35	PC1157A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	SG12SET	SEEGER D.12 DIN 472 IN SERIE
		2	F0384020017531HOI	SEGM. LH 38,4 x 2 x 1,75
B 38.36	PC1157B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	SG12SET	SEEGER D.12 DIN 472 IN SERIE
		2	F0384020017531HOI	SEGM. LH 38,4 x 2 x 1,75
C 38.37	PC1157C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	SG12SET	SEEGER D.12 DIN 472 IN SERIE
		2	F0384020017531HOI	SEGM. LH 38,4 x 2 x 1,75
D 38.38	PC1157D	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	SG12SET	SEEGER D.12 DIN 472 IN SERIE
		2	F0384020017531HOI	SEGM. LH 38,4 x 2 x 1,75
E 38.39	PC1157E	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	SG12SET	SEEGER D.12 DIN 472 IN SERIE
		2	F0384020017531HOI	SEGM. LH 38,4 x 2 x 1,75
F 38.4	PC1157F	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	SG12SET	SEEGER D.12 DIN 472 IN SERIE
		2	F0384020017531HOI	SEGM. LH 38,4 x 2 x 1,75

## PIAGGIO 2T

### PISTONE GILERA RUNNER / PIAGGIO SFERA-ZIP-FREE D.40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1306</b>	40	26	Testa bombata Barrel head	2	54	

Segmenti NON CROMATI rings NOT CHROMED



Fuso in gravità - Gravity cast

DERBI Atlantis25 (air) - Atlantis50 (air) - GP1 50 GILERA NRG (ring not chromed) GILERA Runner (ring not chromed) GILERA Stalker (ring not chromed) 1996-2012 GILERA Storm (ring not chromed) GILERA Typhoon - Storm - Runner - Stalker - Easy - Moving - DNA GILERA Typhoon (ring not chromed) PIAGGIO Energy (ring not chromed) PIAGGIO Free (ring not chromed) 1992-1998 PIAGGIO Liberty - Diesel - Fly - LX2t PIAGGIO NTT (ring not chromed) 1995-1998 PIAGGIO Quarz (ring not chromed) 1992-1997 PIAGGIO Sfera (ring not chromed) 1991-1998 PIAGGIO Vespa ET2 (ring not chromed) 1998-2004 PIAGGIO Zip (ring not chromed)

Variant	Item	Qty	Component Code	Component Description
40	PC1306000	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.2	PC1306020	2	F0402015016515H0I	SEGM. G15H 40,2 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.4	PC1306040	2	F0404015016515H0I	SEGM. G15H 40,4 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.6	PC1306060	2	F0406015016515H0I	SEGM. G15H 40,6 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.8	PC1306080	2	F0408015016515H0I	SEGM. G15H 40,8 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41	PC1306100	2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.2	PC1306120	2	F0412015017015H0I	SEGM. G15H 41,2 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.4	PC1306140	2	F0414015017015H0I	SEGM. G15H 41,4 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.6	PC1306160	2	F0416015017015H0I	SEGM. G15H 41,6 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.8	PC1306180	2	F0418015017015H0I	SEGM. G15H 41,8 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42	PC1306200	2	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42,5	PC1306250	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0425015017515H0I	SEGM. G15H 42,5 x 1,5 x 1,75
43	PC1306300	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0430015018015H03167I	SEGM. G15H 43 x 1,5 x 1,8

## PIAGGIO 2T

### PISTONE GILERA RUNNER / PIAGGIO SFERA-ZIP-FREE D.40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2306</b>	40	26	Testa bombata Barrel head	2	54	



Variant	Item	Qty	Component Code	Component Description
40	PC2306000	2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.2	PC2306020	2	F0402015016515K0I	SEGM. G15K 40,2 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.4	PC2306040	2	F0404015016515K0I	SEGM. G15K 40,4 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.6	PC2306060	2	F0406015016515K0I	SEGM. G15K 40,6 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40.8	PC2306080	2	F0408015016515K0I	SEGM. G15K 40,8 x 1,5 x 1,65
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41	PC2306100	2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.2	PC2306120	2	F0412015017015K0I	SEGM. G15K 41,2 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.4	PC2306140	2	F0414015017015K0I	SEGM. G15K 41,4 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.6	PC2306160	2	F0416015017015K0I	SEGM. G15K 41,6 x 1,5 x 1,7
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41.8	PC2306180	2	F0418015017515K0I	SEGM. G15K 41,8 x 1,5 x 1,75
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42	PC2306200	2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42,5	PC2306250	2	F0425015017515K0I	SEGM. G15K 42,5 x 1,5 x 1,75
		1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 90 S Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0654</b>	47	29.5	Testa bombata Barrel head	6	63	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
47	PC0654000	2	F0470020019515H0I	SEGM. G15H 47 x 2 x 1,95
		1	SP150400100HI	PIN D. 15 X 40 X 10
		2	SG15	SEEGER D.15 DIN 472
47.4	PC0654040	2	F0474020019515H0I	SEGM. G15H 47,4 x 2 x 1,95
		1	SP150400100HI	PIN D. 15 X 40 X 10
		2	SG15	SEEGER D.15 DIN 472
47.8	PC0654080	2	F0478020019515H0I	SEGM. G15H 47,8 x 2 x 1,95
		1	SP150400100HI	PIN D. 15 X 40 X 10
		2	SG15	SEEGER D.15 DIN 472
48.2	PC0654120	2	F0482020020015H0I	SEGM. G15H 48,2 x 2 x 2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		2	SG15	SEEGER D.15 DIN 472
48.4	PC0654140	2	F0484020020015H0I	SEGM. G15H 48,4 x 2 x 2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		2	SG15	SEEGER D.15 DIN 472
48.6	PC0654160	2	F0486020020015H0I	SEGM. G15H 48,6 x 2 x 2
		1	SP150400100HI	PIN D. 15 X 40 X 10
		2	SG15	SEEGER D.15 DIN 472

## PIAGGIO 2T

PISTONE PIAGGIO VESPA 2% 125CC - 1960 Ø 52,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0321</b>	52.5	35	Testa bombata Barrel head	5	70	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
52.5	PC0321000	2	F0525025021515HPI	SEGM. G15HP 52,5 x 2,5 x 2,15
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
52.9	PC0321040	2	F0529025021515HPI	SEGM. G15HP 52,9 x 2,5 x 2,15
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.3	PC0321080	2	F0533025022015HPI	SEGM. G15HP 53,3 x 2,5 x 2,2
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.5	PC0321100	2	F0535025022015HPI	SEGM. G15HP 53,5 x 2,5 x 2,2
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.7	PC0321120	2	F0537025022015HPI	SEGM. G15HP 53,7 x 2,5 x 2,2
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.1	PC0321160	2	F0541025022515HPI	SEGM. G15HP 54,1 x 2,5 x 2,25
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.3	PC0321180	1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0543025022515HPI	SEGM. G15HP 54,3 x 2,5 x 2,25

## PIAGGIO 2T

### PISTONE PIAGGIO VESPA P125X Ø 52,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0960</b>	52.5	35	Testa bombata Barrel head	6	70	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
52.5	PC0960000	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0525025021515HPI	SEGM. G15HP 52,5 x 2,5 x 2,15
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
52.7	PC0960020	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0527025021515HPI	SEGM. G15HP 52,7 x 2,5 x 2,15
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
52.9	PC0960040	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0529025021515HPI	SEGM. G15HP 52,9 x 2,5 x 2,15
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.1	PC0960060	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0531025022015HPI	SEGM. G15HP 53,1 x 2,5 x 2,2
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.3	PC0960080	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0533025022015HPI	SEGM. G15HP 53,3 x 2,5 x 2,2
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.5	PC0960100	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0535025022015HPI	SEGM. G15HP 53,5 x 2,5 x 2,2
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.7	PC0960120	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0537025022015HPI	SEGM. G15HP 53,7 x 2,5 x 2,2
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.9	PC0960140	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0539025022015HPI	SEGM. G15HP 53,9 x 2,5 x 2,2
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.1	PC0960160	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0541025022515HPI	SEGM. G15HP 54,1 x 2,5 x 2,25
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.3	PC0960180	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0543025022515HPI	SEGM. G15HP 54,3 x 2,5 x 2,25
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.5	PC0960200	1	SP150440100HI	PIN D. 15 X 44 X 10
		2	F0545025022515HPI	SEGM. G15HP 54,5 x 2,5 x 2,25
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE

### PISTONE PIAGGIO VESPA P125 K Ø 52,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1164</b>	52.5	35.8	Testa bombata Barrel head	5.2	70	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
52.5	PC1164000	1	F0525025021515HPI	SEGM. G15HP 52,5 x 2,5 x 2,15
		1	F0525025021531HP2878I	SEGM. LHP 52,5 x 2,5 x 2,15
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
52.7	PC1164020	1	F0527025021515HPI	SEGM. G15HP 52,7 x 2,5 x 2,15
		1	F0527025021531HP2878I	SEGM. LHP 52,7 x 2,5 x 2,15
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
52.9	PC1164040	1	F0529025021531HP2878I	SEGM. LHP 52,9 x 2,5 x 2,15
		1	F0529025021515HPI	SEGM. G15HP 52,9 x 2,5 x 2,15
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.1	PC1164060	1	F0531025022015HPI	SEGM. G15HP 53,1 x 2,5 x 2,2
		1	F0531025022031HP2878I	SEGM. LHP 53,1 x 2,5 x 2,2
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.3	PC1164080	1	F0533025022015HPI	SEGM. G15HP 53,3 x 2,5 x 2,2
		1	F0533025022031HP2878I	SEGM. LHP 53,3 x 2,5 x 2,2
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.5	PC1164100	1	F0535025022015HPI	SEGM. G15HP 53,5 x 2,5 x 2,2
		1	F0535025022031HP2878I	SEGM. LHP 53,5 x 2,5 x 2,2
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.7	PC1164120	1	F0537025022015HPI	SEGM. G15HP 53,7 x 2,5 x 2,2
		1	F0537025022031HP2878I	SEGM. LHP 53,7 x 2,5 x 2,2
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
53.9	PC1164140	1	F0539025022015HPI	SEGM. G15HP 53,9 x 2,5 x 2,2
		1	F0539025022031HP2878I	SEGM. LHP 53,9 x 2,5 x 2,2
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.1	PC1164160	1	F0541025022515HPI	SEGM. G15HP 54,1 x 2,5 x 2,25
		1	F0541025022531HP2878I	SEGM. LHP 54,1 x 2,5 x 2,25
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.3	PC1164180	1	F0543025022515HPI	SEGM. G15HP 54,3 x 2,5 x 2,25
		1	F0543025022531HP2878I	SEGM. LHP 54,3 x 2,5 x 2,25
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.5	PC1164200	1	F0545025022515HPI	SEGM. G15HP 54,5 x 2,5 x 2,25
		1	F0545025022531HP2878I	SEGM. LHP 54,5 x 2,5 x 2,25
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE

## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 125 - 1953 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0139</b>	54	30	Deflettore	12	76	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
54	PC0139000	2	F0540025022515HPI	SEGM. G15HP 54 x 2,5 x 2,25
		1	SP150450100HI	PIN D. 15 X 45 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.4	PC0139040	2	F0544025022515HPI	SEGM. G15HP 54,4 x 2,5 x 2,25
		1	SP150450100HI	PIN D. 15 X 45 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
54.8	PC0139080	1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0548025022515HPI	SEGM. G15HP 54,8 x 2,5 x 2,25
		1	SP150450100HI	PIN D. 15 X 45 X 10
55.2	PC0139120	2	F0552025023015HPI	SEGM. G15HP 55,2 x 2,5 x 2,3
		1	SP150450100HI	PIN D. 15 X 45 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
55.6	PC0139160	2	F0556025023015HPI	SEGM. G15HP 55,6 x 2,5 x 2,3
		1	SP150450100HI	PIN D. 15 X 45 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
55.8	PC0139180	2	F0558025023015HPI	SEGM. G15HP 55,8 x 2,5 x 2,3
		1	SP150450100HI	PIN D. 15 X 45 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE



## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 125 - 1958 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0215</b>	54	35	Deflettore	12	77	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
54	PC0215000	2	F0540025022515HPI	SEGM. G15HP 54 x 2,5 x 2,25
		1	SP150450100HI	PIN D. 15 X 45 X 10
		2	SG15	SEEGER D.15 DIN 472
54.4	PC0215040	2	F0544025022515HPI	SEGM. G15HP 54,4 x 2,5 x 2,25
		1	SP150450100HI	PIN D. 15 X 45 X 10
		2	SG15	SEEGER D.15 DIN 472
54.8	PC0215080	2	F0548025022515HPI	SEGM. G15HP 54,8 x 2,5 x 2,25
		1	SP150450100HI	PIN D. 15 X 45 X 10
		2	SG15	SEEGER D.15 DIN 472
55.2	PC0215120	2	F0552025023015HPI	SEGM. G15HP 55,2 x 2,5 x 2,3
		1	SP150450100HI	PIN D. 15 X 45 X 10
		2	SG15	SEEGER D.15 DIN 472
55.6	PC0215160	2	F0556025023015HPI	SEGM. G15HP 55,6 x 2,5 x 2,3
		1	SP150450100HI	PIN D. 15 X 45 X 10
		2	SG15	SEEGER D.15 DIN 472
55.8	PC0215180	2	F0558025023015HPI	SEGM. G15HP 55,8 x 2,5 x 2,3
		1	SP150450100HI	PIN D. 15 X 45 X 10
		2	SG15	SEEGER D.15 DIN 472

## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 125 XL Ø 55

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0671</b>	55	36.5	Testa bombata Barrel head	6	71	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
55	PC0671000	2	F0550025023015HPI	SEGM. G15HP 55 x 2,5 x 2,3
		1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
55.4	PC0671040	2	F0554025023015H0I	SEGM. G15H 55,4 x 2,5 x 2,3
		1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
55.8	PC0671080	2	F0558025023015H0I	SEGM. G15H 55,8 x 2,5 x 2,3
		1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
56.2	PC0671120	2	F0562025023515H0I	SEGM. G15H 56,2 x 2,5 x 2,35
		1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
56.6	PC0671160	2	F0566025023515H0I	SEGM. G15H 56,6 x 2,5 x 2,35
		1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
56.8	PC0671180	2	F0568025023515H0I	SEGM. G15H 56,8 x 2,5 x 2,35
		1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE

## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 125 ET3 Ø 55

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0973</b>	55	36.5	Testa bombata Barrel head	6	71	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
55	PC0973000	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0550025023015HPI	SEGM. G15HP 55 x 2,5 x 2,3
55.2	PC0973020	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0552025023015HPI	SEGM. G15HP 55,2 x 2,5 x 2,3
55.4	PC0973040	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0554025023015HPI	SEGM. G15HP 55,4 x 2,5 x 2,3
55.6	PC0973060	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0556025023015HPI	SEGM. G15HP 55,6 x 2,5 x 2,3
55.8	PC0973080	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0558025023015HPI	SEGM. G15HP 55,8 x 2,5 x 2,3
56	PC0973100	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0560025023515HPI	SEGM. G15HP 56 x 2,5 x 2,35
56.2	PC0973120	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0562025023515HPI	SEGM. G15HP 56,2 x 2,5 x 2,35
56.4	PC0973140	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0564025023515HPI	SEGM. G15HP 56,4 x 2,5 x 2,35
56.6	PC0973160	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0566025023515HPI	SEGM. G15HP 56,6 x 2,5 x 2,35
56.8	PC0973180	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0568025023515HPI	SEGM. G15HP 56,8 x 2,5 x 2,35

## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 125 XL/PKS Ø 55

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1120</b>	55	36.5	Testa bombata Barrel head	5.5	71	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
55	PC1120000	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0550025023031HP2879I	SEGM. LHP 55 x 2,5 x 2,3
		1	F0550025023015HPI	SEGM. G15HP 55 x 2,5 x 2,3
55.2	PC1120020	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0552025023031HP2879I	SEGM. LHP 55,2 x 2,5 x 2,3
		1	F0552025023015HPI	SEGM. G15HP 55,2 x 2,5 x 2,3
55.4	PC1120040	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0554025023031HP2879I	SEGM. LHP 55,4 x 2,5 x 2,3
		1	F0554025023015HPI	SEGM. G15HP 55,4 x 2,5 x 2,3
55.6	PC1120060	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0556025023031HP2879I	SEGM. LHP 55,6 x 2,5 x 2,3
		1	F0556025023015HPI	SEGM. G15HP 55,6 x 2,5 x 2,3
55.8	PC1120080	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0558025023031HP2879I	SEGM. LHP 55,8 x 2,5 x 2,3
		1	F0558025023015HPI	SEGM. G15HP 55,8 x 2,5 x 2,3
56	PC1120100	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0560025023531HP2879I	SEGM. LHP 56 x 2,5 x 2,35
		1	F0560025023515HPI	SEGM. G15HP 56 x 2,5 x 2,35
56.2	PC1120120	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0562025023531HP2879I	SEGM. LHP 56,2 x 2,5 x 2,35
		1	F0562025023515HPI	SEGM. G15HP 56,2 x 2,5 x 2,35
56.4	PC1120140	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0564025023531HP2879I	SEGM. LHP 56,4 x 2,5 x 2,35
		1	F0564025023515HPI	SEGM. G15HP 56,4 x 2,5 x 2,35
56.6	PC1120160	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0566025023531HP2879I	SEGM. LHP 56,6 x 2,5 x 2,35
		1	F0566025023515HPI	SEGM. G15HP 56,6 x 2,5 x 2,35
56.8	PC1120180	1	SP150470100HI	PIN Ø 15 X 47 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	F0568025023531HP2879I	SEGM. LHP 56,8 x 2,5 x 2,35
		1	F0568025023515HPI	SEGM. G15HP 56,8 x 2,5 x 2,35

### PISTONE PIAGGIO SKIPPER 125 CC. 2T Ø 55

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1408</b>	55	30	Testa bombata Barrel head	3.5	63.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
55	PC1408000	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0550012023030KB2291I	SEGM. G30KBP GH. SF. 55 x 1,2 x 2,3
55.2	PC1408020	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0552012023030KB2291I	SEGM. G30KBP GH. SF. 55,2 x 1,2 x 2,3
55.4	PC1408040	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0554012023030KB2291I	SEGM. G30KBP GH. SF. 55,4 x 1,2 x 2,3
55.6	PC1408060	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0556012023030KB2291I	SEGM. G30KBP GH. SF. 55,6 x 1,2 x 2,3
55.8	PC1408080	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0558012023030KB2291I	SEGM. G30KBP GH. SF. 55,8 x 1,2 x 2,3
56	PC1408100	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0560012023530KB2291I	SEGM. G30KBP GH. SF. 56 x 1,2 x 2,35
56.2	PC1408120	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0562012023530KB2291I	SEGM. G30KBP GH. SF. 56,2 x 1,2 x 2,35
56.5	PC1408150	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0565012023530KB2291I	SEGM. G30KBP GH. SF. 56,5 x 1,2 x 2,35
A 54.95	PC1408A	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0550012023030KB2291I	SEGM. G30KBP GH. SF. 55 x 1,2 x 2,3
B 54.955	PC1408B	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0550012023030KB2291I	SEGM. G30KBP GH. SF. 55 x 1,2 x 2,3
C 54.96	PC1408C	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0550012023030KB2291I	SEGM. G30KBP GH. SF. 55 x 1,2 x 2,3
D 54.965	PC1408D	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0550012023030KB2291I	SEGM. G30KBP GH. SF. 55 x 1,2 x 2,3
E 54.97	PC1408E	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0550012023030KB2291I	SEGM. G30KBP GH. SF. 55 x 1,2 x 2,3
F 54.975	PC1408F	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0550012023030KB2291I	SEGM. G30KBP GH. SF. 55 x 1,2 x 2,3
G 54.98	PC1408G	1	SP160460110HI	PIN Ø 16 X 46 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0550012023030KB2291I	SEGM. G30KBP GH. SF. 55 x 1,2 x 2,3

## PIAGGIO 2T

### PISTONE VESPA 150 CC-1955 Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0186</b>	57	30	Deflettore	12	79	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
57	PC0186000	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0570025024015HPI	SEGM. G15HP 57 x 2,5 x 2,4
57.4	PC0186040	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0574025024015HPI	SEGM. G15HP 57,4 x 2,5 x 2,4
57.8	PC0186080	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0578025024015HPI	SEGM. G15HP 57,8 x 2,5 x 2,4
58.2	PC0186120	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0582025024015HPI	SEGM. G15HP 58,2 x 2,5 x 2,4
58.6	PC0186160	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0586025024015HPI	SEGM. G15HP 58,6 x 2,5 x 2,4
58.8	PC0186180	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0588025024015HPI	SEGM. G15HP 58,8 x 2,5 x 2,4

## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 150 - 2% Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0430</b>	57	35	Deflettore	12	77	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
57	PC0430000	2	F0570025024015HPI	SEGM. G15HP 57 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
57.4	PC0430040	2	F0574025024015HPI	SEGM. G15HP 57,4 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
57.8	PC0430080	2	F0578025024015HPI	SEGM. G15HP 57,8 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
58.2	PC0430120	2	F0582025024015HPI	SEGM. G15HP 58,2 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
58.6	PC0430160	2	F0586025024015HPI	SEGM. G15HP 58,6 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE

### PISTONE PIAGGIO VESPA 150CC GL.SUPER-SPRINT Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0498</b>	57	35	Testa bombata Barrel head	7	72	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
57	PC0498000	2	F0570025024015HPI	SEGM. G15HP 57 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
57.4	PC0498040	2	F0574025024015HPI	SEGM. G15HP 57,4 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
57.8	PC0498080	2	F0578025024015HPI	SEGM. G15HP 57,8 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
58.2	PC0498120	2	F0582025024015HPI	SEGM. G15HP 58,2 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
58.4	PC0498140	2	F0584025024015HPI	SEGM. G15HP 58,4 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
58.6	PC0498160	2	F0586025024015HPI	SEGM. G15HP 58,6 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
58.8	PC0498180	2	F0588025024015HPI	SEGM. G15HP 58,8 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE

## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 150 SPRINT VELOCE 3L Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0830</b>	57	35	Testa bombata Barrel head	7	72	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
57	PC0830000	2	F0570025024015HPI	SEGM. G15HP 57 x 2,5 x 2,4
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
57.2	PC0830020	2	F0572025024015HPI	SEGM. G15HP 57,2 x 2,5 x 2,4
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
57.4	PC0830040	1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0574025024015HPI	SEGM. G15HP 57,4 x 2,5 x 2,4
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
57.6	PC0830060	2	F0576025024015HPI	SEGM. G15HP 57,6 x 2,5 x 2,4
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10

### PISTONE PIAGGIO VESPA P150X Ø 57,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1003</b>	57.8	35	Testa bombata Barrel head	7	72	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
57.8	PC1003000	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0578025024015HPI	SEGM. G15HP 57,8 x 2,5 x 2,4
58	PC1003020	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0580025024015HPI	SEGM. G15HP 58 x 2,5 x 2,4
58.2	PC1003040	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0582025024015HPI	SEGM. G15HP 58,2 x 2,5 x 2,4
58.4	PC1003060	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0584025024015HPI	SEGM. G15HP 58,4 x 2,5 x 2,4
58.6	PC1003080	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0586025024015HPI	SEGM. G15HP 58,6 x 2,5 x 2,4
58.8	PC1003100	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0588025024015HPI	SEGM. G15HP 58,8 x 2,5 x 2,4
59	PC1003120	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0590025024515HPI	SEGM. G15HP 59 x 2,5 x 2,45
59.2	PC1003140	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0592025024515HPI	SEGM. G15HP 59,2 x 2,5 x 2,45



## PIAGGIO 2T

### PISTONE PIAGGIO VESPA P150X Ø 57,8

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1003</b>	57.8	35	Testa bombata Barrel head	7	72	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
59.4	PC1003160	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0594025024515HPI	SEGM. G15HP 59,4 x 2,5 x 2,45
59.6	PC1003180	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0596025024515HPI	SEGM. G15HP 59,6 x 2,5 x 2,45
59.8	PC1003200	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	SG15SET	SEEGER D.15 DIN 472 IN SERIE
		2	F0598025024515HPI	SEGM. G15HP 59,8 x 2,5 x 2,45

### PISTONE VESPA GS 160 CC. Ø 58

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0461</b>	58	42.5	Testa bombata Barrel head	5.4	80.9	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
58	PC0461000	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0580025024015HPI	SEGM. G15HP 58 x 2,5 x 2,4
58.4	PC0461040	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0584025024015HPI	SEGM. G15HP 58,4 x 2,5 x 2,4
58.8	PC0461080	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0588025024015HPI	SEGM. G15HP 58,8 x 2,5 x 2,4
59	PC0461100	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0590025024515HPI	SEGM. G15HP 59 x 2,5 x 2,45
59.4	PC0461140	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0594025024515HPI	SEGM. G15HP 59,4 x 2,5 x 2,45
59.8	PC0461180	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0598025024515HPI	SEGM. G15HP 59,8 x 2,5 x 2,45
60	PC0461200	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0600025025015HPI	SEGM. G15HP 60 x 2,5 x 2,5

## PIAGGIO 2T

### PISTONE PIAGGIO SKIPPER 150 CC.2T Ø 60,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1470</b>	60.6	30	Testa bombata Barrel head	4.1	64.1	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 60.56	PC1470A	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	F0606015025030K0I	SEGM. G30K 60,6 x 1,5 x 2,5
B 60.57	PC1470B	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	F0606015025030K0I	SEGM. G30K 60,6 x 1,5 x 2,5
C 60.58	PC1470C	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	F0606015025030K0I	SEGM. G30K 60,6 x 1,5 x 2,5
D 60.59	PC1470D	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	F0606015025030K0I	SEGM. G30K 60,6 x 1,5 x 2,5
E 60.6	PC1470E	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	F0606015025030K0I	SEGM. G30K 60,6 x 1,5 x 2,5
F 60.61	PC1470F	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	F0606015025030K0I	SEGM. G30K 60,6 x 1,5 x 2,5

## PIAGGIO 2T

### PISTONE PIAGGIO HEXAGON 150 CC. 2T Ø 60,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1488</b>	60.6	30	Testa bombata Barrel head	4.2	64.2	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
60.6	PC1488000	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0606015025030HPI	SEGM. G30HP GH. SF. 60,6 x 1,5 x 2,5
		1	SP160500110HI	PIN Ø 16 X 50 X 11
60.8	PC1488020	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0608015025030HPI	SEGM. G30HP GH. SF. 60,8 x 1,5 x 2,5
61	PC1488040	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0610015025530HPI	SEGM. G30HP GH. SF. 61 x 1,5 x 2,55
		61.2	PC1488060	1
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0612015025530HPI	SEGM. G30HP GH. SF. 61,2 x 1,5 x 2,55
61.4	PC1488080	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0614015025530HPI	SEGM. G30HP GH. SF. 61,4 x 1,5 x 2,55
		61.6	PC1488100	1
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0616015025530HPI	SEGM. G30HP GH. SF. 61,6 x 1,5 x 2,55
61.8	PC1488120	1	SP160500110HI	PIN Ø 16 X 50 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0618015025530HPI	SEGM. G30HP GH. SF. 61,8 x 1,5 x 2,55

## PIAGGIO 2T

### PISTONE PIAGGIO APE 180 CC. MP500/550 Ø 63

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0720</b>	63	43	Testa bombata Barrel head	5.5	70.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
63	PC0720000	2	F0630025026515HPI	SEGM. G15HP 63 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
63.2	PC0720020	2	F0632025026515HPI	SEGM. G15HP 63,2 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
63.4	PC0720040	2	F0634025026515HPI	SEGM. G15HP 63,4 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
63.6	PC0720060	2	F0636025026515HPI	SEGM. G15HP 63,6 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
63.8	PC0720080	2	F0638025026515HPI	SEGM. G15HP 63,8 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
64	PC0720100	2	F0640025026515HPI	SEGM. G15HP 64 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
64.2	PC0720120	2	F0642025026515HPI	SEGM. G15HP 64,2 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
64.4	PC0720140	2	F0644025026515HPI	SEGM. G15HP 64,4 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
64.6	PC0720160	2	F0646025026515HPI	SEGM. G15HP 64,6 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
64.8	PC0720180	2	F0648025026515HPI	SEGM. G15HP 64,8 x 2,5 x 2,65
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
65	PC0720200	2	F0650025027015HPI	SEGM. G15HP 65 x 2,5 x 2,7
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
65.2	PC0720220	2	F0652025027015HPI	SEGM. G15HP 65,2 x 2,5 x 2,7
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
65.4	PC0720240	2	F0654025027015HPI	SEGM. G15HP 65,4 x 2,5 x 2,7
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
65.6	PC0720260	2	F0656025027015HPI	SEGM. G15HP 65,6 x 2,5 x 2,7
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
65.8	PC0720280	2	F0658025027015HPI	SEGM. G15HP 65,8 x 2,5 x 2,7
		1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE

### PISTONE VESPA 180 RALLY Ø 63,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0719</b>	63.5	42.5	Testa bombata Barrel head	5	80.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
63.5	PC0719000	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		2	F0635025026515H0I	SEGM. G15H 63,5 x 2,5 x 2,65
63.9	PC0719040	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		2	F0639025026515H0I	SEGM. G15H 63,9 x 2,5 x 2,65
64.3	PC0719080	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		2	F0643025026515H0I	SEGM. G15H 64,3 x 2,5 x 2,65
64.5	PC0719100	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		2	F0645025026515H0I	SEGM. G15H 64,5 x 2,5 x 2,65
64.7	PC0719120	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		2	F0647025026515H0I	SEGM. G15H 64,7 x 2,5 x 2,65
65	PC0719150	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		2	F0650025027015H0I	SEGM. G15H 65 x 2,5 x 2,7
65.5	PC0719200	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		2	F0655025027015H0I	SEGM. G15H 65,5 x 2,5 x 2,7

## PIAGGIO 2T

### PISTONE PIAGGIO VESPA 2T 200PX Ø 66,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1007</b>	66.5	42.5	Testa bombata Barrel head	5.5	81	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
66.5	PC1007000	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0665025027515HPI	SEGM. G15HP 66,5 x 2,5 x 2,75
66.7	PC1007020	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0667025027515HPI	SEGM. G15HP 66,7 x 2,5 x 2,75
66.9	PC1007040	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0669025027515HPI	SEGM. G15HP 66,9 x 2,5 x 2,75
67.1	PC1007060	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0671025028015HPI	SEGM. G15HP 67,1 x 2,5 x 2,8
67.3	PC1007080	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0673025028015HPI	SEGM. G15HP 67,3 x 2,5 x 2,8
67.5	PC1007100	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0675025028015HPI	SEGM. G15HP 67,5 x 2,5 x 2,8
67.7	PC1007120	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0677025028015HPI	SEGM. G15HP 67,7 x 2,5 x 2,8
67.9	PC1007140	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0679025028015HPI	SEGM. G15HP 67,9 x 2,5 x 2,8
68	PC1007150	1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
		2	F0680025028515HPI	SEGM. G15HP 68 x 2,5 x 2,85
68.1	PC1007160	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0681025028515HPI	SEGM. G15HP 68,1 x 2,5 x 2,85
68.3	PC1007180	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0683025028515HPI	SEGM. G15HP 68,3 x 2,5 x 2,85
68.5	PC1007200	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0685025028515HPI	SEGM. G15HP 68,5 x 2,5 x 2,85
68.7	PC1007220	1	SP160590110HI	PIN Ø 16 X 59 X 11
		2	SG16	SEEGER D.16 DIN 472
		2	F0687025028515HPI	SEGM. G15HP 68,7 x 2,5 x 2,85
68.9	PC1007240	1	SP160590110HI	PIN Ø 16 X 59 X 11
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		2	F0689025028515HPI	SEGM. G15H 68,9 x 2,5 x 2,85

## PIAGGIO 2T

### PISTONE PIAGGIO APE CAR Ø 68

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0895</b>	68	42.5	Testa bombata Barrel head	5.6	80	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
68.4	PC0895040	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0684025028515HPI	SEGM. G15HP 68,4 x 2,5 x 2,85
68.6	PC0895060	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0686025028515HPI	SEGM. G15HP 68,6 x 2,5 x 2,85
68.8	PC0895080	1	SP180590120HI	PIN Ø 18 X 59 X 12
		2	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0688025028515HPI	SEGM. G15HP 68,8 x 2,5 x 2,85
69	PC0895100	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0690025029015HPI	SEGM. G15HP 69 x 2,5 x 2,9
69.2	PC0895120	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0692025029015HPI	SEGM. G15HP 69,2 x 2,5 x 2,9
69.4	PC0895140	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0694025029015HPI	SEGM. G15HP 69,4 x 2,5 x 2,9
69.6	PC0895160	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0696025029015HPI	SEGM. G15HP 69,6 x 2,5 x 2,9
69.8	PC0895180	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0698025029015HPI	SEGM. G15HP 69,8 x 2,5 x 2,9
70	PC0895200	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0700025029015HPI	SEGM. G15HP 70 x 2,5 x 2,9
70.2	PC0895220	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0702025029015HPI	SEGM. G15HP 70,2 x 2,5 x 2,9
70.4	PC0895240	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0704025029015HPI	SEGM. G15HP 70,4 x 2,5 x 2,9
70.6	PC0895260	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0706025029015HPI	SEGM. G15HP 70,6 x 2,5 x 2,9
70.8	PC0895280	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		2	F0708025029015HPI	SEGM. G15HP 70,8 x 2,5 x 2,9

## PIAGGIO 2T

### PISTONE PIAGGIO APE CAR vers.originale Ø 68

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2335</b>	68	42.5	Testa bombata Barrel head	5.6	79.6	



Variant	Item	Qty	Component Code	Component Description
68	PC2335000	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		1	SS2335000I	SERIE SEGM. PIAGGIO APECAR DIAM. 68 mm
68.4	PC2335040	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		1	SS2335040I	SERIE SEGM. PIAGGIO APECAR DIAM. 68,4 mm
68.6	PC2335060	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		1	SS2335060I	SERIE SEGM. PIAGGIO APECAR DIAM. 68,6 mm
68.8	PC2335080	1	SP180590120HI	PIN Ø 18 X 59 X 12
		2	SG18	SEEGER D.18 DIN 472
		1	SS2335080I	SERIE SEGM. PIAGGIO APECAR DIAM. 68,8 mm
69	PC2335100	1	SP180590120HI	PIN Ø 18 X 59 X 12
		2	SG18	SEEGER D.18 DIN 472
		1	SS2335100I	SERIE SEGM. PIAGGIO APECAR DIAM. 69 mm
69.2	PC2335120	1	SP180590120HI	PIN Ø 18 X 59 X 12
		2	SG18	SEEGER D.18 DIN 472
		1	SS2335120I	SERIE SEGM. PIAGGIO APECAR DIAM. 69,2 mm
69.4	PC2335140	1	SP180590120HI	PIN Ø 18 X 59 X 12
		2	SG18	SEEGER D.18 DIN 472
		1	SS2335140I	SERIE SEGM. PIAGGIO APECAR DIAM. 69,4 mm
69.6	PC2335160	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		1	SS2335160I	SERIE SEGM. PIAGGIO APECAR DIAM. 69,6 mm
69.8	PC2335180	1	SP180590120HI	PIN Ø 18 X 59 X 12
		2	SG18	SEEGER D.18 DIN 472
		1	SS2335180I	SERIE SEGM. PIAGGIO APECAR DIAM. 69,8 mm
70	PC2335200	1	SP180590120HI	PIN Ø 18 X 59 X 12
		1	SG18SET	SEEGER D.18 DIN 472 IN SERIE
		1	SS2335200I	SERIE SEGM. PIAGGIO APECAR DIAM. 70 mm



## PIAGGIO 2T

### PISTONE PIAGGIO APE CAR SP.16 Ø 68

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2895</b>	68	42.5	Testa bombata Barrel head	5.6	80	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
68	PC2895000	2	F0680025028515HPI	SEGM. G15HP 68 x 2,5 x 2,85
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		1	SP160590110HI	PIN Ø 16 X 59 X 11
68.4	PC2895040	2	F0684025028515HPI	SEGM. G15HP 68,4 x 2,5 x 2,85
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		1	SP160590110HI	PIN Ø 16 X 59 X 11
68.8	PC2895080	2	F0688025028515HPI	SEGM. G15HP 68,8 x 2,5 x 2,85
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		1	SP160590110HI	PIN Ø 16 X 59 X 11
69	PC2895100	2	F0690025029015HPI	SEGM. G15HP 69 x 2,5 x 2,9
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		1	SP160590110HI	PIN Ø 16 X 59 X 11
69.4	PC2895140	2	F0694025029015HPI	SEGM. G15HP 69,4 x 2,5 x 2,9
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		1	SP160590110HI	PIN Ø 16 X 59 X 11
69.6	PC2895160	2	F0696025029015HPI	SEGM. G15HP 69,6 x 2,5 x 2,9
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		1	SP160590110HI	PIN Ø 16 X 59 X 11
69.8	PC2895180	2	F0698025029015HPI	SEGM. G15HP 69,8 x 2,5 x 2,9
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		1	SP160590110HI	PIN Ø 16 X 59 X 11
70	PC2895200	2	F0700025029015HPI	SEGM. G15HP 70 x 2,5 x 2,9
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		1	SP160590110HI	PIN Ø 16 X 59 X 11
70.4	PC2895240	2	F0704025029015HPI	SEGM. G15HP 70,4 x 2,5 x 2,9
		1	SG16SET	SEEGER D.16 DIN 472 IN SERIE
		1	SP160590110HI	PIN Ø 16 X 59 X 11

## PIAGGIO 4T

### PISTONE PIAGGIO VESPA 4T 50CC. Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1828</b>	39	18	Testa piana con fresatura valvole Flat head with valves seat milling		35	



Variant	Item	Qty	Component Code	Component Description
39	PC1828000	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-
39.4	PC1828040	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT394001	RSMOT394001 SERIE SEGM. MOTO 4T D. 39,4 H. 1/1/2-
39.8	PC1828080	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT398001	RSMOT398001 SERIE SEGM. MOTO 4T D. 39,8 H. 1/1/2
40	PC1828100	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT400001	RSMOT400001 SERIE SEGM. MOTO 4T D. 40 H. 1/1/2-
40.2	PC1828120	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT402001	RSMOT402001 SERIE SEGM. MOTO 4T D. 40,2 H. 1/1/2
40.4	PC1828140	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT404001	RSMOT404001 SERIE SEGM. MOTO 4T D. 40,4 H. 1/1/2

## PIAGGIO 4T

### PISTONE PIAGGIO VESPA 4T 50 CC 4 Valvole Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2305</b>	39	18.5		2.4	38	



Variant	Item	Qty	Component Code	Component Description
39.4	PC2305040	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN0B1310SET	CLIP D. 13 SB FILO 1.0 IN SERIE
		1	RSMOT394001	RSMOT394001 SERIE SEGM. MOTO 4T D. 39,4 H. 1/1/2-
39.8	PC2305080	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN0B1310SET	CLIP D. 13 SB FILO 1.0 IN SERIE
		1	RSMOT398001	RSMOT398001 SERIE SEGM. MOTO 4T D. 39,8 H. 1/1/2

### PISTONE PIAGGIO X9 4T Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1923</b>	57	24.3	Testa piana con fresatura valvole Flat head with valves seat milling		47.5	



Variant	Item	Qty	Component Code	Component Description
57	PC1923000	1	RSMOT570001	RSMOT570001 SERIE SEGM. MOTO 4T D. 57 H. 1/1/2,5
		1	SP160440110HI	PIN Ø 16 X 44 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
57.5	PC1923050	1	RSMOT575001	RSMOT575001 SERIE SEGM. MOTO 4T D. 57,5 H. 1/1/2,5
		1	SP160440110HI	PIN Ø 16 X 44 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
58	PC1923100	1	RSMOT580001	RSMOT580001 SERIE SEGM. MOTO 4T D. 58 H. 1/1/2,5
		1	SP160440110HI	PIN Ø 16 X 44 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE

## PIAGGIO 4T

### PISTONE PIAGGIO Vespa ET4/ GILERA Typhoon Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2468</b>	57	19.7	Testa Piana Flat head		42.7	



Variant	Item	Qty	Component Code	Component Description
57	PC2468000	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1412SET	CLIP D.14 1B FILO 1.2 IN SERIE
		1	RSMOT570005	RSMOT570002 SERIE SEGM. MOTO 4T D. 57 H. 1/1/2
57.5	PC2468050	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1412SET	CLIP D.14 1B FILO 1.2 IN SERIE
		1	RSMOT575005	RSMOT575002 SERIE SEGM. MOTO 4T D. 57,5 H. 1/1/2
58	PC2468100	1	SP140420090HI	PIN D. 14 X 42 X 9
		1	AN1B1412SET	CLIP D.14 1B FILO 1.2 IN SERIE
		1	RSMOT580005	RSMOT580003 SERIE SEGM. MOTO 4T D. 58 H. 1/1/2

### PISTONE PIAGGIO Beverly 125cc 08-11 segm.acciaio Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2469</b>	57	23.6	Testa piana con fresatura valvole Flat head with valves seat milling		47.5	



Variant	Item	Qty	Component Code	Component Description
57	PC2469000	1	SP150440100HI	PIN D. 15 X 44 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT570005	RSMOT570002 SERIE SEGM. MOTO 4T D. 57 H. 1/1/2
57.5	PC2469050	1	SP150440100HI	PIN D. 15 X 44 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT575005	RSMOT575002 SERIE SEGM. MOTO 4T D. 57,5 H. 1/1/2
58	PC2469100	1	SP150440100HI	PIN D. 15 X 44 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT580005	RSMOT580003 SERIE SEGM. MOTO 4T D. 58 H. 1/1/2

## PIAGGIO 4T

### PISTONE PIAGGIO BEVERLY-X9 200/250 CC 4T Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2049</b>	72	23.6	Testa Piana Flat head		38.6	



MOQ 150 PZ (50 PZ/CAD MISURA)

Variant	Item	Qty	Component Code	Component Description
72	PC2049000	1	RSMOT720002	RSMOT720002 SERIE SEGM. MOTO 4T D. 72 H. 1/1/2,5-
		1	SP150440070HI	PIN D. 15 X 44 X 7
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
72.25	PC2049025	1	RSMOT722502	RSMOT722502 SERIE SEGM. MOTO 4T D. 72,25 H. 1/1/2,5
		1	SP150440070HI	PIN D. 15 X 44 X 7
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
72.5	PC2049050	1	RSMOT725002	RSMOT725002 SERIE SEGM. MOTO 4T D. 72,5 H. 1/1/2,5
		1	SP150440070HI	PIN D. 15 X 44 X 7
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

### PISTONE PIAGGIO BEVERLY 250 CC 4T Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2050</b>	72	23.6	Testa Piana Flat head		38.6	



Variant	Item	Qty	Component Code	Component Description
A 71.96	PC2050A	1	RSMOT720002	RSMOT720002 SERIE SEGM. MOTO 4T D. 72 H. 1/1/2,5-
		1	SP150440070HI	PIN D. 15 X 44 X 7
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
B 71.97	PC2050B	1	RSMOT720002	RSMOT720002 SERIE SEGM. MOTO 4T D. 72 H. 1/1/2,5-
		1	SP150440070HI	PIN D. 15 X 44 X 7
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
C 71.98	PC2050C	1	RSMOT720002	RSMOT720002 SERIE SEGM. MOTO 4T D. 72 H. 1/1/2,5-
		1	SP150440070HI	PIN D. 15 X 44 X 7
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
D 71.99	PC2050D	1	RSMOT720002	RSMOT720002 SERIE SEGM. MOTO 4T D. 72 H. 1/1/2,5-
		1	SP150440070HI	PIN D. 15 X 44 X 7
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## PIAGGIO 4T

### PISTONE PIAGGIO VESPA GTS300 4T Ø 75

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2424</b>	75	23.6	Testa Piana Flat head		41.6	



Variant	Item	Qty	Component Code	Component Description
75	PC2424000	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	NSMOT750002	NSMOT750002 SERIE SEGM. MOTO 4T Ø 75 MM H 1/1,2/2
75.5	PC2424050	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	WSMOT755005	WSMOT755005 SERIE SEGM. MOTO 4T D. 75.50 H. 1/1.2/2
76	PC2424100	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	WSMOT760005I	WSMOT760005I SERIE SEGM. MOTO 4T D. 76 H. 1/1.2/2

## POLINI 2T

### PISTONE POLINI TR. PIAGGIO Ø 43

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1223</b>	43	26.5	Testa bombata Barrel head	2.5	50.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
43	PC1223000	1	SP100340060HI	PIN D. 10 X 34 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0430015017015HP2895I	SEGM. G15HP 43 x 1,5 x 1,7
43.4	PC1223040	1	SP100340060HI	PIN D. 10 X 34 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0434015018015HPI	SEGM. G15HP 43,4 x 1,5 x 1,8
43.8	PC1223080	1	SP100340060HI	PIN D. 10 X 34 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0438015018015HPI	SEGM. G15HP 43,8 x 1,5 x 1,8

## POLINI 2T

### PISTONE POLINI TR. PIAGGIO spin. 12mm Ø 43

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2552</b>	43	26.5	Testa bombata Barrel head	2.5	50.5	



MOQ 150

Variant	Item	Qty	Component Code	Component Description
43	PC2552000	2	F0430015017015HP2895I	SEGM. G15HP 43 x 1,5 x 1,7
		1	SP120350080HI	PIN D. 12 X 35 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
43.4	PC2552040	1	SP120350080HI	PIN D. 12 X 35 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0434015017015HP2895	SEGM. G15HP 43,4 x 1,5 x 1,7
43.8	PC2552080	1	SP120350080HI	PIN D. 12 X 35 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0438015017015HP2895	SEGM. G15HP 43,8 x 1,5 x 1,7

### PISTONE POLINI TR.HONDA CAMINO Ø 46

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1200</b>	46	24.5	Testa bombata Barrel head	2	49	



Fuso in gravità - Gravity cast

MOQ 150

Variant	Item	Qty	Component Code	Component Description
46	PC1200000	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0460015019015H03168I	SEGM. G15H 46 x 1,5 x 1,9
46.2	PC1200020	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0462015019015H0I	SEGM. G15H 46,2 x 1,5 x 1,9
46.4	PC1200040	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0464015019015H0I	SEGM. G15H 46,4 x 1,5 x 1,9
46.6	PC1200060	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0466015019015H0I	SEGM. G15H 46,6 x 1,5 x 1,9
46.8	PC1200080	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0468015019015H0I	SEGM. G15H 46,8 x 1,5 x 1,9
47	PC1200100	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0470015018515HP2861I	SEGM. G15HP 47 x 1,5 x 1,85
47.2	PC1200120	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0472015019515HPI	SEGM. G15HP 47,2 x 1,5 x 1,95
47.4	PC1200140	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0474015018515HP2861I	SEGM. G15HP 47,4 x 1,5 x 1,85
47.6	PC1200160	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0476015019515HPI	SEGM. G15HP 47,6 x 1,5 x 1,95

## POLINI 2T

### PISTONE POLINI TR.HONDA CAMINO Ø 46

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1200</b>	46	24.5	Testa bombata Barrel head	2	49	



Fuso in gravità - Gravity cast

MOQ 150

Variant	Item	Qty	Component Code	Component Description
47.8	PC1200180	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0478015018515HP2861I	SEGM. G15HP 47,8 x 1,5 x 1,85
48	PC1200200	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN0B1010SET	CLIP D. 10 SB FILO 1 IN SERIE
		2	F0480015020015H03170I	SEGM. G15H 48 x 1,5 x 2

### PISTONE POLINI TR.VESPA 90 CC. Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1247</b>	47	26.2	Testa bombata Barrel head	3.8	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
47	PC1247000	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0470015018515HP2861I	SEGM. G15HP 47 x 1,5 x 1,85
47.2	PC1247020	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0472015019515HPI	SEGM. G15HP 47,2 x 1,5 x 1,95
47.4	PC1247040	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0474015018515HP2861I	SEGM. G15HP 47,4 x 1,5 x 1,85
47.5	PC1247050	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0475015019515HPI	SEGM. G15HP 47,5 x 1,5 x 1,95
47.6	PC1247060	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0476015019515HPI	SEGM. G15HP 47,6 x 1,5 x 1,95
47.8	PC1247080	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0478015018515HP2861I	SEGM. G15HP 47,8 x 1,5 x 1,85
48	PC1247100	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0480015020015HPI	SEGM. G15HP 48 x 1,5 x 2
48.2	PC1247120	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0482015020015HPI	SEGM. G15HP 48,2 x 1,5 x 2
48.4	PC1247140	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0484015020015HPI	SEGM. G15HP 48,4 x 1,5 x 2
48.6	PC1247160	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0486015020015HPI	SEGM. G15HP 48,6 x 1,5 x 2



## POLINI 2T

### PISTONE POLINI TR.VESPA 90 CC. Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1247</b>	47	26.2	Testa bombata Barrel head	3.8	52	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
48.8	PC1247180	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0488015020015HPI	SEGM. G15HP 48,8 x 1,5 x 2
49	PC1247200	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0490015020515HPI	SEGM. G15HP 49 x 1,5 x 2,05

### PISTONE POLINI TR.APRILIA AMICO Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1415</b>	47	24.5	Testa bombata Barrel head	2.5	50.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
47	PC1415000	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0470012020030HP2290I	SEGM. G30HP GH. SF. 47 x 1,2 x 2
47.2	PC1415020	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0472012020030HP2290I	SEGM. G30HP GH. SF. 47,2 x 1,2 x 2
47.4	PC1415040	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0474012020030HP2290I	SEGM. G30HP GH. SF. 47,4 x 1,2 x 2
47.6	PC1415060	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0476012020030HP2290I	SEGM. G30HP GH. SF. 47,6 x 1,2 x 2
47.8	PC1415080	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0478012020030HP2290I	SEGM. G30HP GH. SF. 47,8 x 1,2 x 2
48	PC1415100	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0480012020030HP2290I	SEGM. G30HP GH. SF. 48 x 1,2 x 2
48.2	PC1415120	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0482012020030HP2290I	SEGM. G30HP GH. SF. 48,2 x 1,2 x 2
48.4	PC1415140	1	SP100360060HI	PIN D. 10 X 36 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	S0484012020030HP2290I	SEGM. G30HP GH. SF. 48,4 x 1,2 x 2

### PISTONE POLINI TR.HONDA SCOOTER Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1416</b>	47	24.5	Testa bombata Barrel head	2	50.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
47	PC1416000	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0470012019530KB2671I	SEGM. G30KBP GH. SF. 47 x 1,2 x 1,95
		1	S0470012020030HP2290I	SEGM. G30HP GH. SF. 47 x 1,2 x 2
47.4	PC1416040	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0474012019530KB2671I	SEGM. G30KBP GH. SF. 47,4 x 1,2 x 1,95
		1	S0474012020030HP2290I	SEGM. G30HP GH. SF. 47,4 x 1,2 x 2
47.6	PC1416060	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476012019530KB2671I	SEGM. G30KBP GH. SF. 47,6 x 1,2 x 1,95
		1	S0476012020030HP2290I	SEGM. G30HP GH. SF. 47,6 x 1,2 x 2
47.8	PC1416080	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0478012020030KB2671I	SEGM. G30KBP GH. SF. 47,8 x 1,2 x 2
		1	S0478012020030HP2290I	SEGM. G30HP GH. SF. 47,8 x 1,2 x 2
48	PC1416100	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0480012020030KB2671I	SEGM. G30KBP GH. SF. 48 x 1,2 x 2
		1	S0480012020030HP2290I	SEGM. G30HP GH. SF. 48 x 1,2 x 2
48.2	PC1416120	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0482012020030KB2671I	SEGM. G30KBP GH. SF. 48,2 x 1,2 x 2
		1	S0482012020030HP2290I	SEGM. G30HP GH. SF. 48,2 x 1,2 x 2
48.4	PC1416140	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0484012020030KB2671I	SEGM. G30KBP GH. SF. 48,4 x 1,2 x 2
		1	S0484012020030HP2290I	SEGM. G30HP GH. SF. 48,4 x 1,2 x 2

## POLINI 2T

### PISTONE MALOSSI TRASF. Ø 47,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1765</b>	47.6	25	Testa bombata Barrel head	2	49.5	



Variant	Item	Qty	Component Code	Component Description
A 47.55	PC1765A	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
B 47.56	PC1765B	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
C 47.57	PC1765C	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
D 47.58	PC1765D	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
E 47.59	PC1765E	1	SP100380060HI	PIN D. 10 X 38 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95

### PISTONE MALOSSI TR.PIAGGIO Ø 47,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1766</b>	47.6	25	Testa bombata Barrel head	3	50.5	



Variant	Item	Qty	Component Code	Component Description
A 47.55	PC1766A	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
B 47.56	PC1766B	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
C 47.57	PC1766C	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
D 47.58	PC1766D	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95
E 47.59	PC1766E	1	SP120370080HI	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	S0476010019530KB2545I	SEGM. G30KBP GH. SF. 47,6 x 1 x 1,95

## POLINI 2T

### PISTONE POLINI TR.SCOOTER PIAGGIO tipo racing Ø 47,6

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2185</b>	47.6	25	Testa bombata Barrel head	2	49.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 47.55	PC2185A	1	SP120380080KI	PIN D. 12 X 38 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0476008020530KBI	SEGM. G30KB AC 47,6 x 0,8 x 2,05
B 47.56	PC2185B	1	SP120380080KI	PIN D. 12 X 38 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0476008020530KBI	SEGM. G30KB AC 47,6 x 0,8 x 2,05
C 47.57	PC2185C	1	SP120380080KI	PIN D. 12 X 38 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0476008020530KBI	SEGM. G30KB AC 47,6 x 0,8 x 2,05
D 47.58	PC2185D	1	SP120380080KI	PIN D. 12 X 38 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	N0476008020530KBI	SEGM. G30KB AC 47,6 x 0,8 x 2,05

### PISTONE POLINI TR.VESPA 99.7 CC. Ø 55

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1037</b>	55	26.5	Testa bombata Barrel head	2.2	50.7	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
55	PC1037000	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0550015022030HP2850I	SEGM. G30HP 55 x 1,5 x 2,2
55.4	PC1037040	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0554015022030HP2850I	SEGM. G30HP 55,4 x 1,5 x 2,2
55.6	PC1037060	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0556015022030HP2850I	SEGM. G30HP 55,6 x 1,5 x 2,2
55.8	PC1037080	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0558015022030HP2850I	SEGM. G30HP 55,8 x 1,5 x 2,2
56.2	PC1037120	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0562015023530HPI	SEGM. G30HP 56,2 x 1,5 x 2,35
56.4	PC1037140	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0564015023530HPI	SEGM. G30HP 56,4 x 1,5 x 2,35
56.6	PC1037160	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0566015023530HPI	SEGM. G30HP 56,6 x 1,5 x 2,35
56.8	PC1037180	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0568015023530HPI	SEGM. G30HP 56,8 x 1,5 x 2,35

## POLINI 2T

### PISTONE POLINI TR.VESPA 99.7 CC. Ø 55

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1037</b>	55	26.5	Testa bombata Barrel head	2.2	50.7	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
57	PC1037200	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0570015024030HP2875I	SEGM. G30HP 57 x 1,5 x 2,4

### PISTONE POLINI TR.VESPA ET3 Ø 57

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1249</b>	57	36	Testa bombata Barrel head	4	69	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
57	PC1249000	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	S0570015023030HP2628I	SEGM. G30HP GH. SF. 57 x 1,5 x 2,3
57.2	PC1249020	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0572015024030H0I	SEGM. G30H 57,2 x 1,5 x 2,4
57.4	PC1249040	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	S0574015023030HP2628I	SEGM. G30HP GH. SF. 57,4 x 1,5 x 2,3
57.8	PC1249080	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	S0578015023030HP2628I	SEGM. G30HP GH. SF. 57,8 x 1,5 x 2,3
58	PC1249100	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		1	S0580015023030HP2628I	SEGM. G30HP GH. SF. 58 x 1,5 x 2,3
58.2	PC1249120	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	S0582015023030HP2628I	SEGM. G30HP GH. SF. 58,2 x 1,5 x 2,3
58.4	PC1249140	1	SP150485100Y4I	PIN Ø 15 X 48.5 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE

## POLINI 2T

### PISTONE POLINI - KIT 115cc VESPA 50 PK/50 SPECIAL/50XL Ø 57,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2582</b>	57.5	26.6	Testa bombata Barrel head	2.1	50.7	



Variant	Item	Qty	Component Code	Component Description
57.5	PC2582000	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0575015023030HP2834I	SEGM. G30HP 57,5 x 1,5 x 2,3
57.9	PC2582040	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0579015023030HP2834I	SEGM. G30HP 57,9 x 1,5 x 2,3
58.3	PC2582080	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0583015023030HP2834I	SEGM. G30HP 58,3 x 1,5 x 2,3
58.5	PC2582100	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0585015023030HP2834I	SEGM. G30HP 58,5 x 1,5 x 2,3

### PISTONE TR.POLINI VESPA PX 125 Ø 63

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1036</b>	63	35	Testa bombata Barrel head	2	67	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
63	PC1036000	1	SP150540100HI	PIN Ø 15 X 54 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0630020025030HP2756I	SEGM. G30HP 63 x 2 x 2,5
63.4	PC1036040	1	SP150540100HI	PIN Ø 15 X 54 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0634020025030HP2756I	SEGM. G30HP 63,4 x 2 x 2,5
63.8	PC1036080	1	SP150540100HI	PIN Ø 15 X 54 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0638020025030HP2756I	SEGM. G30HP 63,8 x 2 x 2,5
64	PC1036100	1	SP150540100HI	PIN Ø 15 X 54 X 10
		1	AN2B1512SET	CLIP D.15 2B FILO 1.2 IN SERIE
		2	F0640020026530HP2756I	SEGM. G30HP 64 x 2 x 2,65

## PUCH 2T

### PISTONE PUCH 50 CC. 2T 4V Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0763</b>	38	22.5	Testa bombata Barrel head	3.5	55	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38	PC0763000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
38.5	PC0763050	2	F0385020016015H0I	SEGM. G15H 38,5 x 2 x 1,6
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
1 37.95	PC07631	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
39	PC0763100	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		2	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
39.5	PC0763150	2	F0395020016515H0I	SEGM. G15H 39,5 x 2 x 1,65
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
2 37.96	PC07632	2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
3 37.97	PC07633	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
4 37.98	PC07634	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
5 37.99	PC07635	2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

## PUCH 2T

### PISTONE PUCH 50 CC. 2T Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0816</b>	38	22.5	Testa bombata Barrel head	3.5	52.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38.5	PC0816050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0385020016015H0I	SEGM. G15H 38,5 x 2 x 1,6
1 38	PC08161	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
39	PC0816100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
39.5	PC0816150	2	F0395020016515H0I	SEGM. G15H 39,5 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
2 38	PC08162	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
3 38	PC08163	2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
4 38	PC08164	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
5 38	PC08165	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
6 38	PC08166	2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE



### PISTONE ROTAX 125 CC. Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1298</b>	54	29	Testa bombata Barrel head	3.2	63.2	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
54	PC1298000	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
54.25	PC1298025	2	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
54.5	PC1298050	2	S0542510022530KPI	SEGM. G30KP GH. SF. 54,25 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
54.75	PC1298075	2	S0545010022530KB2669I	SEGM. G30KBP GH. SF. 54,5 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
55	PC1298100	2	S0547510022530KPI	SEGM. G30KP GH. SF. 54,75 x 1 x 2,25
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
55.5	PC1298150	2	S0550010023030KB2522I	SEGM. G30KBP GH. SF. 55 x 1 x 2,3
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
56	PC1298200	2	S0555010023030KB2522I	SEGM. G30KBP GH. SF. 55,5 x 1 x 2,3
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0560010023530KB2350I	SEGM. G30KBP GH. SF. 56 x 1 x 2,35
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE

## ROTAX 2T

### PISTONE ROTAX - APRILIA ALUM.CYL.125 CC. Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1688</b>	54	29	Testa bombata Barrel head	3.3	63.3	



Variant	Item	Qty	Component Code	Component Description
A 53.96	PC1688A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
B 53.97	PC1688B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
C 53.98	PC1688C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
D 53.99	PC1688D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25
E 54	PC1688E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	ANOB1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		2	S0540012022530KB2670I	SEGM. G30KBIP GH. SF. 54 x 1,2 x 2,25

## SACHS 2T

### PISTONE SACHS 50 CC. 2T Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0290</b>	38	28	Testa bombata Barrel head	3	53	



Fuso in gravità - Gravity cast

PC0290100 Ø 39 mm - AD  
ESAURIMENTO

Variant	Item	Qty	Component Code	Component Description
38	PC0290000	2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.3	PC0290030	2	F0383020016015H0I	SEGM. G15H 38,3 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.6	PC0290060	2	F0386020016015H0I	SEGM. G15H 38,6 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
38.9	PC0290090	2	F0389020016015H0I	SEGM. G15H 38,9 x 2 x 1,6
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39	PC0290100	2	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

## SACHS 2T

### PISTONE SACHS 50 CC. 2T Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0290</b>	38	28	Testa bombata Barrel head	3	53	



Fuso in gravità - Gravity cast

PC0290100 Ø 39 mm - AD  
ESAURIMENTO

Variant	Item	Qty	Component Code	Component Description
39.2	PC0290120	2	F0392020016515H0I	SEGM. G15H 39,2 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39.5	PC0290150	2	F0395020016515H0I	SEGM. G15H 39,5 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40	PC0290200	2	F0400020016515H0I	SEGM. G15H 40 x 2 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE

### PISTONE SACHS 50 CC. 2T 5 VEL.HERKULES Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0857</b>	38	28	Testa bombata Barrel head	2	51	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38	PC0857000	1	SP140300090HI	PIN D. 14 X 30 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0380020017531H0I	SEGM. LH 38 x 2 x 1,75
38.5	PC0857050	1	F0380015016015H0I	SEGM. G15H 38 x 1,5 x 1,6
		1	SP140300090HI	PIN D. 14 X 30 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
39	PC0857100	1	F0385020017531H0I	SEGM. LH 38,5 x 2 x 1,75
		1	F0385015016015H0I	SEGM. G15H 38,5 x 1,5 x 1,6
		1	SP140300090HI	PIN D. 14 X 30 X 9
39.5	PC0857150	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0390020017531H0I	SEGM. LH 39 x 2 x 1,75
		1	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
40	PC0857200	1	SP140300090HI	PIN D. 14 X 30 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
A 37.95	PC0857A	1	F0395015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP140300090HI	PIN D. 14 X 30 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
B 37.96	PC0857B	1	F0380020017531H0I	SEGM. LH 38 x 2 x 1,75
		1	F0380015016015H0I	SEGM. G15H 38 x 1,5 x 1,6
		1	SP140300090HI	PIN D. 14 X 30 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0380020017531H0I	SEGM. LH 38 x 2 x 1,75
		1	F0380015016015H0I	SEGM. G15H 38 x 1,5 x 1,6

## SACHS 2T

### PISTONE SACHS 50 CC. 2T 5 VEL.HERKULES Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0857</b>	38	28	Testa bombata Barrel head	2	51	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description		
C 37.97	PC0857C	1	SP140300090HI	PIN D. 14 X 30 X 9		
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE		
		1	F0380020017531HOI	SEGM. LH 38 x 2 x 1,75		
		1	F0380015016015HOI	SEGM. G15H 38 x 1,5 x 1,6		
		D 37.98	PC0857D	1	SP140300090HI	PIN D. 14 X 30 X 9
				1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
1	F0380020017531HOI			SEGM. LH 38 x 2 x 1,75		
1	F0380015016015HOI			SEGM. G15H 38 x 1,5 x 1,6		
E 37.99	PC0857E	1	SP140300090HI	PIN D. 14 X 30 X 9		
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE		
		1	F0380020017531HOI	SEGM. LH 38 x 2 x 1,75		
		1	F0380015016015HOI	SEGM. G15H 38 x 1,5 x 1,6		
		F 38	PC0857F	1	SP140300090HI	PIN D. 14 X 30 X 9
				1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
1	F0380020017531HOI			SEGM. LH 38 x 2 x 1,75		
		1	F0380015016015HOI	SEGM. G15H 38 x 1,5 x 1,6		
		G 38.01	PC0857G	1	SP140300090HI	PIN D. 14 X 30 X 9
				1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
1	F0380020017531HOI			SEGM. LH 38 x 2 x 1,75		
		1	F0380015016015HOI	SEGM. G15H 38 x 1,5 x 1,6		

## SACHS 2T

### PISTONE SACHS 50 CC. 504-2VEL Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0922</b>	38	28	Testa bombata Barrel head	3	53	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 37.97	PC0922A	1	SP121315080HI	PIN D. 12.02 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015HOI	SEGM. G15H 38 x 2 x 1,6
B 37.98	PC0922B	1	SP121315080HI	PIN D. 12.02 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015HOI	SEGM. G15H 38 x 2 x 1,6
C 37.99	PC0922C	1	SP121315080HI	PIN D. 12.02 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015HOI	SEGM. G15H 38 x 2 x 1,6
D 38	PC0922D	1	SP121315080HI	PIN D. 12.02 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015HOI	SEGM. G15H 38 x 2 x 1,6

### PISTONE SACHS 50 Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0987</b>	38	28	Testa bombata Barrel head	3	50.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 37.97	PC0987A	1	SP121315080HI	PIN D. 12.02 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015HOI	SEGM. G15H 38 x 2 x 1,6
B 37.98	PC0987B	1	SP121315080HI	PIN D. 12.02 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015HOI	SEGM. G15H 38 x 2 x 1,6
C 37.99	PC0987C	1	SP121315080HI	PIN D. 12.02 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015HOI	SEGM. G15H 38 x 2 x 1,6
D 38	PC0987D	1	SP121315080HI	PIN D. 12.02 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015HOI	SEGM. G15H 38 x 2 x 1,6
E 38	PC0987E	1	SP121315080HI	PIN D. 12.02 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015HOI	SEGM. G15H 38 x 2 x 1,6

## SACHS 2T

### PISTONE SACHS 50 CC. Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1271</b>	38	28	Testa bombata Barrel head	3	53	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 37.96	PC1271A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016030H01555I	SEGM. G30H 38 x 1,5 x 1,6
B 37.97	PC1271B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016030H01555I	SEGM. G30H 38 x 1,5 x 1,6
C 37.98	PC1271C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016030H01555I	SEGM. G30H 38 x 1,5 x 1,6
D 37.99	PC1271D	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016030H01555I	SEGM. G30H 38 x 1,5 x 1,6
E 38	PC1271E	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380015016030H01555I	SEGM. G30H 38 x 1,5 x 1,6

### PISTONE SACHS 60 CC. 2T HERKULES Ø 42

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0858</b>	42	28	Testa bombata Barrel head	2	51	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
42	PC0858000	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0420020018531H0I	SEGM. LH 42 x 2 x 1,85
		1	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
42.5	PC0858050	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0425020018531H0I	SEGM. LH 42,5 x 2 x 1,85
		1	F0425015017515H0I	SEGM. G15H 42,5 x 1,5 x 1,75
43	PC0858100	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0430020018031H0I	SEGM. LH 43 x 2 x 1,8
		1	F0430015018015H03167I	SEGM. G15H 43 x 1,5 x 1,8
43.5	PC0858150	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0435020018031H0I	SEGM. LH 43,5 x 2 x 1,8
		1	F0435015018015H0I	SEGM. G15H 43,5 x 1,5 x 1,8
A 41.945	PC0858A	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0420020018531H0I	SEGM. LH 42 x 2 x 1,85
		1	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75

### PISTONE SACHS 60 CC. 2T HERKULES Ø 42

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0858</b>	42	28	Testa bombata Barrel head	2	51	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
B 41.955	PC0858B	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0420020018531H0I	SEGM. LH 42 x 2 x 1,85
		1	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
C 41.965	PC0858C	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0420020018531H0I	SEGM. LH 42 x 2 x 1,85
		1	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
D 41.975	PC0858D	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0420020018531H0I	SEGM. LH 42 x 2 x 1,85
		1	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
E 41.985	PC0858E	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0420020018531H0I	SEGM. LH 42 x 2 x 1,85
		1	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
F 41.995	PC0858F	1	SP140340090HI	PIN D. 14 X 34 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0420020018531H0I	SEGM. LH 42 x 2 x 1,85
		1	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75

### PISTONE SUZUKI 50 ADRESS Ø 41

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1365</b>	41	19.2	Testa bombata Barrel head	3.3	45.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
41	PC1365000	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0410015017030H0I	SEGM. G30H 41 x 1,5 x 1,7
41,25	PC1365025	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0412515017030H0I	SEGM. G30H 41,25 x 1,5 x 1,7
41,5	PC1365050	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0415015017030H0I	SEGM. G30H 41,5 x 1,5 x 1,7
41,75	PC1365075	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0417515017030H0I	SEGM. G30H 41,75 x 1,5 x 1,7
42	PC1365100	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0420015017530H0I	SEGM. G30H 42 x 1,5 x 1,75
42,25	PC1365125	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0422515017530H0I	SEGM. G30H 42,25 x 1,5 x 1,75
42,5	PC1365150	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0425015017530H0I	SEGM. G30H 42,5 x 1,5 x 1,75
42,75	PC1365175	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0427515017530H0I	SEGM. G30H 42,75 x 1,5 x 1,75
43	PC1365200	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0430015018030H0I	SEGM. G30H 43 x 1,5 x 1,8



### PISTONE SUZUKI TS 50/KATANA Ø 41

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1423</b>	41	27	Testa bombata Barrel head	3.5	51.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
PC, 41	PC1423000	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017030H0I	SEGM. G30H 41 x 1,5 x 1,7
PC, 41,25	PC1423025	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412515017030H0I	SEGM. G30H 41,25 x 1,5 x 1,7
PC, 41,5	PC1423050	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0415015017030H0I	SEGM. G30H 41,5 x 1,5 x 1,7
PC, 41,75	PC1423075	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0417515017030H0I	SEGM. G30H 41,75 x 1,5 x 1,7
PC, 42	PC1423100	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420015017530H0I	SEGM. G30H 42 x 1,5 x 1,75
PC, 42,25	PC1423125	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0422515017530H0I	SEGM. G30H 42,25 x 1,5 x 1,75
PC, 42,5	PC1423150	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0425015017530H0I	SEGM. G30H 42,5 x 1,5 x 1,75
PC, 42,75	PC1423175	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0427515017530H0I	SEGM. G30H 42,75 x 1,5 x 1,75
PC, 43	PC1423200	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0430015018030H0I	SEGM. G30H 43 x 1,5 x 1,8

## SUZUKI 2T

### PISTONE SUZUKI 50 ADRESS Ø 41

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2365</b>	41	19.2	Testa bombata Barrel head	3.3	45.5	



Variant	Item	Qty	Component Code	Component Description
41	PC2365000	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0410015017030K0I	SEGM. G30K 41 x 1,5 x 1,7
41,25	PC2365025	1	SP100330060HI	PIN D. 10 X 33 X 6
		2	F0412515017030K0I	SEGM. G30K 41,25 x 1,5 x 1,7
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,5	PC2365050	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0415015017030K0I	SEGM. G30K 41,5 x 1,5 x 1,7
41,75	PC2365075	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0417515017030K0I	SEGM. G30K 41,75 x 1,5 x 1,7
42	PC2365100	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0420015017530K0I	SEGM. G30K 42 x 1,5 x 1,75
42,25	PC2365125	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0422515017530K0I	SEGM. G30K 42,25 x 1,5 x 1,75
42,5	PC2365150	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0425015017530K0I	SEGM. G30K 42,5 x 1,5 x 1,75
42,75	PC2365175	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0427515017530K0I	SEGM. G30K 42,75 x 1,5 x 1,75
43	PC2365200	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0430015018030K0I	SEGM. G30K 43 x 1,5 x 1,8
43,5	PC2365250	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0435015018030K0I	SEGM. G30K 43,5 x 1,5 x 1,8

### PISTONE SUZUKI TS 50/KATANA Ø 41

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2423</b>	41	27	Testa bombata Barrel head	3.5	51.5	



Variant	Item	Qty	Component Code	Component Description
41	PC2423000	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017030K0I	SEGM. G30K 41 x 1,5 x 1,7
41,25	PC2423025	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412515017030K0I	SEGM. G30K 41,25 x 1,5 x 1,7
41,5	PC2423050	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0415015017030K0I	SEGM. G30K 41,5 x 1,5 x 1,7
41,75	PC2423075	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0417515017030K0I	SEGM. G30K 41,75 x 1,5 x 1,7
42	PC2423100	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420015017530K0I	SEGM. G30K 42 x 1,5 x 1,75
42,25	PC2423125	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0422515017530K0I	SEGM. G30K 42,25 x 1,5 x 1,75
42,5	PC2423150	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0425015017530K0I	SEGM. G30K 42,5 x 1,5 x 1,75
42,75	PC2423175	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0427515017530K0I	SEGM. G30K 42,75 x 1,5 x 1,75
43	PC2423200	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0430015018030K0I	SEGM. G30K 43 x 1,5 x 1,8

## SUZUKI 2T

### PISTONE SUZUKI 50 LANDIE Ø 45

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1305</b>	45	27	Testa bombata Barrel head	3.5	51.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 44.94	PC1305A	1	SP120370080W3I	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0450015019030H0I	SEGM. G30H 45 x 1,5 x 1,9
B 44.95	PC1305B	1	SP120370080W3I	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0450015019030H0I	SEGM. G30H 45 x 1,5 x 1,9
C 44.96	PC1305C	1	SP120370080W3I	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0450015019030H0I	SEGM. G30H 45 x 1,5 x 1,9
D 44.97	PC1305D	1	SP120370080W3I	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0450015019030H0I	SEGM. G30H 45 x 1,5 x 1,9
E 44.98	PC1305E	1	SP120370080W3I	PIN D. 12 X 37 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0450015019030H0I	SEGM. G30H 45 x 1,5 x 1,9

## SUZUKI 2T RACING

### PISTONE APRILIA RS250,SUZUKI RGV250 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2585</b>	56	28.6	Testa Piana Flat head		59.1	RACING



Peso - Weight: 135gr

Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 56	PC2585A	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
B 56	PC2585B	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
C 56	PC2585C	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
D 56	PC2585D	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
E 56	PC2585E	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25

## SUZUKI 2T RACING

PISTONE APRILIA RS250,SUZUKI RGV250 MONOFASCIA Ø 56 A SEL.

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2634</b>	56	28.6	Testa Piana Flat head		59.1	RACING



Variant	Item	Qty	Component Code	Component Description
A 56	PC2634A	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
B 56	PC2634B	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
C 56	PC2634C	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
D 56	PC2634D	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
E 56	PC2634E	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25

PISTONE SUZUKI RG500 GAMMA - Front Cylinder DIAM. 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2810</b>	56	28.5	Testa bombata Barrel head	4.5	65	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
56	PC2810000	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	T0560010022030KBI	SEGM. G30KB AC 56 X 1 X 2.2
		1	SP140450090KI	PIN D. 14 X 45 X 9
56.25	PC2810025	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	T0562510022030KBI	SEGM. G30KB AC 56.25 X 1 X 2.2
		1	SP140450090KI	PIN D. 14 X 45 X 9
56.50	PC2810050	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	T0565010022030KBI	SEGM. G30KB AC 56.50 X 1 X 2.2
		1	SP140450090KI	PIN D. 14 X 45 X 9
56.75	PC2810075	1	SP140450090KI	PIN D. 14 X 45 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	T0567510022030KBI	SEGM. G30KB AC 56.75 X 1 X 2.2
57	PC2810100	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	SP140450090KI	PIN D. 14 X 45 X 9
		2	T0570010022030KBI	SEGM. G30KB AC 57 X 1 X 2.2
57.5	PC2810150	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	SP140450090KI	PIN D. 14 X 45 X 9
		2	T0575010022030KBI	SEGM. G30KB AC 57.5 X 1 X 2.2
58	PC2810200	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	SP140450090KI	PIN D. 14 X 45 X 9
		2	T0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2.2

## SUZUKI 2T RACING

### PISTONE SUZUKI RG500 GAMMA - Rear Cylinder DIAM. 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2811</b>	56	28.5		4.5	65	

**New!**

REAR



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
56	PC2811000	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	T0560010022030KBI	SEGM. G30KB AC 56 X 1 X 2.2
		1	SP140450090KI	PIN D. 14 X 45 X 9
56.25	PC2811025	1	SP140450090KI	PIN D. 14 X 45 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	T0562510022030KBI	SEGM. G30KB AC 56.25 X 1 X 2.2
56.50	PC2811050	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	T0565010022030KBI	SEGM. G30KB AC 56.50 X 1 X 2.2
		1	SP140450090KI	PIN D. 14 X 45 X 9
56.75	PC2811075	1	SP140450090KI	PIN D. 14 X 45 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	T0567510022030KBI	SEGM. G30KB AC 56.75 X 1 X 2.2
57	PC2811100	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	T0570010022030KBI	SEGM. G30KB AC 57 X 1 X 2.2
		1	SP140450090KI	PIN D. 14 X 45 X 9
57.5	PC2811150	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	SP140450090KI	PIN D. 14 X 45 X 9
		2	T0575010022030KBI	SEGM. G30KB AC 57.5 X 1 X 2.2
58	PC2811200	1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	SP140450090KI	PIN D. 14 X 45 X 9
		2	T0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2.2

## SUZUKI 2T RACING

### KIT MOTORE PISTONI SUZUKI RG500 GAMMA - Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>PKM2810</b>	56	28.5	Testa bombata Barrel head	4.5	65	

**New!**

KIT MOTORE COMPLETO / COMPLETE  
ENGINE KIT



Variant	Item	Qty	Component Code	Component Description
56	PKM2810000	8	T0560010022030KBI	SEGM. G30KB AC 56 X 1 X 2.2
		4	SP140450090KI	PIN D. 14 X 45 X 9
		4	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
56.25	PKM2810025	8	T0562510022030KBI	SEGM. G30KB AC 56.25 X 1 X 2.2
		4	SP140450090KI	PIN D. 14 X 45 X 9
		4	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
56.50	PKM2810050	8	T0565010022030KBI	SEGM. G30KB AC 56.50 X 1 X 2.2
		4	SP140450090KI	PIN D. 14 X 45 X 9
		4	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
56.75	PKM2810075	8	T0567510022030KBI	SEGM. G30KB AC 56.75 X 1 X 2.2
		4	SP140450090KI	PIN D. 14 X 45 X 9
		4	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
57	PKM2810100	8	T0570010022030KBI	SEGM. G30KB AC 57 X 1 X 2.2
		4	SP140450090KI	PIN D. 14 X 45 X 9
		4	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
57.5	PKM2810150	4	SP140450090KI	PIN D. 14 X 45 X 9
		4	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		8	T0575010022030KBI	SEGM. G30KB AC 57.5 X 1 X 2.2
58	PKM2810200	4	SP140450090KI	PIN D. 14 X 45 X 9
		4	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		8	T0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2.2

### PISTONE HONDA DIO-SC50-BALI Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1359</b>	39	28	Testa bombata Barrel head	2.5	53.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
39	PC1359000	2	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39,25	PC1359025	2	F0392515016515H0I	SEGM. G15H 39,25 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39,5	PC1359050	2	F0395015016515H0I	SEGM. G15H 39,5 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
39,75	PC1359075	2	F0397515016515H0I	SEGM. G15H 39,75 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40	PC1359100	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40,25	PC1359125	2	F0402515016515H0I	SEGM. G15H 40,25 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40,5	PC1359150	2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
40,75	PC1359175	2	F0407515016515H0I	SEGM. G15H 40,75 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41	PC1359200	2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
41,25	PC1359225	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412515017015H0I	SEGM. G15H 41,25 x 1,5 x 1,7
41,5	PC1359250	2	F0415015017015H0I	SEGM. G15H 41,5 x 1,5 x 1,7
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
42	PC1359300	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75



### PISTONE HONDA DIO-SC50 BALI Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2359</b>	39	28	Testa bombata Barrel head	2.5	53.5	



Variant	Item	Qty	Component Code	Component Description
39	PC2359000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0390015016515K0I	SEGM. G15K 39 x 1,5 x 1,65
39,25	PC2359025	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0392515016515K0I	SEGM. G15K 39,25 x 1,5 x 1,65
39,5	PC2359050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0395015016515K0I	SEGM. G15K 39,5 x 1,5 x 1,65
39,75	PC2359075	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0397515016515K0I	SEGM. G15K 39,75 x 1,5 x 1,65
40	PC2359100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
40,25	PC2359125	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402515016515K0I	SEGM. G15K 40,25 x 1,5 x 1,65
40,5	PC2359150	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405015016515K0I	SEGM. G15K 40,5 x 1,5 x 1,65
40,75	PC2359175	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0407515016515K0I	SEGM. G15K 40,75 x 1,5 x 1,65
41	PC2359200	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
41,25	PC2359225	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0412515017015K0I	SEGM. G15K 41,25 x 1,5 x 1,7
41,5	PC2359250	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0415015017015K0I	SEGM. G15K 41,5 x 1,5 x 1,7
42	PC2359300	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75

### PISTONE KYMCO 50 CC. 4T Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1871</b>	39	17.2	Testa bombata Barrel head	2	33.7	



Variant	Item	Qty	Component Code	Component Description
39	PC1871000	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-
39.4	PC1871040	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT394001	RSMOT394001 SERIE SEGM. MOTO 4T D. 39,4 H. 1/1/2-
39.8	PC1871080	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT398001	RSMOT398001 SERIE SEGM. MOTO 4T D. 39,8 H. 1/1/2
40	PC1871100	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT400001	RSMOT400001 SERIE SEGM. MOTO 4T D. 40 H. 1/1/2-
40.4	PC1871140	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT404001	RSMOT404001 SERIE SEGM. MOTO 4T D. 40,4 H. 1/1/2
A 38.96	PC1871A	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-
B 38.97	PC1871B	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-
C 38.98	PC1871C	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-
D 38.99	PC1871D	1	SP130300080HI	PIN D. 13 X 30 X 8
		1	AN1B1310SET	CLIP D.13 1B FILO 1.0 IN SERIE
		1	RSMOT390001	RSMOT390001 SERIE SEGM. MOTO 4T D. 39 H. 1/1/2-

## SYM 4T

### PISTONE SYM -JOYRIDE-JOYRIDE200 EVO-HD200 Ø 61

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2290</b>	61	19	Testa Piana Flat head		35.5	



Variant	Item	Qty	Component Code	Component Description
61.5	PC2290050	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	RSMOT615005	RSMOT615005 SERIE SEGM. MOTO 4T D. 61,5 H. 1/1/2
62	PC2290100	1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	SP150440100HI	PIN D. 15 X 44 X 10
		1	RSMOT620005	RSMOT620005 SERIE SEGM. MOTO 4T D. 62 H. 1/1/2

## TOMOS 2T

### PISTONE TOMOS 50 CC. 2T 5M Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0872</b>	38	22.5	Testa bombata Barrel head	3.5	50	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38	PC0872000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
38.5	PC0872050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0385020016015H0I	SEGM. G15H 38,5 x 2 x 1,6
39	PC0872100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
39.5	PC0872150	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0395020016515H0I	SEGM. G15H 39,5 x 2 x 1,65

## TOMOS 2T

### PISTONE TOMOS 50 CC Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1370</b>	38	22.5	Testa bombata Barrel head	3.5	50	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38	PC1370000	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
38.5	PC1370050	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0385020016015H0I	SEGM. G15H 38,5 x 2 x 1,6
39	PC1370100	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
39.5	PC1370150	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0395020016515H0I	SEGM. G15H 39,5 x 2 x 1,65

### PISTONE TOMOS 50 CC. Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1371</b>	38	22.5	Testa bombata Barrel head	3.5	50	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38	PC1371000	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	F0380020017531H0I	SEGM. LH 38 x 2 x 1,75
38.5	PC1371050	1	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
38.5	PC1371050	1	F0385020017531H0I	SEGM. LH 38,5 x 2 x 1,75
		1	F0385020016015H0I	SEGM. G15H 38,5 x 2 x 1,6
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
39	PC1371100	1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	F0390020017531H0I	SEGM. LH 39 x 2 x 1,75
		1	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
39.5	PC1371150	1	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
		1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
39.5	PC1371150	1	F0395020017531H0I	SEGM. LH 39,5 x 2 x 1,75
		1	F0395020016515H0I	SEGM. G15H 39,5 x 2 x 1,65

## TOMOS 2T

### PISTONE TOMOS 50 CC. COLIBRI TRAV. Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1392</b>	38	22.5	Testa bombata Barrel head	3.5	50	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38	PC1392000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0380015016015H0I	SEGM. G15H 38 x 1,5 x 1,6
38.5	PC1392050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0385015016015H0I	SEGM. G15H 38,5 x 1,5 x 1,6
39	PC1392100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0390015016515H03145I	SEGM. G15H 39 x 1,5 x 1,65

### PISTONE TOMOS 50 CC. 2T 5M Ø 38

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2872</b>	38	22.5	Testa bombata Barrel head	3.5	50	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
38	PC2872000	1	F0380020016015H0I	SEGM. G15H 38 x 2 x 1,6
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0380020017531H0I	SEGM. LH 38 x 2 x 1,75
38.5	PC2872050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	F0385020017531H0I	SEGM. LH 38,5 x 2 x 1,75
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
39	PC2872100	1	F0385020016015H0I	SEGM. G15H 38,5 x 2 x 1,6
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390020017531H0I	SEGM. LH 39 x 2 x 1,75
39.5	PC2872150	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	F0390020016515H0I	SEGM. G15H 39 x 2 x 1,65
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0395020017531H0I	SEGM. LH 39,5 x 2 x 1,75
		1	F0395020017531H0I	SEGM. LH 39,5 x 2 x 1,75

## TOMOS 2T

### PISTONE TOMOS 50 CC.2T 5M Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1561</b>	40	22.5	Testa bombata Barrel head		50	



Variant	Item	Qty	Component Code	Component Description
40	PC1561000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400020016515H0I	SEGM. G15H 40 x 2 x 1,65

### PISTONE TOMOS 50 CC.(EX 1561/10) Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2370</b>	40	22.5	Testa bombata Barrel head	3.5	50	



Variant	Item	Qty	Component Code	Component Description
40	PC2370000	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0400020016515H0I	SEGM. G15H 40 x 2 x 1,65
40,5	PC2370050	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		2	F0405020016515H0I	SEGM. G15H 40,5 x 2 x 1,65

## TOMOS 2T

### PISTONE TOMOS 50 CC. Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2371</b>	40	22.5	Testa bombata Barrel head	3.5	50	



Variant	Item	Qty	Component Code	Component Description
40	PC2371000	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
		1	F0400020016515H0I	SEGM. G15H 40 x 2 x 1,65
40,5	PC2371050	1	SP100315060HI	PIN D. 10 X 31.5 X 6
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	F0405020018531H0I	SEGM. LH 40,5 x 2 x 1,85
		1	F0405020016515H0I	SEGM. G15H 40,5 x 2 x 1,65

### PISTONE TOMOS 50 CC. SP.12 Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2561</b>	40	22.5	Testa bombata Barrel head	3.5	50	



Variant	Item	Qty	Component Code	Component Description
40	PC2561000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0400020018531H0I	SEGM. LH 40 x 2 x 1,85
		1	F0400020016515H0I	SEGM. G15H 40 x 2 x 1,65
40,5	PC2561050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0405020018531H0I	SEGM. LH 40,5 x 2 x 1,85
		1	F0405020016515H0I	SEGM. G15H 40,5 x 2 x 1,65

## TOMOS 2T

### PISTONE TOMOS 60 CC. Ø 42

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0913</b>	42	22.5	Testa bombata Barrel head	4	53	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
42	PC0913000	1	SP120350080HI	PIN D. 12 X 35 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420020017515H0I	SEGM. G15H 42 x 2 x 1,75
42,5	PC0913050	1	SP120350080HI	PIN D. 12 X 35 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0425020017515H0I	SEGM. G15H 42,5 x 2 x 1,75
43	PC0913100	1	SP120350080HI	PIN D. 12 X 35 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0430020018015H0I	SEGM. G15H 43 x 2 x 1,8

### PISTONE TOMOS 60 CC. Ø 42

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1389</b>	42	22.5	Testa bombata Barrel head	4	53	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
42	PC1389000	1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	SP100360060HI	PIN D. 10 X 36 X 6
		2	F0420020017515H0I	SEGM. G15H 42 x 2 x 1,75
42,5	PC1389050	1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	SP100360060HI	PIN D. 10 X 36 X 6
		2	F0425020017515H0I	SEGM. G15H 42,5 x 2 x 1,75



## TOMOS 2T

### PISTONE TOMOS 60 CC. Ø 42

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1913</b>	42	22.5	Testa bombata Barrel head	4	53	



Variant	Item	Qty	Component Code	Component Description
42	PC1913000	1	SP120350080HI	PIN D. 12 X 35 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0420020018531H0I	SEGM. LH 42 x 2 x 1,85
		1	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
42,5	PC1913050	1	SP120350080HI	PIN D. 12 X 35 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0425020018531H0I	SEGM. LH 42,5 x 2 x 1,85
		1	F0425015017515H0I	SEGM. G15H 42,5 x 1,5 x 1,75
43	PC1913100	1	SP120350080HI	PIN D. 12 X 35 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0430020018031H0I	SEGM. LH 43 x 2 x 1,8
		1	F0430015018015H03167I	SEGM. G15H 43 x 1,5 x 1,8

### PISTONE TOMOS 60 CC. Ø 42

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2389</b>	42	22.5	Testa bombata Barrel head	4	53	



Variant	Item	Qty	Component Code	Component Description
42	PC2389000	1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	SP100360060HI	PIN D. 10 X 36 X 6
		1	F0420020018531H0I	SEGM. LH 42 x 2 x 1,85
		1	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
42,5	PC2389050	1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	SP100360060HI	PIN D. 10 X 36 X 6
		1	F0425020018531H0I	SEGM. LH 42,5 x 2 x 1,85
		1	F0425015017515H0I	SEGM. G15H 42,5 x 1,5 x 1,75
43	PC2389100	1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	SP100360060HI	PIN D. 10 X 36 X 6
		1	F0430020018031H0I	SEGM. LH 43 x 2 x 1,8
		1	F0430015018015H03167I	SEGM. G15H 43 x 1,5 x 1,8

## TOMOS 2T

### PISTONE TOMOS 90 CC. Ø 46

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1308</b>	46	23	Testa bombata Barrel head	4.3	54.3	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 45.95	PC1308A	1	SP140375090HI	PIN D. 14 X 37.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0460020019031HOI	SEGM. LH 46 x 2 x 1,9
		1	F0460015019030HOI	SEGM. G30H 46 x 1,5 x 1,9
B 45.96	PC1308B	1	SP140375090HI	PIN D. 14 X 37.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0460020019031HOI	SEGM. LH 46 x 2 x 1,9
		1	F0460015019030HOI	SEGM. G30H 46 x 1,5 x 1,9
C 45.97	PC1308C	1	SP140375090HI	PIN D. 14 X 37.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0460020019031HOI	SEGM. LH 46 x 2 x 1,9
		1	F0460015019030HOI	SEGM. G30H 46 x 1,5 x 1,9
D 45.98	PC1308D	1	SP140375090HI	PIN D. 14 X 37.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0460020019031HOI	SEGM. LH 46 x 2 x 1,9
		1	F0460015019030HOI	SEGM. G30H 46 x 1,5 x 1,9
E 45.99	PC1308E	1	SP140375090HI	PIN D. 14 X 37.5 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0460020019031HOI	SEGM. LH 46 x 2 x 1,9
		1	F0460015019030HOI	SEGM. G30H 46 x 1,5 x 1,9

## TOMOS 2T

### PISTONE TOMOS 100 CC. Ø 48

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1309</b>	48	22.7	Testa bombata Barrel head	4.6	54.3	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
A 47.95	PC1309A	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0480020020031HOI	SEGM. LH 48 x 2 x 2
		1	F0480015020030HPI	SEGM. G30HP 48 x 1,5 x 2
B 47.96	PC1309B	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0480020020031HOI	SEGM. LH 48 x 2 x 2
		1	F0480015020030HPI	SEGM. G30HP 48 x 1,5 x 2
C 47.97	PC1309C	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0480020020031HOI	SEGM. LH 48 x 2 x 2
		1	F0480015020030HPI	SEGM. G30HP 48 x 1,5 x 2
D 47.98	PC1309D	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0480020020031HOI	SEGM. LH 48 x 2 x 2
		1	F0480015020030HPI	SEGM. G30HP 48 x 1,5 x 2
E 47.99	PC1309E	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		1	F0480020020031HOI	SEGM. LH 48 x 2 x 2
		1	F0480015020030HPI	SEGM. G30HP 48 x 1,5 x 2

## TOP PERFORMANCES 2T

PISTONE TOP PERFORMANCES TR. YAMAHA/MINARELLI Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2300</b>	47	25.5	Testa bombata Barrel head	2.4	50.4	



Variant	Item	Qty	Component Code	Component Description
47	PC2300000	1	SP100380060KI	PIN D. 10 X 38 X 6 18NirCoMo5
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	I0470015618018HL2556I	SEGM. G18HLP GH. I. 47 x 1,563 x 1,8
		1	I0470015618018KP2555I	SEGM. G18KP GH. I. 47 x 1,563 x 1,8
47.4	PC2300040	1	SP100380060KI	PIN D. 10 X 38 X 6 18NirCoMo5
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	I0474015618018KP2555I	SEGM. G18KP GH. I. 47,4 x 1,563 x 1,8
		1	I0474015618018HL2556I	SEGM. G18HLP GH. I. 47,4 x 1,563 x 1,8
47.8	PC2300080	1	SP100380060KI	PIN D. 10 X 38 X 6 18NirCoMo5
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	I0478015618018KP2555I	SEGM. G18KP GH. I. 47,8 x 1,563 x 1,8
		1	I0478015618018HL2556I	SEGM. G18HLP GH. I. 47,8 x 1,563 x 1,8
48	PC2300100	1	SP100380060KI	PIN D. 10 X 38 X 6 18NirCoMo5
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	I0480015618018HL2556I	SEGM. G18HLP GH. I. 48 x 1,563 x 1,8
		1	I0480015618018KP2555I	SEGM. G18KP GH. I. 48 x 1,563 x 1,8
48.2	PC2300120	1	SP100380060KI	PIN D. 10 X 38 X 6 18NirCoMo5
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	I0482015618018HL2556I	SEGM. G18HLP GH. I. 48,2 x 1,563 x 1,8
		1	I0482015618018KP2555I	SEGM. G18KP GH. I. 48,2 x 1,563 x 1,8
48.4	PC2300140	1	SP100380060KI	PIN D. 10 X 38 X 6 18NirCoMo5
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	I0484015618018HL2556I	SEGM. G18HLP GH. I. 48,4 x 1,563 x 1,8
		1	I0484015618018KP2555I	SEGM. G18KP GH. I. 48,4 x 1,563 x 1,8

## TOP PERFORMANCES 2T

PISTONE TOP PERFORMANCE TRASF. YAMAHA/MINARELLI 75cc vers.1 segm. Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2671</b>	47	25.5	Testa bombata Barrel head	2.4	50.4	RACING



Variant	Item	Qty	Component Code	Component Description
47	PC2671000	1	SP100380060KI	PIN D. 10 X 38 X 6 18NirCoMo5
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	I0470015618018KP2555I	SEGM. G18KP GH. I. 47 x 1,563 x 1,8
47.4	PC2671040	1	SP100380060KI	PIN D. 10 X 38 X 6 18NirCoMo5
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	I0474015618018KP2555I	SEGM. G18KP GH. I. 47,4 x 1,563 x 1,8
47.8	PC2671080	1	SP100380060KI	PIN D. 10 X 38 X 6 18NirCoMo5
		1	AN2B1010SET	CLIP D.10 2B FILO 1.0 IN SERIE
		1	I0478015618018KP2555I	SEGM. G18KP GH. I. 47,8 x 1,563 x 1,8

PISTONE TOP PERFORMANCES TR. SFERA Ø 48

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1489</b>	48	25.5	Testa bombata Barrel head	2.5	54	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
48	PC1489000	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0480015020015KPI	SEGM. G15KP 48 x 1,5 x 2
48.2	PC1489020	1	F0480015020015HPI	SEGM. G15HP 48 x 1,5 x 2
		1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
48.4	PC1489040	1	F0482015020015KPI	SEGM. G15KP 48,2 x 1,5 x 2
		1	F0482015020015HPI	SEGM. G15HP 48,2 x 1,5 x 2
		1	SP120400070KI	PIN D. 12 X 40 X 7
48.6	PC1489060	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0484015020015KPI	SEGM. G15KP 48,4 x 1,5 x 2
		1	F0484015020015HPI	SEGM. G15HP 48,4 x 1,5 x 2
48.8	PC1489080	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0488015020015KPI	SEGM. G15KP 48,8 x 1,5 x 2
49	PC1489100	1	F0488015020015HPI	SEGM. G15HP 48,8 x 1,5 x 2
		1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
49.2	PC1489120	1	F0490015020515KPI	SEGM. G15KP 49 x 1,5 x 2,05
		1	F0490015020515HPI	SEGM. G15HP 49 x 1,5 x 2,05
		1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0492015020515KPI	SEGM. G15KP 49,2 x 1,5 x 2,05
		1	F0492015020515HPI	SEGM. G15HP 49,2 x 1,5 x 2,05

## TOP PERFORMANCES 2T

### PISTONE TOP PERFORMANCES TR. SFERA Ø 48

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1489</b>	48	25.5	Testa bombata Barrel head	2.5	54	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
49.4	PC1489140	1	SP120400070KI	PIN D. 12 X 40 X 7
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0494015020515KPI	SEGM. G15KP 49,4 x 1,5 x 2,05
		1	F0494015020515HPI	SEGM. G15HP 49,4 x 1,5 x 2,05

### PISTONE TOP PERFORMANCE TFR MINARELLI Ø 48

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2001</b>	48	25.5	Testa bombata Barrel head	2.5	54	



Variant	Item	Qty	Component Code	Component Description
48	PC2001000	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0480015020015KPI	SEGM. G15KP 48 x 1,5 x 2
48.4	PC2001040	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0484015020015KPI	SEGM. G15KP 48,4 x 1,5 x 2
48.8	PC2001080	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0488015020015KPI	SEGM. G15KP 48,8 x 1,5 x 2
49	PC2001100	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0490015020515KPI	SEGM. G15KP 49 x 1,5 x 2,05
49.2	PC2001120	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0492015020515KPI	SEGM. G15KP 49,2 x 1,5 x 2,05
49.4	PC2001140	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0494015020515KPI	SEGM. G15KP 49,4 x 1,5 x 2,05

## TOP PERFORMANCES 2T

### PISTONE TOP PERFORMANCE VERS. RACING Ø 50

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2269</b>	50	24	Testa bombata Barrel head	2	47	



Variant	Item	Qty	Component Code	Component Description
A 49.95	PC2269A	1	SP120420070KRI	PIN D. 12 X 42 X 7 BIC RAM
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	S0500010021030KB2249I	SEGM. G30KBP GH. SF. 50 x 1 x 2,1
B 49.96	PC2269B	1	SP120420070KRI	PIN D. 12 X 42 X 7 BIC RAM
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	S0500010021030KB2249I	SEGM. G30KBP GH. SF. 50 x 1 x 2,1
C 49.97	PC2269C	1	SP120420070KRI	PIN D. 12 X 42 X 7 BIC RAM
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	S0500010021030KB2249I	SEGM. G30KBP GH. SF. 50 x 1 x 2,1
D 49.98	PC2269D	1	SP120420070KRI	PIN D. 12 X 42 X 7 BIC RAM
		1	ANOB1210SET	CLIP D.12 SB FILO 1.0 IN SERIE
		1	S0500010021030KB2249I	SEGM. G30KBP GH. SF. 50 x 1 x 2,1

## YAMAHA 2T

### PISTONE APRILIA/YAMAHA SC.50 CC. Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1278</b>	40	25.5		2.5	50.5	

Segmenti NON CROMATI rings NOT CHROMED



Fuso in gravità - Gravity cast

APRILIA Amico SR 50 - Scarabeo 50 - Rally 50 - Gulliver 50  
 ATALA-RIZZATO Carosello BENELLI Scooter 491 - K2 - Pepe -  
 Naked50 BETAMOTOR Scooter Tempo - Quadra - Nemo -  
 Ark - Chrono - 502 - Eikon ITALJET Dragster - Pista -  
 Bazooka - Yankee - Ascott - Reporter MALAGUTI F10 - F12 -  
 F15 - Centro - Yesterday - Ciak MBK Booster-Evolis-Target-  
 Fizz-Sorriso-Forte-Nitro-Flipper MBK Ovetto-Stunt-Equalis-  
 MachG MINARELLI (MOTORI) MY - CY - CW MOTRON Sting -  
 Thunder - Spike - Sinkro SYM Pure 50 YAMAHA Aerox  
 (ring not chromed) 2007-2013 YAMAHA Axis (ring not  
 chromed) 1995-1998 YAMAHA BW'S (ring not chromed)  
 2000-2011 YAMAHA CRZ (ring not chromed) 1992-1995  
 YAMAHA CT (ring not chromed) 1990-1996 YAMAHA Jog -  
 Ng Bws - Spy - Bump - Slider - Why - Breeze YAMAHA  
 Neo's (ring not chromed) 2009-2013 YAMAHA Zest (ring not  
 chromed)

Variant	Item	Qty	Component Code	Component Description
40	PC1278000	2	F0400015016515H0I	SEGM. G15H 40 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,25	PC1278025	2	F0402515016515H0I	SEGM. G15H 40,25 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,5	PC1278050	2	F0405015016515H0I	SEGM. G15H 40,5 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,75	PC1278075	2	F0407515016515H0I	SEGM. G15H 40,75 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41	PC1278100	2	F0410015017015H0I	SEGM. G15H 41 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,25	PC1278125	2	F0412515017015H0I	SEGM. G15H 41,25 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE

### PISTONE APRILIA/YAMAHA SC.50 CC. Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1278</b>	40	25.5		2.5	50.5	

Segmenti NON CROMATI rings NOT CHROMED



Fuso in gravità - Gravity cast

APRILIA Amico SR 50 - Scarabeo 50 - Rally 50 - Gulliver 50  
 ATALA-RIZZATO Carosello BENELLI Scooter 491 - K2 - Pepe -  
 Naked50 BETAMOTOR Scooter Tempo - Quadra - Nemo -  
 Ark - Chrono - 502 - Eikon ITALJET Dragster - Pista -  
 Bazooka - Yankee - Ascott - Reporter MALAGUTI F10 - F12 -  
 F15 - Centro - Yesterday - Ciak MBK Booster-Evolis-Target-  
 Fizz-Sorriso-Forte-Nitro-Flipper MBK Ovetto-Stunt-Equalis-  
 MachG MINARELLI (MOTORI) MY - CY - CW MOTRON Sting  
 - Thunder - Spike - Sinkro SYM Pure 50 YAMAHA Aerox  
 (ring not chromed) 2007-2013 YAMAHA Axis (ring not  
 chromed) 1995-1998 YAMAHA BWS (ring not chromed)  
 2000-2011 YAMAHA CRZ (ring not chromed) 1992-1995  
 YAMAHA CT (ring not chromed) 1990-1996 YAMAHA Jog -  
 Ng Bws - Spy - Bump - Slider - Why - Breeze YAMAHA  
 Neo's (ring not chromed) 2009-2013 YAMAHA Zest (ring not  
 chromed)

Variant	Item	Qty	Component Code	Component Description
41,5	PC1278150	2	F0415015017015H0I	SEGM. G15H 41,5 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,75	PC1278175	2	F0417515017015H0I	SEGM. G15H 41,75 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42	PC1278200	2	F0420015017515H0I	SEGM. G15H 42 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,25	PC1278225	2	F0422515017515H0I	SEGM. G15H 42,25 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,5	PC1278250	2	F0425015017515H0I	SEGM. G15H 42,5 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,75	PC1278275	2	F0427515017515H0I	SEGM. G15H 42,75 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43	PC1278300	2	F0430015018015H03167I	SEGM. G15H 43 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43,25	PC1278325	2	F0432515018015H0I	SEGM. G15H 43,25 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43,5	PC1278350	2	F0435015018015H0I	SEGM. G15H 43,5 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE



## YAMAHA 2T

### PISTONE YAMAHA SCOOTER 50 CC. DT50 Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2258</b>	40	23.5	Testa bombata Barrel head	1	49	



Variant	Item	Qty	Component Code	Component Description
40	PC2258000	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
40,25	PC2258025	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0402515016515K0I	SEGM. G15K 40,25 x 1,5 x 1,65
40,5	PC2258050	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0405015016515K0I	SEGM. G15K 40,5 x 1,5 x 1,65
41	PC2258100	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
41,5	PC2258150	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0415015017015K0I	SEGM. G15K 41,5 x 1,5 x 1,7
42	PC2258200	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75
42,5	PC2258250	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0425015017515K0I	SEGM. G15K 42,5 x 1,5 x 1,75

## YAMAHA 2T

### PISTONE APRILIA/YAMAHA AMICO SR50-SCOOTER Ø 40

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2278</b>	40	25.5	Testa bombata Barrel head	2.5	50.5	



Variant	Item	Qty	Component Code	Component Description
40	PC2278000	1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
		2	F0400015016515K0I	SEGM. G15K 40 x 1,5 x 1,65
40,25	PC2278025	2	F0402515016515K0I	SEGM. G15K 40,25 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,5	PC2278050	2	F0405015016515K0I	SEGM. G15K 40,5 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
40,75	PC2278075	2	F0407515016515K0I	SEGM. G15K 40,75 x 1,5 x 1,65
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41	PC2278100	2	F0410015017015K0I	SEGM. G15K 41 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,25	PC2278125	2	F0412515017015K0I	SEGM. G15K 41,25 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,5	PC2278150	2	F0415015017015K0I	SEGM. G15K 41,5 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
41,75	PC2278175	2	F0417515017015K0I	SEGM. G15K 41,75 x 1,5 x 1,7
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42	PC2278200	2	F0420015017515K0I	SEGM. G15K 42 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,25	PC2278225	2	F0422515017515K0I	SEGM. G15K 42,25 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
42,5	PC2278250	2	F0425015017515K0I	SEGM. G15K 42,5 x 1,5 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43	PC2278300	2	F0430015018015K0I	SEGM. G15K 43 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE
43,5	PC2278350	2	F0435015018015K0I	SEGM. G15K 43,5 x 1,5 x 1,8
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN2B1008SET	CLIP D.10 2B FILO 0.8 IN SERIE

## YAMAHA 2T

### PISTONE YAMAHA 80 CC. YB80-PW80-TY80 Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1572</b>	47	30	Testa bombata Barrel head	2.5	59	



Variant	Item	Qty	Component Code	Component Description
47	PC1572000	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0470015019515K0I	SEGM. G15K 47 x 1,5 x 1,95
47.25	PC1572025	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0472515019515K0I	SEGM. G15K 47,25 x 1,5 x 1,95
47.5	PC1572050	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0475015019515K0I	SEGM. G15K 47,5 x 1,5 x 1,95
47.75	PC1572075	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0477515019515K0I	SEGM. G15K 47,75 x 1,5 x 1,95
48	PC1572100	1	SP120400080HI	PIN D. 12 X 40 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		2	F0480015020015K0I	SEGM. G15K 48 x 1,5 x 2

### PISTONE MBK / YAMAHA 100 CC. D. 52

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2008</b>	52	33.5	Testa bombata Barrel head	3.2	63.5	



Variant	Item	Qty	Component Code	Component Description
52	PC2008000	2	S0520012021530KPI	SEGM. G30KP GH. SF. 52 x 1,2 x 2,15
		1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
52.5	PC2008050	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0525012021530KPI	SEGM. G30KP GH. SF. 52,5 x 1,2 x 2,15
53	PC2008100	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0530012022030KPI	SEGM. G30KP GH. SF. 53 x 1,2 x 2,2
53.5	PC2008150	1	SP140400090HI	PIN D. 14 X 40 X 9
		1	AN1B1410SET	CLIP D.14 1B FILO 1.0 IN SERIE
		2	S0535012022030KPI	SEGM. G30KP GH. SF. 53,5 x 1,2 x 2,2

## YAMAHA 2T

### PISTONE YAMAHA 125 CC. Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1119</b>	56	30	Testa bombata Barrel head	3	65.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
56	PC1119000	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0560012023515KP3106I	SEGM. G15KP GH. SF. 56 x 1,2 x 2,35
56.25	PC1119025	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0562512023515KP3106I	SEGM. G15KP GH. SF. 56,25 x 1,2 x 2,35
56.5	PC1119050	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0565012023515KP3106I	SEGM. G15KP GH. SF. 56,5 x 1,2 x 2,35
56.75	PC1119075	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0567512023515KP3106I	SEGM. G15KP GH. SF. 56,75 x 1,2 x 2,35
57	PC1119100	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0570012024015KP3106I	SEGM. G15KP GH. SF. 57 x 1,2 x 2,4
57.25	PC1119125	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0572512024015KPI	SEGM. G15KP GH. SF. 57,25 x 1,2 x 2,4
57.5	PC1119150	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0575012024015KP3106I	SEGM. G15KP GH. SF. 57,5 x 1,2 x 2,4
58	PC1119200	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0580012024015KP3106I	SEGM. G15KP GH. SF. 58 x 1,2 x 2,4

### PISTONE YAMAHA TZR-DTR 125 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1399</b>	56	30.5	Testa bombata Barrel head	2.5	63.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
56	PC1399000	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0560012023515KP3106I	SEGM. G15KP GH. SF. 56 x 1,2 x 2,35
56.25	PC1399025	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0562512023515KP3106I	SEGM. G15KP GH. SF. 56,25 x 1,2 x 2,35
56.5	PC1399050	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0565012023515KP3106I	SEGM. G15KP GH. SF. 56,5 x 1,2 x 2,35
56.75	PC1399075	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0567512023515KP3106I	SEGM. G15KP GH. SF. 56,75 x 1,2 x 2,35
57	PC1399100	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0570012024015KP3106I	SEGM. G15KP GH. SF. 57 x 1,2 x 2,4
57.25	PC1399125	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0572512024015KPI	SEGM. G15KP GH. SF. 57,25 x 1,2 x 2,4
57.5	PC1399150	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0575012024015KP3106I	SEGM. G15KP GH. SF. 57,5 x 1,2 x 2,4
58	PC1399200	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0580012024015KP3106I	SEGM. G15KP GH. SF. 58 x 1,2 x 2,4

### PISTONE YAMAHA DT 125R '94-'04 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P1522</b>	56	30	Testa bombata Barrel head	3	65.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
56	PC1522000	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0560010023530KB2350I	SEGM. G30KBP GH. SF. 56 x 1 x 2,35
56.25	PC1522025	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0562510023530KB2350I	SEGM. G30KBP GH. SF. 56,25 x 1 x 2,35
56.5	PC1522050	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0565010023530KB2350I	SEGM. G30KBP GH. SF. 56,5 x 1 x 2,35
56.75	PC1522075	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0567510023530KB2350I	SEGM. G30KBP GH. SF. 56,75 x 1 x 2,35
57	PC1522100	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0570010023530KB2350I	SEGM. G30KBP GH. SF. 57 x 1 x 2,35
57.25	PC1522125	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0572510023530KB2350I	SEGM. G30KBP GH. SF. 57,25 x 1 x 2,35
57.5	PC1522150	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0575010023530KB2350I	SEGM. G30KBP GH. SF. 57,5 x 1 x 2,35
57.75	PC1522175	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0577510023530KB2350I	SEGM. G30KBP GH. SF. 57,75 x 1 x 2,35
58	PC1522200	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0580010023530KB2350I	SEGM. G30KBP GH.SF. 58 x 1 x 2,35
58.5	PC1522250	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0585010023530KB2350I	SEGM. G30KBP GH. SF. 58,5 x 1 x 2,35
A 55.95	PC1522A	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0560010023530KB2350I	SEGM. G30KBP GH. SF. 56 x 1 x 2,35
B 55.56	PC1522B	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0560010023530KB2350I	SEGM. G30KBP GH. SF. 56 x 1 x 2,35
C 55.97	PC1522C	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0560010023530KB2350I	SEGM. G30KBP GH. SF. 56 x 1 x 2,35
D 55.98	PC1522D	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0560010023530KB2350I	SEGM. G30KBP GH. SF. 56 x 1 x 2,35
E 55.99	PC1522E	1	SP160480110KBI	PIN Ø 16 X 48 X 11 BIC
		1	ANOB1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		2	S0560010023530KB2350I	SEGM. G30KBP GH. SF. 56 x 1 x 2,35

## YAMAHA 2T RACING

### PISTONE YAMAHA TZ 250 A-F 1976-79 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2688</b>	54	30.1	Testa bombata Barrel head	2.9	60.9	RACING



Variant	Item	Qty	Component Code	Component Description
53.95	PC26885395	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
53.96	PC26885396	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
53.97	PC26885397	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
53.98	PC26885398	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN2B1612SET	CLIP D.16 2B FILO 1.2 IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

### PISTONE YAMAHA TZ 250 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2508</b>	56	30.1	Testa bombata Barrel head	2.3	59.3	RACING



Variant	Item	Qty	Component Code	Component Description
55.96	PC25085596	1	N0560008022530KBI	SEGM. G30KB AC 56 X 0.8 X 2.25
		1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
55.97	PC25085597	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0560008022530KBI	SEGM. G30KB AC 56 X 0.8 X 2.25
55.98	PC25085598	1	N0560008022530KBI	SEGM. G30KB AC 56 X 0.8 X 2.25
		1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	ANOB1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE

## YAMAHA 2T RACING

### PISTONE YAMAHA TZ 350 CC. Ø 64

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2338</b>	64	36.2	Testa bombata Barrel head	3.9	66.1	RACING



Variant	Item	Qty	Component Code	Component Description
63.96	PC23386396	1	SP160500100KBI	PIN Ø 16 X 50 X 10 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0640010024530KBI	SEGM. G30KB AC 64 X 1 X 2,45
63.97	PC23386397	1	SP160500100KBI	PIN Ø 16 X 50 X 10 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0640010024530KBI	SEGM. G30KB AC 64 X 1 X 2,45
63.98	PC23386398	1	SP160500100KBI	PIN Ø 16 X 50 X 10 BIC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	N0640010024530KBI	SEGM. G30KB AC 64 X 1 X 2,45

### PISTONE YAMAHA TZ 750 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2611</b>	66.4	36	Testa bombata Barrel head	4.4	66.4	RACING



Variant	Item	Qty	Component Code	Component Description
66.36	PC26116636	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
66.37	PC26116637	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
66.38	PC26116638	1	SP160540110Y4I	PIN Ø 16 X 54 X 11
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45



## YAMAHA 4T

### PISTONE YAMAHA MAJESTY 125CC 4T (vers.segm.acc.) Ø 53,7

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2487</b>	54	18.8	Testa piana con fresatura valvole Flat head with valves seat milling		37	



Variant	Item	Qty	Component Code	Component Description
53.7	PC2487000	1	SP150440100HI	PIN D. 15 X 44 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT537001	RSMOT537001 SERIE SEGM. MOTO 4T D. 53,7 H. 1/1/2
54	PC2487030	1	SP150440100HI	PIN D. 15 X 44 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	WSMOT540001I	WSMOT540001I SERIE SEGM. MOTO 4T D. 54 H. 1x2,1 / 1x2,1 / 2x2,2
54.25	PC2487055	1	SP150440100HI	PIN D. 15 X 44 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	WSMOT542501I	WSMOT542501I SERIE SEGM. MOTO 4T D. 54,25 H. 1x2,1/1x2,1/ 2x2,2
54.5	PC2487080	1	SP150440100HI	PIN D. 15 X 44 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	WSMOT545001I	WSMOT545001I SERIE SEGM. MOTO 4T D. 54,50 H. 1x2,1/1x2,1/ 2x2,2

### PISTONE YAMAHA MAJESTY 4T 150 CC. 1999-2004 Ø 59,5

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2299</b>	59.5	18.6	Testa piana con fresatura valvole Flat head with valves seat milling		36.7	



Variant	Item	Qty	Component Code	Component Description
60	PC2299050	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	WSMOT600001I	WSMOT600001I SERIE SEGM. MOTO 4T D. 60 H. 1/2.5 1/2.5 2/2.2
60.4	PC2299090	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	WSMOT604001I	WSMOT604001I SERIE SEGM. MOTO 4T D. 60.40 H.1/2.5 1/2.5 2/2.2
60.8	PC2299130	1	SP150420100HI	PIN D. 15 X 42 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 IN SERIE
		1	RSMOT608001	RSMOT608001 SERIE SEGM. MOTO 4T D. 60,8 H. 1/1/2

## YAMAHA 4T

### PISTONE YAMAHA T-MAX 530 '12-'19 H.C. Ø 68

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2683</b>	68	22.5	Testa Piana Flat head		35.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 67.96	PC2683A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	TSMOT680001I	TSMOT680001I SERIE SEGM. MOTO 4T D. 68 MM H. 0.9/0.8/1.5
B 67.97	PC2683B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	TSMOT680001I	TSMOT680001I SERIE SEGM. MOTO 4T D. 68 MM H. 0.9/0.8/1.5
C 67.98	PC2683C	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	TSMOT680001I	TSMOT680001I SERIE SEGM. MOTO 4T D. 68 MM H. 0.9/0.8/1.5
D 67.99	PC2683D	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1610SET	CLIP D. 16 SB FILO 1.0 IN SERIE
		1	TSMOT680001I	TSMOT680001I SERIE SEGM. MOTO 4T D. 68 MM H. 0.9/0.8/1.5

### PISTONE YAMAHA MAJESTY 250 CC. vers. segmenti acciaio Ø 69

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2512</b>	69	21.25	Testa Piana Flat head		42.35	



Variant	Item	Qty	Component Code	Component Description
69	PC2512000	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT690001I	WSMOT690001I SERIE SEGM. MOTO 4T D. 69 H. 1x2,6/1x2,7/ 1.5x2,5
69.25	PC2512025	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT692501I	WSMOT692501I SERIE SEGM. MOTO 4T D. 69.25 H. 1x2,6/1x2,7/ 1.5x2,5
69.5	PC2512050	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT695001I	WSMOT695001I SERIE SEGM. MOTO 4T D. 69.50 H. 1x2,6/1x2,7/1.5x2,5
69.75	PC2512075	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT697501I	WSMOT697501I SERIE SEGM. MOTO 4T D. 69.75 H. 1x2,6/1x2,7/ 1.5x2,5
70	PC2512100	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT700001I	WSMOT700001I SERIE SEGM. MOTO 4T D. 70 H. 1x2,6 / 1x2,7 / 1.5x2,5

## YAMAHA 4T

### PISTONE YAMAHA MAJESTY/VERSIY 300cc. Ø 71

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P2543</b>	71	21.25	Testa Piana Flat head		42.35	



Variant	Item	Qty	Component Code	Component Description
71	PC2543000	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT710003I	WSMOT710003I SERIE SEGM. MOTO 4T Ø 71 MM H. 1x2.8/1x3/2X2.5
71.5	PC2543050	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT715003I	WSMOT715003I SERIE SEGM. MOTO 4T Ø 71.5 MM H. 1x2.8/1x3/2X2.5
72	PC2543100	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT720003I	WSMOT720003I SERIE SEGM. MOTO 4T Ø 72 MM H. 1x2.8/1x3/2X2.5
72.5	PC2543150	1	SP170470120KRI	PIN Ø 17 X 47 X 12 BIC RAM
		1	AN0B1712SET	CLIP D.17 SB FILO 1.2 IN SERIE
		1	WSMOT725003I	WSMOT725003I SERIE SEGM. MOTO 4T Ø 72.5 MM H. 1x2.8/1x3/2X2.5

## ZUNDAPP 2T

### PISTONE ZUNDAPP 50 CC. 2T Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0774</b>	39	26	Testa bombata Barrel head	1.5	51.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
AB 38.95	PC0774AB	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
BC 38.955	PC0774BC	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
CD 38.96	PC0774CD	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
DE 38.965	PC0774DE	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
EF 38.97	PC0774EF	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8
FG 38.975	PC0774FG	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8

## ZUNDAPP 2T

### PISTONE ZUNDAPP 50 CC. 2T Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0774</b>	39	26	Testa bombata Barrel head	1.5	51.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
GH 38.98	PC0774GH	1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
		1	SP120315080HI	PIN D. 12 X 31.5 X 8

### PISTONE ZUNDAPP 50 CC. 2T Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0803</b>	39	26	Testa bombata Barrel head	1.5	51.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
39	PC0803000	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
39.5	PC0803050	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0395015016530H0I	SEGM. G30H 39,5 x 1,5 x 1,65
40	PC0803100	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0400015016530H0I	SEGM. G30H 40 x 1,5 x 1,65
A 38.95	PC0803A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
B 38.96	PC0803B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
C 38.97	PC0803C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
D 38.98	PC0803D	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
E 38.99	PC0803E	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65
F 39	PC0803F	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390015016530H0I	SEGM. G30H 39 x 1,5 x 1,65

## ZUNDAPP 2T

### PISTONE ZUNDAPP 50 CC. 2T KS Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Head Type	Head mm	Tot. Length mm	Version
<b>P0933</b>	39	26	Testa bombata Barrel head	1.5	51.5	



Fuso in gravità - Gravity cast

Variant	Item	Qty	Component Code	Component Description
AB 38.95	PC0933AB	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390020017531HOI	SEGM. LH 39 x 2 x 1,75
BC 38.96	PC0933BC	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390020017531HOI	SEGM. LH 39 x 2 x 1,75
CD 38.96	PC0933CD	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390020017531HOI	SEGM. LH 39 x 2 x 1,75
DE 38,97	PC0933DE-1	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390020017531HOI	SEGM. LH 39 x 2 x 1,75
EF 38.97	PC0933EF	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390020017531HOI	SEGM. LH 39 x 2 x 1,75
FG 38,98	PC0933FG-1	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390020017531HOI	SEGM. LH 39 x 2 x 1,75
GH 38.98	PC0933GH	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN2B1210SET	CLIP D.12 2B FILO 1.0 IN SERIE
		1	F0390020017531HOI	SEGM. LH 39 x 2 x 1,75

# INDEX OFF ROAD

<b>BRAND</b>	<b>PAG</b>
BETAMOTOR	1
CAGIVA	5
COBRA	5
Fantic	6
GAS GAS	8
HONDA	23
HUSABERG	47
HUSQVARNA	51
KAWASAKI	68
KTM	80
SHERCO	99
SUZUKI	101
TM RACING	113
YAMAHA	115

# INDEX ON ROAD

<b>BRAND</b>	<b>PAG</b>
APRILIA	130
ATALA-RIZZATO	140
ATHENA	142
CAGIVA	143
CPI	144
DERBI	146
DR MOTORPARTS	149
GARELLI	152
GILERA	154
HONDA	157
IAME	169
KREIDLER	173
KYMCO	175
LAMBRETTA	182
LML	186
MALOSSI	187
MBK	192
MINARELLI (MOTORI)	195
PEUGEOT	200
PIAGGIO	203
POLINI	239
PUCH	248
ROTAX	250
SACHS	251
SUZUKI	257
SYM	265
TOMOS	268
TOP PERFORMANCES	277
YAMAHA	280
ZUNDAPP	292



METEOR PISTON Srl  
Via Monte Amiata, 9/11  
20021 Baranzate (MI) - Italy

phone +39 02 3561634  
fax +39 02 3560802  
info@meteorpiston.com  
www.meteorpiston.com



go to our website



Follow us on Youtube



meteor piston



@meteorpistonracing



CABER Srl  
Via Albenga, 127  
10098 Rivoli (TO) - Italy

phone +39 011 9594717  
fax +39 011 9594753  
info@caberpistonrings.com  
www.caberpistonrings.com





**METEOR PISTON** S.r.l. Via Monte Amiata, 9/11 20021 - Baranzate (MI) - Italy  
phone +39 02 3561634 fax +39 02 3560802 info@meteorpiston.com

**CABER** S.r.l. Via Albenga, 127 10090 - Cascine Vica - Rivoli (TO) - Italy  
phone +39 011 9594717 fax +39 011 9594 753 info@caberpistonrings.com